

DUTCH BIRDING

VOLUME 29 • NO 6 • 2007



Dutch Birding



*Internationaal tijdschrift over
Palearctische vogels*

REDACTIE

Dutch Birding
Postbus 116
2080 AC Santpoort-Zuid
Nederland
e-mail editors@dutchbirding.nl

FOTOREDACTIE

Dutch Birding
p/a René Pop
Postbus 31
1790 AA Den Burg-Texel
Nederland
e-mail rene.pop@dutchbirding.nl

ABONNEMENTENADMINISTRATIE

p/a Jeannette Admiraal
Iepenlaan 11
1901 ST Castricum
Nederland
e-mail circulation@dutchbirding.nl

BESTUUR

Dutch Birding Association
Postbus 75611
1070 AP Amsterdam
Nederland
e-mail dba@dutchbirding.nl

COMMISSIE DWAALGASTEN

NEDERLANDSE AVIFAUNA
CDNA
Postbus 116
2080 AC Santpoort-Zuid
Nederland
e-mail cdna@dutchbirding.nl

COMMISSIE SYSTEMATIEK

NEDERLANDSE AVIFAUNA
CSNA, p/a George Sangster
Stevenshof 17
2312 GM Leiden
Nederland
e-mail csna@dutchbirding.nl

TELEFOONLIJNEN

0900-BIRDING (= 0900-2473464)
(vogellijn, EUR 0.35/min)
010-4281212 (inspreklijn)

INTERNET

www.dutchbirding.nl

Dutch Birding

HOOFDREDACTEUR Arnoud van den Berg (tel 023-5378024,
e-mail amoud.van.den.berg@dutchbirding.nl)

ADJUNCT HOOFDREDACTEUR Enno Ebels (tel 030-2961335, e-mail enno.ebels@dutchbirding.nl)

UITVOEREND REDACTEUR André van Loon (tel / fax 020-6997585,
e-mail andre.van.loon@dutchbirding.nl)

FOTOGRAFISCH REDACTEUR René Pop (tel 0222-316801, fax 0222-316802,
e-mail rene.pop@dutchbirding.nl)

REDACTIERAAD Peter Adriaens, Ferdy Hieselaar, Roy Slaterus, Roland van der Vliet en Rik Winters

REDACTIE-ADVIESRAAD Peter Barthel, Mark Constantine, Gunter De Smet, Dick Forsman, Ricard Gutiérrez, Anthony McGeehan, Killian Mullarney, Klaus Malling Olsen, Magnus Robb, George Sangster, Hadoram Shirihai, Brian Small en Lars Svensson

REDACTIEMEDEWERKERS Rob van Bemmelen, Ruud van Dongen, Gerald Driessens, Nils van Duivendijk, Jan Eerbeek, Joris Elst, Dick Groenendijk, Marcel Haas, Jan van der Laan, Hans van der Meulen, André van der Plas, Kees Roselaar, René van Rossum, Peter de Rouw en Vincent van der Spek

PRODUCTIE EN LAY-OUT André van Loon en René Pop

ADVERTENTIES Laurens Steijn, p/a Dutch Birding, Postbus 75611, 1070 AP Amsterdam
e-mail advertising@dutchbirding.nl

ABONNEMENTEN De abonnementsprijs voor 2007 bedraagt: EUR 34.00 (Nederland), EUR 37.00 (Europa) en EUR 40.00 (landen buiten Europa).

U kunt zich abonneren door het overmaken van de abonnementsprijs op girorekening 01 50 697 (Nederland), girorekening 000 1592468 19 (België) of bankrekening 54 93 30 348 van ABN•AMRO (Castricum), o/v 'abonnement Dutch Birding'. Alle rekeningen zijn ten name van de Dutch Birding Association. Het abonnement gaat in na ontvangst van de betaling.

Dutch Birding is een tweemaandelijks tijdschrift. Het publiceert originele artikelen en mededelingen over morfologie, systematiek, voorkomen en verspreiding van vogels in de Benelux, Europa en elders in het Palearctische gebied. Het publiceert tevens bijdragen over vogels in het Aziatisch-Pacifische gebied en andere gebieden.

De volgorde van vogels in Dutch Birding volgt in eerste instantie een klassieke 'Wetmore-indeling'. Binnen dit raamwerk worden voor taxonomie en naamgeving de volgende overzichten aangehouden: *Dutch Birding-namen* door A B van den Berg (2006, Amsterdam) (taxonomie en wetenschappelijke, Nederlandse en Engelse namen van West-Palearctische vogels); *Vogels van de wereld - complete checklist* door M Walters (1997, Baarn) (Nederlandse namen van overige vogels van de wereld); en *The Howard and Moore complete checklist of the birds of the world* (derde editie) door E C Dickinson (redactie) (2003, Londen) (taxonomie en wetenschappelijke en Engelse namen van overige vogels van de wereld).

Een lijst met tarieven voor de vergoeding van auteurs, fotografen en tekenaars is verkrijgbaar bij de redactie. Voor (de voorbereiding van) bijzondere publicaties op het gebied van determinatie en/of taxonomie kan het Dutch Birding-fonds aan auteurs een financiële bijdrage leveren (zie Dutch Birding 24: 125, 2001, en www.dutchbirding.nl onder 'The Journal').

Dutch Birding Association

BESTUUR Theo Admiraal (penningmeester), Gijsbert van der Bent (voorzitter, tel 071-4024547), Arjan van Egmond (secretaris), Wietze Janse en Laurens Steijn; tevens is de redactie van Dutch Birding met een zetel vertegenwoordigd.

BESTUURSMEDWERKERS Jeannette Admiraal, René Alma, Johan van 't Bosch, Hans Bossenbroek, Menno van Duijn, Albert van den Ende, Leo Heemskerk, Remco Hofland, Janneke Kimstra, Bertus de Lange, Arnold Meijer, Ies Meulmeester, Patrick Palmen, Marc Plomp, Chris van Rijswijk, Henk van Rijswijk, Willem van Rijswijk, Vincent van der Spek, Michel Veldt, Jeroen van Vianen, Kees de Vries en Peter Weiland.

Commissie Dwaalgasten Nederlandse Avifauna (CDNA)

LEDEN Ruud Brouwer, Nils van Duivendijk, Dick Groenendijk, Teus Luijendijk, Arjan Ova, Laurens Steijn (secretaris, tel 020-7765127), Roland van der Vliet (voorzitter, tel 030-2970013) en Arend Wassink. **MEDEWERKER** Max Berlijn (archivaris). De CDNA is een commissie van de Dutch Birding Association en de Nederlandse Ornithologische Unie.

Commissie Systematiek Nederlandse Avifauna (CSNA)

LEDEN Arnoud van den Berg, André van Loon, Kees Roselaar en George Sangster (secretaris, tel 071-5143790). De CSNA is een commissie van de Dutch Birding Association en de Nederlandse Ornithologische Unie.

© 2007 Stichting Dutch Birding Association. Het copyright van de foto's en tekeningen blijft bij de fotografen en tekenaars. ISSN 0167-2878.

Drukkerij robstolk®, Mauritskade 55, 1092 AD Amsterdam, Nederland

Dutch Birding

CHIEF EDITOR Arnoud van den Berg (tel +31-235378024, e-mail arnoud.van.den.berg@dutchbirding.nl)

DEPUTY CHIEF EDITOR Enno Ebels (tel +31-302961335, e-mail enno.ebels@dutchbirding.nl)

EXECUTIVE EDITOR André van Loon (tel / fax +31-206997585, e-mail andre.van.loon@dutchbirding.nl)

PHOTOGRAPHIC EDITOR René Pop (tel +31-222316801, fax +31-222316802, e-mail rene.pop@dutchbirding.nl)

EDITORIAL BOARD Peter Adriaens, Ferdy Hieselaar, Roy Slaterus, Roland van der Vliet and Rik Winters

EDITORIAL ADVISORY BOARD Peter Barthel, Mark Constantine, Gunter De Smet, Dick Forsman, Ricard Gutiérrez, Anthony McGeehan, Killian Mullarney, Klaus Malling Olsen, Magnus Robb, George Sangster, Hadoram Shirihai, Brian Small and Lars Svensson

EDITORIAL ASSISTANTS Rob van Bemmelen, Ruud van Dongen, Gerald Driessens, Nils van Duivendijk, Jan Erbeek, Joris Elst, Dick Groenendijk, Marcel Haas, Jan van der Laan, Hans van der Meulen, André van der Plas, Kees Roselaar, René van Rossum, Peter de Rouw and Vincent van der Spek

PRODUCTION AND LAY-OUT André van Loon and René Pop

ADVERTISING Laurens Steijn, c/o Dutch Birding, Postbus 75611, 1070 AP Amsterdam
e-mail advertising@dutchbirding.nl

SUBSCRIPTIONS The subscription rate for 2007 is: EUR 34.00 (Netherlands), EUR 37.00 (Europe) and EUR 40.00 (countries outside Europe).

Subscribers in Belgium, Denmark, Finland, Germany, Norway and Sweden are kindly requested to pay the subscription fee to our local bank accounts in these countries. Details can be found on the internet (www.dutchbirding.nl).

British subscribers are requested to pay exclusively by Sterling cheque. This cheque can be sent to Dutch Birding, c/o Jeannette Admiraal, Iepenlaan 11, 1901 ST Castricum, Netherlands.

Subscribers in other countries can make their payment by credit card (Access, Eurocard, MasterCard or Visa). Please send an e-mail indicating your credit card type, account number, the expiry date and full address details to circulation@dutchbirding.nl.

The subscription starts upon receipt of payment and already published issues will be sent.

Dutch Birding is a bimonthly journal. It publishes original papers and notes on morphology, systematics, occurrence and distribution of birds in the Benelux, Europe and elsewhere in the Palearctic region. It also publishes contributions on birds in the Asian-Pacific region and other regions.

The sequence of birds in Dutch Birding basically follows a classic 'Wetmore sequence'. Within this framework, the following lists are used for taxonomy and nomenclature: *Dutch Birding's names* by A B van den Berg (2006, Amsterdam) (taxonomy and scientific, Dutch and English names of Western Palearctic birds); *Vogels van de wereld – complete checklist* by M Walters (1997, Baarn) (Dutch names of remaining birds of the world); and *The Howard and Moore complete checklist of the birds of the world* (third edition) by E C Dickinson (editor) (2003, London) (taxonomy and scientific and English names of remaining birds of the world).

A schedule of payment rates for authors, photographers and artists is available from the editors. For (preparation of) special publications regarding identification and/or taxonomy, the Dutch Birding fund can offer financial support to authors (see Dutch Birding 24: 125, 2001, and www.dutchbirding.nl under 'The Journal').

Dutch Birding Association

BOARD Theo Admiraal (treasurer), Gijsbert van der Bent (president, tel +31-714024547), Arjan van Egmond (secretary), Wietze Janse and Laurens Steijn; the editors of Dutch Birding also have one seat in the board.

BOARD ASSISTANTS Jeannette Admiraal, René Alma, Johan van 't Bosch, Hans Bossenbroek, Menno van Duijn, Albert van den Ende, Leo Heemskerk, Remco Hofland, Janneke Kimstra, Bertus de Lange, Arnold Meijer, Ies Meulmeester, Patrick Palmen, Marc Plomp, Chris van Rijswijk, Henk van Rijswijk, Willem van Rijswijk, Vincent van der Spek, Michel Veldt, Jeroen van Vianen, Kees de Vries and Peter Weiland.

Dutch rarities committee (CDNA)

MEMBERS Ruud Brouwer, Nils van Duivendijk, Dick Groenendijk, Teus Luijendijk, Arjan Ova, Laurens Steijn (secretary, tel +31-207765127), Roland van der Vliet (chairman, tel +31-302970013) and Arend Wassink. **ASSISTANT** Max Berlijn (archivist). The CDNA is a committee of the Dutch Birding Association and the Netherlands Ornithologists' Union.

Dutch committee for avian systematics (CSNA)

MEMBERS Arnoud van den Berg, André van Loon, Kees Roselaar and George Sangster (secretary, tel +31-715143790). The CSNA is a committee of the Dutch Birding Association and the Netherlands Ornithologists' Union.

© 2007 Stichting Dutch Birding Association. The copyright of the photographs and drawings remains with the photographers and artists. ISSN 0167-2878.

Printed by drukkerij robstolk®, Mauritskade 55, 1092 AD Amsterdam, Netherlands

Dutch Birding



*International journal on
Palearctic birds*

EDITORS

Dutch Birding
Postbus 116
2080 AC Santpoort-Zuid
Netherlands
e-mail editors@dutchbirding.nl

PHOTOGRAPHIC EDITOR

Dutch Birding
c/o René Pop
Postbus 31
1790 AA Den Burg-Texel
Netherlands
e-mail rene.pop@dutchbirding.nl

SUBSCRIPTION ADMINISTRATION

c/o Jeannette Admiraal
Iepenlaan 11
1901 ST Castricum
Netherlands
e-mail circulation@dutchbirding.nl

BOARD

Dutch Birding Association
Postbus 75611
1070 AP Amsterdam
Netherlands
e-mail dba@dutchbirding.nl

DUTCH RARITIES COMMITTEE

CDNA
Postbus 116
2080 AC Santpoort-Zuid
Netherlands
e-mail cdna@dutchbirding.nl

DUTCH COMMITTEE FOR

AVIAN SYSTEMATICS
CSNA, c/o George Sangster
Stevenshof 17
2312 GM Leiden
Netherlands
e-mail csna@dutchbirding.nl

INTERNET

www.dutchbirding.nl

Dutch Birding



Artikelen / papers

Masters of Mystery

Aankondigingen & verzoeken / announcements & requests

Corrigenda

WP reports

Recente meldingen / recent reports

DB Actueel

DBA-nieuws

Voorplaat / front cover

JAARGANG 29 NUMMER 6 2007 VOLUME 29 NUMBER 6 2007

347 Rare birds in the Netherlands in 2006 *Roland E van der Vliet, Jan van der Laan, Max Berlijn & CDNA*

375 Solutions of fifth round 2007: Lapland Longspur and Least Sandpiper; Sixth round 2007 *Rob S A van Bemmelen, Dick Groenendijk & Jan Eerbeek*

377 Tijdschriften De Pieper en De Graspieper op cd

377

378 late September-November 2007 *Arnoud B van den Berg & Marcel Haas*

400 Nederland: september-oktober 2007 *Ruud M van Dongen, Remco Hofland & Peter W W de Rouw*

411 België: september-oktober 2007 *Gerald Driessens*

415 Kroonboszanger in Katwijk [EASTERN CROWNED WARBLER]; Novemberstorm brengt zeevogels en zeevogelaars naar de kust [SEAWATCHING DURING NOVEMBER]; 'Pleskes Mees' gevangen bij Castricum ['PLESKE'S TIT']

422 Betaling van abonnementsgeld voor 2008; Payment of subscription for 2008; Vliegende start en noodlanding van Texel-week 2007; Dutch Birding-vogeldag 2008, in samenwerking met Waarneming.nl

Zwartkruinvinkleeuwerik / Black-crowned Sparrow-lark *Eremopterix nigriceps*, Praia, Santiago, Kaapverdische Eilanden, 14 oktober 2006 (*Edwin Winkel*)

Rare birds in the Netherlands in 2006

Roland E van der Vliet, Jan van der Laan, Max Berlijn & CDNA



This is the 27th annual report on rare birds in the Netherlands to be published in Dutch Birding. This report comprises records from 2006 as well as belated and reconsidered records, dating back to 1949, which have been evaluated by the Dutch rarities committee, the Commissie Dwaalgasten Nederlandse Avifauna (CDNA). Several 2006 records are still under review or awaiting submission and could therefore not be included. In addition, some records for 2005 and earlier years are still under consideration for various reasons.

Details included for each accepted record are, if available: date(s); location and/or *municipality* (municipal divisions as on 1 January 2006); province; number of birds if more than one, plumage and sex; type of record if trapped, photographed, sound-recorded, videoed or found dead (and where specimen is stored); names of up to three observers involved in finding, identifying and recording, and relevant references in the literature, which normally include (inter)national but not regional journals, and published photographs. Records from 2005 lasting into 2006 that were already published in the 2005 report (van der Vliet et al 2006) are repeated here without references, for the sake of completeness. Observations not (yet) submitted mentioned in the 2005 report are not repeated in this report and the CDNA recommends consulting the 2005 report for these. Sequence of the records in the species accounts is from the current year backwards, with records within one year presented chronologically. A compilation of most of the

birds videoed can be found in Boon & Slaterus (2007) and Plomp et al (2007). Numbers after each (sub)species' name refer to the total number of individuals **1** from 1 January 1800 to 31 December 1979, **2** since 1 January 1980 but excluding **3** the current year. Taxa marked with an asterisk * are new to the Dutch list.

The following CDNA members voted on some or all of the records in this report: Theo Bakker, Ruud E Brouwer, Bert de Bruin (former secretary), Nils van Duivendijk, Dick Groenendijk, Teus J C Luijendijk, Arjan Ovaa, Laurens B Steijn (secretary), Roland E van der Vliet (chairman), Arend Wassink and Pim A Wolf. Records can be submitted through email (cdna@dutchbirding.nl) or via the CDNA site on the Dutch Birding website (www.dutchbirding.nl), using an electronic submission form. Records can also be sent by ordinary mail to CDNA, Postbus 116, 2080 AC Santpoort-Zuid, the Netherlands, preferably using standard forms which can be obtained free of charge from the CDNA. On the website, it is possible to see which records are currently under review, which were recently accepted and which were rejected.

Decisions regarding taxonomy have been delegated to the Dutch committee for avian systematics, the Commissie Systematiek Nederlandse Avifauna (CSNA), which on 1 January 2006 consisted of the following members: Arnoud B van den Berg, André J van Loon, C S (Kees) Roselaar and George Sangster (secretary).

In 2006, at least 367 species were recorded, of which at least seven are new to the Dutch list: Solitary Sandpiper

Tringa solitaria, Slender-billed Gull *Larus genei*, Pallid Swift *Apus pallidus*, Little Swift *A. affinis*, Eurasian Crag Martin *Ptyonoprogne rupestris*, Ashy-headed Wagtail *Motacilla cinereocapilla* (a report from 2004 is still under review) and Song Sparrow *Melospiza melodia*. A record of another potential new species from 2006, Green Heron *Butorides virescens*, is still under review. The seven (or eight) new species make 2006 one of the best years in recent history. Additions to the Dutch list from previous years presented in this annual report are Bufflehead *Bucephala albeola* (2004), Kumlien's Gull *L. glaucoides kumlieni* (2005), Eastern Subalpine Warbler *Sylvia cantillans albigastra* (2004), Purple-backed Starling *Sturnus sturninus* (2005) and Yellow-headed Blackbird *Xanthocephalus xanthocephalus* (1982). Also, a previously rejected report of Lesser Yellowlegs *T. flavipes* from 1964 has been re-evaluated and accepted, becoming the first record. Highlights from before 2006 include the second Eurasian Pygmy Owl *Glaucidium passerinum* (2005), fourth Baltic Gull *L. fuscus fuscus* (2005) and fourth Blyth's Pipit *Anthus godlewskii* (2005). Highlights from 2006 other than the new species were the fifth Baltic Gull, the fifth and sixth Daurian Shrike *L. isabellinus* (making 2006 the first year with more than one record), the fifth Isabelline Wheatear *O. isabellina*, the sixth Grey-headed Woodpecker *Picus canus*, the eighth Rufous-tailed Rock Thrush *Monticola saxatilis* and Sardinian Warbler *Sylvia melanocephala*, and the ninth Baikal Teal *Anas formosa* (the first since 1962). Also, 2006 was a record year for Green-winged Teal *A. carolinensis* with four records, Short-toed Eagle *Circus gallicus* with six, Pallid Harrier *Circus macrourus* with four (equalling 2001 and 2003), Greater Sand Plover *Charadrius leschenaultii* with two and Citrine Wagtail *Motacilla citreola* with three. In contrast, no records were accepted for 'regular' vagrants like King Eider *Somateria spectabilis*, Lesser Yellowlegs, Alpine Swift *A. melba* or Pied Wheatear *O. pleschanka*.

Systematic list of records

Ross's Goose / Ross' Gans

Anser rossii 0,6,0

28 January to 2 May, Yerseke Moer, Reimerswaal, and Scherpenissepolder, Tholen, Zeeland, and Oudeland van Strijen, Strijen, Zuid-Holland, adult, white morph, photographed (D Symens, M van Oss, K Vliet et al). 2005 25 November to 29 December, Mirns and Oudemirdum, Gaasterlân-Sleat, Friesland, adult, white morph, photographed (J Tijmsma et al).

These are considered one or more returning birds from previous years.

Greenland White-fronted Goose / Groenlandse Kolgans

Anser albifrons flavirostris 14,64,1

12 February, Annermoeras, Spijkerboor, Aa en Hunze, Drenthe, immature, photographed (M Jonker, W-J Fontijn, E de Weerd et al). 2005 16 December, Peizermade, Noordenveld, Drenthe, adult (M Olthoff).

A report at Polder Groot Mijdsrecht, Utrecht, on 12

December is still in circulation. Four reports have not (yet) been submitted (cf van Dongen et al 2006ab, 2007): at Strijen, Zuid-Holland, on 21 January; at Sonderleien, Friesland, on 18 February; at Nieuw-Scheemda, Groningen, on 12-14 October; and at It Heidenskip, Friesland, on 29 December.

Canvasback / Grote Tafeleend

Aythya valisineria 0,1,0

30 September to 13 February 2007, Castricum aan Zee, Castricum, Noord-Holland, adult male, photographed, videoed (M Verdoes et al; Dutch Birding 28: 396, plate 566, 2006).

The returning bird first seen in January 2003. From 16 November to 4 January 2007, the bird was not reported but may have been present at an inaccessible site nearby.

Ring-necked Duck / Ringsnaveleend

Aythya collaris 5,21,0

2005 22 October to 22 January 2006, Budel-Dorplein, Cranendonck, Noord-Brabant, two (second bird from 29 October 2005), first-winter female, photographed, videoed.

This record was already mentioned in van der Vliet et al (2006).

Ring-necked x Tufted Duck / Ringsnaveleend x Kuifeend

Aythya collaris x fuligula 0,6,1

25 March, Maasvlakte, Rotterdam, Zuid-Holland, adult male, photographed (W van Rijswijk).

A report at Wieringermeer, Noord-Holland, on 25 December 2005 is still in circulation.

Surf Scoter / Brilzee-eend

Melanitta perspicillata 3,17,0

2005 6 December, Camperduin, Bergen (M Olthoff), and Petten, Zijpe, Noord-Holland, adult male (R E Brouwer).

A male seen from an airplane at Brouwershavensche Gat, Zeeland, on 16 February has not (yet) been submitted (cf van Dongen et al 2006a).

* Bufflehead / Buffelkopeend

Bucephala albeola 0,1,0

24 September to 5 October, Waterlandse Zeedijk, Volendam, Noord-Holland, adult male, photographed (E de Bruin, R van Dijk et al), and 3 December into 2007, Gaatkensplas, Barendrecht, Zuid-Holland, adult male, photographed (M Guyt et al; Dutch Birding 28: 57, plate 74, 2006).

2005 20 November 2004 to 2 May, Gaatkensplas, Barendrecht, Zuid-Holland, first-winter male (A van Ballegoie, H Westerlaken, M Berlijn et al), and 2-18 May, Ezumakeeg, Dongeradeel, Friesland, first-winter male, photographed (R Cazemier, J Bosch et al).

2004 5 November, IJmeerdijk, Almere, Flevoland, and 5-19 November, IJmeer, Muiden, Noord-Holland, first-winter male, photographed (R F J van Beusekom, L B Steijn, L Boon et al), and 20 November to 2 May 2005, Gaatkensplas, Barendrecht, Zuid-Holland, photographed (see 2005).



496 Canvasback / Grote Tafelend *Aythya valisineria*, adult male, Castricum aan Zee, Noord-Holland, 3 October 2006 (Harm Niesen) **497** Baikal Teal / Siberische Taling *Anas formosa*, male, Polder IJdoorn, Amsterdam, Noord-Holland, 21 May 2006 (Ruud G M Altenburg) **498** Great White Pelican / Roze Pelikaan *Pelecanus onocrotalus*, Mariëndal, Den Helder, Noord-Holland, 9 August 2006 (Harm Niesen)

Although Bufflehead is not uncommon in captivity with, eg, an estimated 1000 individuals in the Netherlands alone in 2003 (Jan Hartman pers comm), timing, behaviour, location and plumage of the bird involved in these sightings showed no anomalies suggesting captive origin. The CDNA decided to accept all these observations as referring to one wandering individual, because there was no overlap in timing at the various locations (on 2 May, the bird was last seen at Barendrecht in the morning and first seen at Ezumakeeg in the evening, c 200 km to the north-east, so direct proof for the presence of a second bird is not available). It returned the following winters.

American Wigeon / Amerikaanse Smient

Anas americana 5,44,3

9-29 January, Wanteskuup, Colijnsplaat, Noord-Beveland, Zeeland, adult male (P A Wolf et al); 17 January to 4 February, Zegerplas, Alphen aan den Rijn, Zuid-

Holland, adult male (R Verbeek, R Genuit); 29-30 January, Ouderkerk aan den IJssel, Ouderkerk, Zuid-Holland, adult male, photographed (E Kleyheeg, G Mourik).

Blue-winged Teal / Blauwvleugeltaling

Anas discors 6,27,1

8-12 June, Scherpenissepolder, Tholen, Zeeland, second calendar-year male, photographed (W A den Boer, P A Wolf, M Berlijn et al; Dutch Birding 28: 260, plate 369, 2006).

Baikal Teal / Siberische Taling

Anas formosa 8,0,1

18 May, Landje van Geijssel, Ouderkerk aan de Amstel, Noord-Holland, male, videoed (L Edelaar, S Lagerveld, N F van der Ham et al), and 21-22 May, Polder IJdoorn, Amsterdam, Noord-Holland, photographed, videoed (R van Dijk, M S Robb, R G M Altenburg et al; Dutch Birding 28: 260, plate 370, 2006).

The ninth record and the first since 1962 to show no signs of captivity (eg, positively seen to be unringed, no damaged wings, no aberrant behaviour). A report on 16 May at Langeraar, Noord-Holland, possibly concerned the same bird but has not been submitted. Previous records concerned birds shot or collected in March 1909, March 1913, January 1924, September 1941, November 1948, October-November 1952, August 1960 and December 1962.

Green-winged Teal / Amerikaanse Wintertaling

Anas carolinensis 6,30,4

9 April, Bandpolder, *Dongeradeel*, Friesland, male, photographed (M Olthoff, R Cazemier, M Bot et al), and 22-27 April, Jaap Deensgat, Lauwersmeer, *De Marne*, Groningen, male, photographed (R Cazemier et al); 16 April, Ruidhorn, Uithuizen, *Eemsmond*, Groningen, male (M Olthoff); 6 May, Waterstaatspad, *Schiermonnikoog*, Friesland, adult male, photographed (K P Hendriks, S Rijnbeek, M Renders et al); 10-14 June, Amstelmeer, *Den Helder*, Noord-Holland, male, photographed (M Rendén, L van der Vaart, O de Vries et al; Dutch Birding 28: 260, plate 368, 2006).

2005 2-3 October, Sint Maartensvlotbrug, *Zijpe*, Noord-Holland, male, (partly in) eclipse plumage, photographed (P van der Wielen, H Niesen et al); 27 November, Ruidhorn, Uithuizen, *Eemsmond*, Groningen, adult male (M Olthoff).

With four records, 2006 has been equally productive as 1999, 2000 and 2001, followed by 2002 with three. Reports at Burgervlotbrug, Noord-Holland, on 13 May, and at Maasvlakte, Zuid-Holland, on 31 December, have not (yet) been submitted (cf van Dongen et al 2006a, 2007). Assumingly, the records on 27 November 2005 and, less than five months later, on 16 April 2006 at Ruidhorn, Groningen, concerned different individuals.

Yellow-billed Loon / Geelsnavelduiker

Gavia adamsii 21,15,0

2005 13 November, Nes, *Ameland*, Friesland (M Bot).

A report of a bird at Vlieland, Friesland, on 26 December has not (yet) been submitted (cf van Dongen et al 2007).

Cory's Shearwater / Kuhls Pijlstormvogel

Calonectris borealis 2,2,1

10 July, *Lith*, Noord-Brabant, picked up alive (died later), photographed, corpse retained at Wageningen University, Wageningen, Gelderland (W van Lith, W van Gestel, J-E Kikkert).

This bird was found weakened and brought to a bird hospital at Someren, Noord-Brabant, where it died. Previous records of *Calonectris* shearwaters which could be identified with certainty as Cory's Shearwater also related to birds found weakened or dead: at Noordwijk, Zuid-Holland, on 26 October 1947, at Rotterdam, Zuid-Holland, on 29 November 1966, at Noordwijk, Zuid-Holland, on 15 November 1981, and at Fijnaart, Noord-Brabant, on 27 September 1996. There are no records of Scopoli's Shearwater *C diomedea*.

Cory's/Scopoli's Shearwater / Kuhls/Scopoli's Pijlstormvogel

Calonectris borealis/diomedea 0,6,0

2005 6 December, Camperduin, *Bergen*, Noord-Holland (N F van der Ham).

The sixth record for this species pair (assuming that Cape Verde Shearwater *C edwardsii* is not a realistic option as a vagrant to North Sea waters). Previous records of unidentified *Calonectris* shearwaters were on 29 October 1986, 17 September 1990, 18 May 1991 and 21 August 1997 (all at Camperduin, Noord-Holland) and 8 October 2003 (Texel, Noord-Holland). A report of one flying past Ameland, Friesland, on 5 November remains in circulation (cf van Dongen et al 2007).

European Storm-petrel / Stormvogeltje

Hydrobates pelagicus -,127,-

1994 18 September, Baalhoek, *Hontenisse*, Zeeland, two (W Mahu).

This species was only considered in the period 1982-98 but the CDNA still welcomes all reports before 1 January 1999. The total of 127 individuals relate to 63 records.

Great White Pelican / Roze Pelikaan

Pelecanus onocrotalus 4,4,1

6 May, Hummelo, *Hummelo en Keppel*, Gelderland, adult (E Lam, F Balduk, G Nijhuis et al), and 8 May, *Heerenveen*, Friesland, and 10 May, Tjeukemeer, Friesland, and 13 May, Sneekemeer, Friesland, and 13-31 May, Tjeukemeer, Friesland, photographed (J Heusinkveld et al; Birding World 19: 196, 2006, Dutch Birding 28: 255, plate 358, 2006), and 20-21 July, *Akersloot*, Noord-Holland, photographed, and 21 July, *Alkmaar* and *Den Helder*, Noord-Holland, and 22 July to 7 August, *Horsmeertjes*, *Texel*, Noord-Holland, photographed (S Miske, A Wassink et al), and 8-12 August, *Mariëndal*, *Den Helder*, Noord-Holland, photographed (Birding World 19: 322, 2006, 20: 29, 2007, Dutch Birding 28: 328, plate 452, 2006).

This long-staying individual gave everyone a good opportunity to study this big bird, which was seen roosting in a tree from time to time. Coincidentally, after this bird was seen for the last time on 12 August, an individual frequented various locations on the British east coast between 16 August and 6 September (cf van den Berg & Haas 2006).

Green Heron / Groene Reiger

Butorides virescens 0,0,0

The bird present at two sites in Amsterdam, Noord-Holland, from 25 April to 30 September is still in circulation (cf Steijn 2006; The Sound Approach archives; Birding World 19: 152, 372, 2006, 20: 26, 2007, Dutch Birding 28: 183, plate 258, 194, plate 275-276, 396; plate 568-569, 2006).

Squacco Heron / Ralreiger

Ardeola ralloides 25 (since 1866),36,1

18 June, Westduinpark, *Den Haag*, Zuid-Holland, adult, summer plumage (R van der Vliet, R Berkelder, R Polak



499 Cory's Shearwater / Kuhls Pijlstormvogel *Calonectris borealis* (found at Lith, Noord-Brabant, on 10 July 2006), Wageningen, Gelderland, 14 October 2006 (Wouter van Gestel)

500 Ring-billed Gull / Ringsnavelmeeuw *Larus delawarensis*, adult, Tiel, Gelderland, 3 March 2006 (Jasper Ziedses-des Plantes)





501 Short-toed Eagle / Slangenarend *Circaetus gallicus*, Meijndel, Zuid-Holland, 4 September 2006
(Renée de Kleijn & George Pieterse)

502 Pallid Harrier / Steppekiekendief *Circus macrourus*, second calendar-year female, De Cocksdorp, Texel,
Noord-Holland, 12 May 2006 (Jankees Schwiebbe)



et al), and 18-21 June, Lentevreugd, *Wassenaar*, Zuid-Holland, adult, summer plumage, photographed (J van 't Bosch, J van der Berg, K de Vries et al; Dutch Birding 28: 262, plate 379, 2006).

Cattle Egret / Koereiger

Bubulcus ibis 33,66,-

1983 13 September to 8 October, Hoogkerk, *Groningen*, Groningen, photographed (H-J Wight, S de Bruin, I de Bruin et al; van der Berg & Bosman 1999, 2001).

This species is no longer considered since 1 January 1997 but the CDNA still welcomes all reports before this date. This record from 1983 had already been published in van der Berg & Bosman (1999, 2001) but had not yet been mentioned in one of the annual CDNA-reports.

Eurasian Griffon Vulture / Vale Gier

Gyps fulvus 9,55,2

5 June, *Naarden*, Noord-Holland (L Berris, C Feijen), and Weipoort, *Zoeterwoude*, Zuid-Holland, second calendar-year, photographed (R Slaterus), and Biggekerke and Koudekerke, *Veere*, Zeeland, photographed (P A Wolf et al; Dutch Birding 28: 261, plate 372, 2006), and 6 June, Dishoek, *Veere*, Zeeland (T Luiten); 19 June, Westerhoven, *Bergeyk*, Noord-Brabant, second calendar-year, photographed (D Timmermans et al; Dutch Birding 28: 261, plate 373, 2006).

The bird seen on 5-6 June was wearing a white colour-ring, as can be seen on photographs taken at Weipoort and Koudekerke. A report at Leusden, Utrecht, on 30 April has not (yet) been submitted (cf van Dongen et al 2006a).

Short-toed Eagle / Slangenarend

Circus gallicus 3,25,6

26 May, Hugterheide, Maarheze, *Cranendonck*, Noord-Brabant, immature, trapped and taken into care, photographed (R Weenink et al; Dutch Birding 28: 259, plate 366, 2006); 1 July, Oldemarkt, *IJsselham*, Overijssel, photographed (K Vedder); 22 July to 7 September, Meijndel, *Wassenaar*, and Katwijk aan Zee, *Katwijk*, Zuid-Holland, immature, photographed (G van der Bent, R van Rossum et al; Dutch Birding 28: 329, plate 454, 335, plate 466, 2006); 4 August, Ratum, *Winterswijk*, Gelderland (S Wytema); 7-22 August, Fochteloërveen, *Ooststellingwerf*, Friesland, and *Norg*, Drenthe, maximum of two (on 13-22 August), photographed (M Bot, O Tol, R Cazemier et al).

2005 15 September, *Simpelveld*, Limburg (M Berlijn).

The bird taken into care on 26 May was released at Strabrechtse Heide, Noord-Brabant, on 17 June. 2006 was the best year ever with six individuals. Again, like previous years, several reports are still in circulation and more reports – too many to mention here – have not (yet) been submitted (cf van Dongen et al 2006ab)

Pallid Harrier / Steppekiekendief

Circus macrourus 5,22,4

5 May, Eemshaven-Oost, *Eemsmond*, Groningen, adult male, photographed (E Koops et al; Dutch Birding 28: 261, plate 375, 2006); 5 May, De Cocksdorp, *Texel*,

Noord-Holland, second calendar-year (H van Rijswijk, D Kok, J Ruinaard et al); 8 May, Nieuwolda, *Scheemda*, Groningen, adult male (D J Moerbeek); 12 May, De Cocksdorp, *Texel*, Noord-Holland, second calendar-year female, photographed (J Schwiebbe, H Bouwmeester; Dutch Birding 28: 174, plate 234, 2006).

With four records, 2006 was one of the best years, equalling 2001 and 2003. A report on Texel, Noord-Holland, on 4 May is still in circulation. A large number of reports has not (yet) been submitted (cf van Dongen et al 2006ab).

Booted Eagle / Dwer garend

Aquila pennata 0,14,2

3 May, Strabrechtse Heide, *Somerens*, Noord-Brabant, pale morph, photographed (J-E Kikkert); 12 August, Budel-Dorplein, *Cranendonck*, Noord-Brabant, dark morph (N van Houtum).

This species has been recorded almost annually in 1992-96 and since 2000. The following nine reports have not (yet) been submitted: at Schermerhorn, Noord-Holland, on 13 May; at Huis ter Heide, Noord-Brabant, on 10 June; near Groesbeek, Gelderland, on 16 July; near Schiphol, Noord-Holland, on 23 July; at Zwolle, Overijssel, on 5 August; at Rhenen, Utrecht, on 13 August; over Petten and Callantsoog, Noord-Holland, on 13 August; and at Hoogvliet, Zuid-Holland, on 5 October (cf van Dongen et al 2006ab).

Little Crake / Klein Waterhoen

Porzana parva 36,11,1

8 September, Verdrongen Land van Saefinghe, *Hulst*, Zeeland, first-winter, ringed, photographed, videoed (A P Wieland, W van Kerkhoven, K Minnaar; Dutch Birding 28: 396, plate 567, 2006).

Little Crakes remain very rare, despite the growing number of birdwatchers. Unfortunately, after the breeding season, several emerge in survey reports without any documentation (cf van Dijk et al 2007). As these reports typically concern calling birds at night, while sound-recordings are lacking, they cannot be accepted. Obviously, there are confusion risks with vocalisations of other birds, such as Water Rail *Rallus aquaticus*.

Baillon's Crake / Kleinst Waterhoen

Porzana pusilla 82,41,2

13 June to 1 July, Polder Achteraf, Loosdrecht, *Wijdemeren*, Noord-Holland, singing, sound-recorded (M S Robb, A B van den Berg et al; The Sound Approach archives); 24-25 June, De Weerribben, *Steenwijkerland*, Overijssel, singing, sound-recorded (P Nuyten).

This species will be no longer considered from 1 January 2008 onwards. Fortunately, observers have become familiar with its distinctive calls; identification mistakes almost never seem to happen, in contrast with the previous species.

Stone-curlew / Griel

Burhinus oedicephalus -,47,1

12 May, Neeltje Jans, *Veere*, Zeeland, photographed (I Meulmeester, E Sandberg, G Davidse et al).



503 Black-winged Pratincole / Steppeworkstaartplevier *Pratincola nordmanni*, Eemnes, Utrecht, 17 October 2006 (Michel Veldt) **504** Eurasian Crag Martin / Rotszwaluw *Ptyonoprogne rupestris*, Hoorn, Noord-Holland, 18 November 2006 (Roland Jansen) **505** Solitary Sandpiper / Amerikaanse Bosruiter *Tringa solitaria solitaria*, Wissenkerke, Zeeland, 15 May 2006 (Patrick Palmen)



Reports at Oegstgeest, Zuid-Holland, on 5 July and at Duin en Kruidberg, Noord-Holland, on 15 August have not (yet) been submitted (cf van Dongen et al 2006b).

Collared Pratincole / Vorkstaartplevier

Glareola pratincola 5,14,2

17 June to 5 July (intermittently), Ezumakeeg, *Dongeradeel*, Friesland, and 1-2 July, Achter de Zwartten, Lauwersmeer, *De Marne*, Groningen, adult, photographed, videoed (D P J Kuijper, T Veen, L Davids et al); 3 July, Polder Waal en Burg, *Texel*, Noord-Holland, adult, videoed (A Wassink, P Duin, E Menkveld et al).

The first since 2002. Reports at Gaarkeuken, Groningen, on 26 April, at Nijkerk, Gelderland, on 30 April, at Jan Durkspolder, Friesland, on 8 June, and at Utrecht, Utrecht, on 21 July have not (yet) been submitted (cf van Dongen et al 2006ab).

Black-winged Pratincole / Steppenvorkstaartplevier

Glareola nordmanni 12,19,3

24 August and 13-18 September, Kinsel and Ransdorp, *Amsterdam*, Noord-Holland, first-winter, photographed (H Bouman, M Berlijn, L Punt et al; Dutch Birding 28: 334, plate 465, 2006); 14-20 October, Noordpolder te Veld, *Eemnes*, Utrecht, first-winter, photographed, videoed (P van der Wijst, J Schwiebbe, H Niesen et al; Birding World 19: 425, 2006, Dutch Birding 28: 398, plate 575, 2006); 15 October, Het Hellegat, Kloosterzande, *Hulst*, Zeeland, winter plumage (M A Capello, W Mahu).

1982 21 November to 5 December, Overlangbroek, *Leersum*, Utrecht, adult, photographed (W Hoogendoorn, G H Steinhaus, E B Ebels et al; Dutch Birding 4: 144, plate 87, 1982).

The first since 2003. After 1972 and 2002, this is the third year with three birds. The records at Eemnes and Kloosterzande are the first in October but not the latest as there are also two November records (in 1900 and 1982). The 1982 record concerns a correction of the age of an individual previously accepted as first-winter (cf Blankert & Steinhaus 1982, van den Berg & Bosman 2001).

Greater Sand Plover / Woestijnplevier

Charadrius leschenaultii 1,8,2

4 August, Zuidpier, *Ijmuiden*, *Velsen*, Noord-Holland, first-winter, photographed (W van der Schot, W Price, A B van den Berg et al; Brinkhuizen & van der Schot 2006; Dutch Birding 28: 319, plate 435, 327, plate 450, 340, plate 472-473, 2006); 6 August, Eemshaven-West, *Eemmond*, Groningen, immature, photographed (D M Brinkhuizen, M Jonker, L Brinkhuizen et al; Brinkhuizen & van der Schot 2006).

2004 16 September, Slik van Battenoord, *Oostflakkee*, Zuid-Holland, first-winter, photographed (P A Wolf, R van Loo, M S J Hoekstein et al; Dutch Birding 26: 341, plate 482, 2004).

2006 was the first year with more than one record. Examination of the photographs showed that most probably two birds were involved. Previous records were in July 1977, August 1984, August 1985, August 1993, September 1994, July-August 1996, June 2001, September

2004 and April 2005. The 2004 record had already been accepted as Greater Sand Plover but was published with incorrect ageing (van der Vliet et al 2005); the CDNA concluded that it probably involved the subspecies *C l columbinus* (Anatolian Sand Plover) but it has not been formally accepted as such. After recirculation, the CDNA reconfirmed the identity of the Anatolian Sand Plover at Den Oever, Noord-Holland on 7-30 August 1985; Lesser Sand Plover *C mongolus* can be safely excluded. Totals include birds accepted at subspecies level.

American Golden Plover / Amerikaanse Goudplevier

Pluvialis dominica 1,16,3

7 May, Slik van Battenoord, *Oostflakkee*, Zuid-Holland, adult, summer plumage, photographed (D Benders, G Bakker, W van den Hoven); 9 May, Philipsdam, *Bruinisse*, Zeeland, summer plumage, photographed (P L Meininger, P A Wolf); 12-14 May, Mariëndal, *Den Helder*, Noord-Holland, adult, summer plumage, photographed (F Draaisma, M Renden, L van der Kruik et al; Dutch Birding 28: 262, plate 378, 2006).

Pacific Golden Plover / Aziatische Goudplevier

Pluvialis fulva 9,23,1

1-15 August, De Petten and Mokbaai, *Texel*, Noord-Holland, adult, summer plumage, videoed (P Duin, A Wassink, E Menkveld et al).

2005 27 June, Bleskensgraaf, *Graafstroom*, Zuid-Holland, adult, summer plumage, photographed (A de Jong, R Vlot, A Kolders et al).

Lesser golden plover / kleine goudplevier

Pluvialis dominica/fulva 0,4,0

2003 26-31 July, Workumerwaard, *Nijefurd*, Friesland, adult, summer plumage, photographed (S Deuzeman, S Bernardus, S Radstaak et al).

In addition to 20 records of American Golden Plover *P dominica* and 33 of Pacific Golden Plover *P fulva*, just four 'lesser golden plovers' have not been accepted to species level. Previous records of such 'lesser golden plovers' were on Schiermonnikoog, Friesland, on 8 August 1991, at Westplaat, Zuid-Holland, on 19-20 August 1995, and at Ezumakeeg, Friesland, on 16 July 2000.

Sociable Lapwing / Steppiekievit

Vanellus gregarius 12,29,1

15 September, Budel-Dorppein, *Cranendonck*, Noord-Brabant, first-winter, photographed (H Hendriks, F Neijts et al).

In 1990-2001, 22 individuals were recorded but since 2001 this is only the second, which may reflect the species' decline in its breeding grounds.

White-rumped Sandpiper / Bonapartes Strandloper

Calidris fuscicollis 1,26,2

16-25 July, Ezumakeeg, *Dongeradeel*, Friesland, adult, summer plumage, photographed (M Bot, R Cazemier, D Hoekstra et al); 13 October, Amstelmeer, *Den Helder*, Noord-Holland, first-winter (R de Beer, M van der Aa).



506 Squacco Heron / Ralreiger *Ardeola ralloides*, Lentevreugd, Wassenaar, Zuid-Holland, 19 June 2006 (Marc Guyt/Agami) **507** Slender-billed Gull / Dunbekmeeuw *Larus genei*, Enkhuizen, Noord-Holland, 6 May 2006 (Michel Veldt) **508** Greater Sand Plover / Woestijnplevier *Charadrius leschenaultii*, first-winter, IJmuiden, Noord-Holland, 4 August 2006 (Arnoud B van den Berg) **509** Baltic Gull / Baltische Mantelmeeuw *Larus fuscus fuscus*, first-summer, Erasmusgracht, Amsterdam, Noord-Holland, 25 June 2005 (Ruud G M Altenburg)

The bird at Amstelmeer represents the third October record. The species has been recorded annually since 1999, best years being 2001 (six) and 2004 (five).

Broad-billed Sandpiper / Breedbekstrandloper

Limicola falcinellus 23,91,-

2002 20 May, Enumatil, Leek, Groningen, summer plumage (T Bakker et al).

This was the 12th record for 2002. The species is no longer considered since 1 January 2003 but the CDNA still welcomes records before this date.

Buff-breasted Sandpiper / Blonde Ruiter

Tryngites subruficollis 3,25,6

15 June, Slijkplaat, Haringvliet, Hellevoetsluis, Zuid-Holland, photographed (S Lilipaly, P A Wolf, R van Loo et al); 9 September, Vliehors, Vlieland, Friesland,

videod (G van Duin, L Hofstee); 13 September, Slikken van Flakkee, Dirksland, Zuid-Holland, adult, photographed (P A Wolf et al; Dutch Birding 28: 392, plate 558, 2006 (age incorrectly given as juvenile in caption)); 24-29 September, Prins Hendrikpolder, Texel, Noord-Holland, two, juvenile, photographed (R van Dijk, R Pop et al; Dutch Birding 28: 393, plate 560, 2006); 24-29 September, De Stolpen, Zijpe, Noord-Holland, juvenile, photographed (N F van der Ham, S Lagerveld, R Struyck et al; Dutch Birding 28: 392, plate 556-557, 393, plate 559, 2006).

After no records in 2005, this was as good a year as 2001 with six individuals. It was also the first year with a record of two individuals together. A report at Bandpolder, Friesland, on 21 September has not (yet) been submitted (cf van Dongen et al 2006b).

Great Snipe / Poelsnip

Gallinago media -,24,2

12-13 September, Hessenpoort, Zwolle, Overijssel (H M Pohlmann, S Radstaak, J Denée); 16 September, Kreeftenpolder, Texel, Noord-Holland, first-winter (N van Duiven-dijk, J de Bruyn, D Kok et al).

The record at Hessenpoort was at the very same location and same date (13 September) as in 2005, tempting to speculate it was the same returning individual! A report on Vlieland, Friesland, on 11 November has not (yet) been submitted (cf van Dongen et al 2007).

Long-billed Dowitcher / Grote Grijze Snip

Limnodromus scolopaceus 0,19,1

24 December to 15 January 2007, Twisk, Noorder-Koggenland, Noord-Holland, first-winter, photographed (J Buijsman, P Groot, C Hopman et al; Dutch Birding 29: 124, plate 164, 2007).

Lesser Yellowlegs / Kleine Geelpootruiter

Tringa flavipes 2,15,0

1964 16 April, Yerseke, Reimerswaal, Zeeland (W J M Vader; Vader 1964).

After review, this record becomes the first. It had previously been removed from the Dutch list during the reviews of all pre-1980 records by van IJzendoorn & de Heer (1985) and van IJzendoorn et al (1996). Due to new insights on yellowlegs identification and the stamina of the observer, this record was finally accepted again.

* Solitary Sandpiper / Amerikaanse Bosruiter

Tringa solitaria 0,0,1

14-17 May, Bokkegat, Wissenkerke, Noord-Beveland, Zeeland, second-calendar year, photographed, videoed (M S J Hoekstein et al; Hoekstein 2006, Hoekstein & Ebels 2007; Birding World 19: 198, 2006, Dutch Birding 28: 181, plate 254, 199, plate 282-283, 256, plate 359, 2006, 29: 79, plate 104, 81, plate 105-106, 82, plate 107, 2007).

Thanks to excellent photographs, this new species could be identified as belonging to the south-eastern nominate subspecies *T s solitaria*, eg, because of its conspicuous dark lore.

Terek Sandpiper / Terekruiter

Xenus cinereus 1,32,3

4 May, Kinsel, Amsterdam, Noord-Holland, photographed (W Price); 17 May, Weevers Inlaag, Schouwen-Duiveland, Zeeland, photographed (P A Wolf et al); 12 July, Balgzandpolder, Den Helder, Noord-Holland, photographed (W Price; Dutch Birding 28: 334, plate 464, 2006).

Remarkably, two of the three birds in 2006 were discovered by the same observer.

* Slender-billed Gull / Dunbekmeeuw

Larus genei 0,0,7

5-6 May, De Kreupel, Enkhuizen, Noord-Holland, three, at least two adult (one on 6 May), photographed (B Woets, E Schoppers; Ebels et al 2006, Ottens et al

2007; Dutch Birding 28: 196, plate 278, 2006, 29: 220, plate 304, 2007), and 6 May, De Ven, Enkhuizen, Noord-Holland, two, adult and second-summer, photographed (J-P de Krijger, B Pronk, A Roobeek et al; Ebels et al 2006, Ottens et al 2007; Dutch Birding 28: 196, plate 279, 2006, 29: 219, plate 301, 220, plate 306, 2007); 6 May, De Blikken, Groede, Oostburg, Zeeland, two, adult (one wearing green colour ring), photographed, videoed (P Lindenburg, J van de Vijver, J Tramper et al; Ebels et al 2006, Ottens et al 2007; Birding World 19: 199, 2006, Dutch Birding 28: 260, plate 371, 2006, 29: 220, plate 305, plate 307, 2007); 6-9 May, Dollard-kwelder, Carel Coenraadpolder, Delfzijl, Groningen, two, adult and second-summer, photographed (K Koffij-berg, A Boven, D J Moerbeek et al; Ebels et al 2006, Ottens et al 2007; Dutch Birding 28: 197, plate 280, 2006, 29: 220, plate 302-303, 2007).

A long-awaited addition to the Dutch list – but seven on one day in three areas widely distributed over the country was a big surprise. A full account has already been published (Ottens et al 2007). A report of two birds between Lauwersoog, Groningen, and Schiermonnikoog, Friesland, on 7 May remains in circulation.

Ring-billed Gull / Ringsnavelmeeuw

Larus delawarensis 0,8,0

23 August to 28 December, Tiel, Gelderland, adult male, photographed.

2005 17 September to 13 March 2006, Tiel, Gelderland, adult male, photographed.

The same bird returning for its fourth winter.

Baltic Gull / Baltische Mantelmeeuw

Larus fuscus fuscus 0,4,1

25-27 May, Erasmusgracht, Amsterdam, Noord-Holland, second calendar-year, wearing colour-ring (red CJC9), photographed (J van der Laan, T J C Luijendijk, R G M Altenburg et al; Altenburg et al 2007; Dutch Birding 28: 259, plate 364-365, 2006, 29: 96, plate 119-121, 2007).

2005 25 June, Erasmusgracht, Amsterdam, Noord-Holland, second calendar-year, wearing colour-ring (red CRK4), photographed (R G M Altenburg; Altenburg et al 2006; Dutch Birding 28: 163, plate 223-225, 2006).

CJC9 had been ringed as a nestling at Pori, Finland, on 28 June 2005 and was subsequently seen at Anza, Agadir, Morocco, on 23 February 2006; CRK4 had been ringed as a nestling at Pietarsaari, Vaasa, Finland, on 10 July 2004 (Altenburg et al 2006, 2007). A first-year with a red colour-ring at Groningen, Groningen, from 8 December to 1 February 2007 is still in circulation (van Dongen et al 2007).

* Kumlien's Gull / Kumliens Meeuw

Larus glaucooides kumlieni 0,1,0

2005 30 January, Paal 8, Terschelling, Friesland, second-winter, photographed (M Bunschoek; Bunschoek 2005).

This taxon has become so 'common' in the northern part of Britain that it is no longer considered by the British rarities committee (BBRC); its occurrence was, therefore, not unexpected. The taxonomic status of

Kumlien's Gull is clouded (it is now often regarded as a hybrid population between Iceland Gull *L g glaucoides* and Thayer's Gull *L thayeri*) but, for the moment, the Dutch committee for avian systematics (CSNA) considers it to be a subspecies of Iceland Gull. A paper detailing this record and the identification is being prepared for Dutch Birding.

Roseate Tern / Dougalls Stern

Sterna dougallii 3,25,2

18 May, Wevers Inlaag, *Schouwen-Duiveland*, Zeeland, adult, summer plumage, photographed (P A Wolf); 23-24 May, Camperduin, *Bergen*, Noord-Holland, adult, summer plumage, photographed, videoed (S Lagerveld, E L Alanen, H Niesen et al; Dutch Birding 28: 258, plate 363, 2006).

2003 29 July, Camperduin, *Bergen*, Noord-Holland, adult, summer plumage (N F van der Ham, T Knol).

The fifth and sixth records since 2000. 1990 was the best year with four records, followed by 1991 with three. Years with two were 1982, 1989, 1993, 1994 and 1998.

Black Guillemot / Zwarte Zeekoet

Cephus grylle 31,57,4

21 January to 9 April, 't Horntje, *Texel*, Noord-Holland, adult, moulting from winter to summer plumage, photographed (S Rijnbeek, R van Bemmelen, M Guyt et al; Birding World 19: 57, 2006, Dutch Birding 28: 120, plate 165, 184, plate 259-260, 2006), and 24-30 April, West-Terschelling, *Terschelling*, Friesland, adult, summer plumage, photographed (T Hek, A Ouwerkerk), and 9 November to 9 December, West-Terschelling, *Terschelling*, Friesland, adult, winter plumage, photographed (A Ouwerkerk et al); 7 October, Oost-Vlieland, *Vlieland*, Friesland, adult (R Cazemier, B-J Prak et al); 7 October, Oost-Vlieland, *Vlieland*, Friesland, juvenile (R Cazemier, B-J Prak et al); 24 November to 9 December, West-Terschelling, *Terschelling*, Friesland, juvenile, photographed (A Ouwerkerk; Dutch Birding 29: 63, plate 82, 2007).

2005 16 December, Eemshaven-Oost, *Eemsmond*, Groningen, winter plumage (J G Bosma).

Several reports in August, October, November and December have not (yet) been submitted (cf van Dongen et al 2006b, 2007). From 1 January 2007, the species will no longer be considered but the CDNA welcomes all reports not yet submitted from 2006 and before.

Great Spotted Cuckoo / Kuifkoekoek

Clamator glandarius 7,11,1

29 March to 3 April, Deelensche Zand, Hoge Veluwe, *Ede*, Gelderland, first-summer, photographed, videoed (O van der Klis, W van Rijswijk, C van Rijswijk et al; Birding World 19: 154, 2006, Dutch Birding 28: 185, plate 261-262, 2006).

2001 30 April to 2 May, Lange Duinen, *Ameland*, Friesland, first-summer, photographed (D Gras, A Varkevisser, J Neij et al).

There are now three records since the turn of the century, all first-summers. The last records before 2001 were in 1995 (July and October), both first-calendar years.

Eurasian Pygmy Owl / Dwerguil

Glucidium passerinum 0,2,0

2005 10 December, Bakkeveen, *Opsterland*, Friesland (K Scholten).

The second record, following one picked up alive at Sumarreheide, Friesland, on 4 October 2002. The next day at Bakkeveen, a huge crowd of c 300 birders gathered before sunrise to search this bird but, unfortunately, it was never seen again.

Tengmalm's Owl / Ruigpootuil

Aegolius funereus -,9,1

7 March, Belfeld, *Venlo*, Limburg, adult, taken into care, photographed (M Stellmacher, R Beekhuijzen, R van Kuilenburg et al; Dutch Birding 28: 190, plate 270, 2006).

2002 12 October, Hooghalen, *Aa en Hunze*, Drenthe, found dead, photographed (W van Manen; van Manen 2002).

* Pallid Swift / Vale Gierzwaluw

Apus pallidus 0,0,1

20-21 October, *Vlieland*, Friesland, first-year, photographed, videoed (N van Duivendijk, D Kok, H Zevenhuizen et al; van Duivendijk & Kok 2006; Dutch Birding 28: 398, plate 574, 409, plate 586-587, 2006).

A long-awaited addition to the Dutch list. Being 'trapped' on an island, the bird conveniently stayed for one more day after its discovery moving in large circles over large parts of the island and enabling several 10s of birders from the mainland to connect. Direct comparison with Common Swift *A apus* when it was first seen and excellent photographic documentation enabled a safe identification of this notoriously tricky species. A report at De Nolle, Zeeland, on 25 October is still in circulation (cf van Dongen et al 2006b).

* Little Swift / Huisgierzwaluw

Apus affinis 0,0,1

20 November, IJmuiden, *Velsen*, Noord-Holland (J de Leeuw, B Couperus; Couperus & de Leeuw 2006).

Another swift addition to the Dutch list. The bird was discovered from an office window and seen clinging to a concrete wall of an old watertower for a few minutes. Then it flew off north-west and was not seen again. A report from Terschelling, Friesland, on 17 May 2001 (Dutch Birding 23: 237, plate 268-269, 2001), has only recently been submitted and, if accepted, will make the IJmuiden bird the second.

European Roller / Scharrelaar

Coracias garrulus 53,17,0

2005 15-20 September, Ploegelanden, *Texel*, Noord-Holland, adult, photographed (L J R Boon, R van Rossum, E B Ebels et al; Birding World 18: 372, 2005, Dutch Birding 27: 350, plate 424, 429, plate 534, 431, plate 536, 2005).

This concerns a correction of the exact location (cf van der Vliet et al 2006).



510 Great Spotted Cuckoo / Kuifkoekoek *Clamator glandarius*, first-summer, Hoge Veluwe, Gelderland, 3 April 2006 (Menno van Duijn)

511 Great Spotted Cuckoo / Kuifkoekoek *Clamator glandarius*, first-summer, Hoge Veluwe, Gelderland, 1 April 2006 (Harm Niesen)





512-513 Pallid Swift / Vale Gierzwaluw *Apus pallidus*, first-year, Vlieland, Friesland, 21 October 2006 (*Han Zevenhuizen*) **514** Great Spotted Cuckoo / Kuifkoekoek *Clamator glandarius*, first-summer, Hoge Veluwe, Gelderland, 1 April 2006 (*Chris van Rijswijk/birdshooting.nl*) **515** Olive-backed Pipit / Siberische Boompieper *Anthus hodgsoni*, Oosterreeweg, Schiermonnikoog, Friesland, 15 October 2006 (*Martijn Bot*)

Grey-headed Woodpecker / Grijskopspecht

Picus canus 1,4,1

13 March to 2 April, Hellendoorn-Nijverdal, *Hellendoorn*, Overijssel, adult female, photographed (H Evers).

The bird was present for several days feeding in a garden. Unfortunately, the news was not released. Previous records were at Weerselo, Overijssel, on 28 April 1974 (male), at Brunssum, Limburg, in April-July 1981 and April-August 1982 (male), at Brunssum on 5-7 April 1985 (female), at Oosterbeek, Gelderland, intermittently from May 2000 to June 2003 (male), and at Beegden, Limburg, on 5-12 June 2004 (male).

Greater Short-toed Lark / Kortteenleeuwerik

Calandrella brachydactyla 3,31,3

7 May, De Cocksdorp, *Texel*, Noord-Holland, photographed (N van Duivendijk, B de Bruijn, K de Jong et al); 12 May, Ramspolplaten, *Kampen*, Overijssel, photographed (M Zekhuis, F de Roder, J Nap et al; Dutch

Birding 28: 263, plate 384, 2006); 15-25 October, Oosterend, *Terschelling*, Friesland, photographed, sound-recorded (M P Lantsheer, M Gal, E Nieuwstraten et al; Dutch Birding 28: 397, plate 573, 2006).

Reports of fly-bys at the Eemshaven, Groningen, on 6 May, 12 May and 2 October, and at Breskens, Zeeland, on 8 May, have not (yet) been submitted (cf van Dongen et al 2006ab).

* Eurasian Crag Martin / Rotszwaluw

Ptyonoprogne rupestris 0,0,6

5 November, IJburg, *Amsterdam*, Noord-Holland, two (R G M Baars, S Sybrandi; Hotting & Ebels 2006, Ebels et al 2007); 7 November, Boswachterij Schouwen, *Schouwen-Duiveland*, Zeeland, two (C Oskam, L van Ree, W Vuyk et al; Hotting & Ebels 2006, Ebels et al 2007); 14-24 November, *Hoorn*, Noord-Holland, maximum of two (one on 22-24 November), photographed, videoed (M Hotting, M Veldt, R Vlot et al; Hotting & Ebels 2006,



516 Thrush Nightingale / Noordse Nachtegaal *Luscinia luscinia*, Castricum, Noord-Holland, 19 August 2006 (Arnold Wijker) **517** Isabelline Wheatear / Izabeltapuit *Oenanthe isabellina*, Eemshaven-Oost, Groningen, 1 September 2006 (Martijn Bot) **518-519** Ashy-headed Wagtail / Italiaanse Kwikstaart *Motacilla cinereocapilla*, male, Camperduin, Noord-Holland, 16 April 2006 (Arnoud B van den Berg)

Ebels et al 2007; Birding World 19: 451-452, 2006, 20: 36, 2007, Dutch Birding 28: 411, plate 588-590, 2006, 29: 66, plate 91-92, 293, plate 420-421, 294, plate 422, 295, plate 423-424, 2007).

After several fly-bys in recent years, eg, in 1992, 2001 and 2005, that were insufficiently documented to be acceptable, this species finally claimed its position on the Dutch list in 2006, with no less than six birds within two weeks. The sightings at IJburg and Hoorn (c 30 km further north) may have related to the same two birds moving north along the IJsselmeer coast but have been accepted as separate records. The birds at Hoorn were the only two to be twitchable and the first to be documented by photographs and video.

Blyth's Pipit / Mongoolse Pieper

Anthus godlewskii 0,4,0

2005 14 November, Eemshaven-Oost, Eemsmond, Groningen, videoed (H-J Wight, E Boerma, E Klunder).

The fourth record of this Central Asian pipit. Previous records were at Westenschouwen, Zeeland, on 13 November 1983 (trapped), at Maasvlakte, Zuid-Holland, on 25-28 October 1996 and at Kennemerduinen, Noord-Holland, on 24 November 2002 (trapped). Two reports from 2005, at Westkapelle, Zeeland, on 27 October and at Balloërveld, Drenthe, on 30 October, are still in circulation.

Olive-backed Pipit / Siberische Boompieper

Anthus hodgsoni 0,16,1

15-16 October, Oosterreeweg, Schiermonnikoog, Schiermonnikoog, Friesland, photographed, videoed (S Wytema, S Radstaak, E Meindersma et al; Dutch Birding 28: 397, plate 572, 2006).

The first for this Frisian island.

*** Ashy-headed Wagtail / Italiaanse Kwikstaart**

Motacilla cinereocapilla 0,0,2

16 April, Camperduin, Bergen, Noord-Holland, male,



520 Subalpine Warbler / Baardgrasmus *Sylvia cantillans*, male, Maasvlakte, Zuid-Holland, 11 May 2006 (*Chris van Rijswijk/birdshooting.nl*) **521** Eastern Subalpine Warbler / Oostelijke Baardgrasmus *Sylvia cantillans albistriata*, male, De Uithof, Den Haag, Zuid-Holland, 28 May 2004 (*Ferry Ossendorp*) **522** White's Thrush / Goudlijster *Zoothera aurea* (found dead at Scheveningen, Zuid-Holland, on 29 October 2005), Nationaal Natuurhistorisch Museum - Naturalis, Leiden, Zuid-Holland, 23 October 2007 (*André J van Loon*)

photographed, sound-recorded (E van Saane, P van der Wielen, A B van den Berg et al; The Sound Approach archives; van den Berg et al 2006; Dutch Birding 28: 186, plate 263, 2006); 22 April, Flevocentrale, *Lelystad*, Flevoland, male, photographed, sound-recorded, videoed (A Vink, D Groenendijk, W Janssen et al; van den Berg et al 2006; Dutch Birding 28: 193, plate 274, 2006).

Both birds were well observed, photographed and sound-recorded. Apart from a good photograph or video image of the head-markings and white throat, a sound-recording of the flight calls is considered vital for a safe identification. A report from May 2004 at Makkumer-zuidwaard, Friesland, is still in circulation.

Citrine Wagtail / Citroenkwikstaart

Motacilla citreola 0,15,3

23 April, Eemshaven-Oost, *Eemmond*, Groningen,

female, photographed (D Hoekstra, R Cazemier, S Bernardus et al); 5 May, Mariëndal, *Den Helder*, Noord-Holland, female, photographed (R Hovinga, R Jansen, H Niesen et al; Dutch Birding 28: 263, plate 383, 2006), and 6 May, De Cocksdorp, *Texel*, Noord-Holland, photographed (D Kok, A Wassink, K de Vries et al); 18 August, Nevengeul, *Wageningen*, Gelderland, first-winter, photographed (M Prins, R Vermoolen et al; Dutch Birding 28: 335, plate 468, 2006).

The best year ever, with (at least) three birds, and the first since 2002. The first-winter at Wageningen represents the earliest autumn record. Previous records were in August-September 1984, April 1991, May 1993, September 1994, September 1995, June 1996, August-September 1996, September 1997, May 1998 (two), May 1999 (two), April 2000, April 2001 and September 2002.

Thrush Nightingale / Noordse Nachtegaal

Luscinia luscinia 7,52,5

12-17 May, Koningssteen, *Thorn*, Limburg, singing, photographed, sound-recorded, videoed (H Lammers, R Schols, J van der Coelen et al; *Birding World* 19: 200, 2006, Dutch Birding 28: 259, plate 367, 2006); 2-6 June, Breevenen, *Eext, Aa en Hunze*, Drenthe, singing, sound-recorded (E Schoppers, B Woets, M Jonker et al); 19 August, *Castricum*, Noord-Holland, ringed, photographed (J Visser, L Heemskerk, A Wijker et al); 19 August, Kennemerduinen, *Bloemendaal*, Noord-Holland, ringed, photographed (R Luntz, L Buckx, H Buckx); 17 September, Groene Glop, *Schiermonnikoog*, Friesland, first-winter, ringed, photographed (H Bouwmeester, K van Kleef).

The best year ever with five records. Previous good years were 1987 and 1996, both with four. A report of a bird trapped at Bloemendaal, Noord-Holland, on 21 September is still in circulation.

Red-spotted Bluethroat / Roodsterblauwborst

Luscinia svecica svecica 24,41,2

12 May, De Pijp, *Amsterdam*, Noord-Holland, adult male, photographed (S Kuiper); 27 May, Rottumeroog, *Eemsmond*, Groningen, adult male, photographed (M de Vries).

2004 8 May, Kreeftenpolder, *Texel*, Noord-Holland, adult male (D Kok).

The bird on 12 May was photographed on a roof terrace in down-town Amsterdam. Two reports in Flevoland in August 2005 are still in circulation.

Siberian Stonechat / Aziatische Roodborsttapuit

Saxicola maurus 9,24,1

8 October, Jan Ayeslag, *Texel*, Noord-Holland, first-winter, videoed (R Sponselee, M A Capello, W Mahu et al).

2001 23 September, Oost-Vlieland, *Vlieland*, Friesland, first-winter, photographed (J Eerdman, R M van Dongen, P W W de Rouw et al).

Isabelline Wheatear / Izabeltapuit

Oenanthe isabellina 0,4,1

31 August to 4 September, Eemshaven-Oost, *Eemsmond*, Groningen, first-winter, photographed (K Nanninga, J G Bosma, M Jonker et al; Bosma & Nanninga 2006; *Birding World* 19: 373, 2006, Dutch Birding 28: 342, plate 476-477, 2006).

The earliest record. Previous ones were in October-November 1996, September 2000, October 2000 and November 2005.

black-eared wheatear / blonde tapuit

Oenanthe hispanica/melanoleuca 3,2,1

23 May, De Hooze Berg, Den Burg, *Texel*, Noord-Holland, first-summer male, photographed (family van Dijk).

Desert Wheatear / Woestijntapuit

Oenanthe deserti 1,18,1

28 December, De Cocksdorp, *Texel*, Noord-Holland, first-winter male, photographed (G Veldhuisen; Dutch

Birding 29: 65, plate 89-90, 2007).

After the record number of nine birds in 2005, the pattern is back to 'business as usual'.

Rufous-tailed Rock Thrush / Rode Rotslijster

Monticola saxatilis 1,6,1

8 May, Flevocentrale, *Lelystad*, Flevoland, female, photographed (G J ter Haar, P van Wetter, M Renders et al; *Birding World* 19: 200, 2006, Dutch Birding 28: 263, plate 381, 2006).

The first since the record year 2000, when three birds were recorded. Previous ones were at Borgercompagnie, Groningen, on 22-23 April 1951 (first-summer male), at Noorderburen, Noord-Holland, on 12-13 May 1994 (first-summer female), at Hoge Veluwe, Gelderland, on 17 May 1998 (adult male), at Lauwersmeer, Groningen, on 4 May 1999 (adult male), at Wapenveld, Gelderland, on 25 April 2000 (adult male), at Maasvlakte, Zuid-Holland, on 27 April 2000 (first-summer male), and at Blaricum, Noord-Holland, on 4 May 2000 (adult male).

White's Thrush / Goudlijster

Zoothera aurea 11,7,0

2005 29 October, Hasseltsestraat, Scheveningen, *Den Haag*, Zuid-Holland, found dead, photographed, skin retained at National Natural History Museum - Naturalis, Leiden, Zuid-Holland (E Kok).

This record was already published in van der Vliet et al (2006) but without information on where the skin was retained.

River Warbler / Krekelzanger

Locustella fluviatilis 6,37,2

30 May to 11 June, Marsdijk, Schuilenburg, *Hellendoorn*, Overijssel, singing, sound-recorded (M Jonker, L Punt et al); 11-15 September, Venebuurt, *Opsterland*, Friesland, first-year, ringed, photographed (W Bil et al).

A report near Giethoorn, Overijssel, on 29 June has not (yet) been submitted (cf van Dongen et al 2006a).

Paddyfield Warbler / Veldrietzanger

Acrocephalus agricola 1,14,3

12 September, Venebuurt, *Opsterland*, Friesland, first-winter, ringed, photographed (W Bil et al); 17 September, Amsterdamse Waterleidingduinen, *Zandvoort*, Noord-Holland, first-winter, ringed, photographed (P van Eijk et al); 14 October, Meijndel, *Wassenaar*, Zuid-Holland, first-winter, ringed, photographed (M Verrips, V van der Spek, B d'Arnaud et al; Dutch Birding 28: 397, plate 571, 2006).

Like all other records, except for one in September 1994, all birds were trapped during ringing activities. With three birds, 2006 is the second-best year after 2003, when four were trapped.

Booted Warbler / Kleine Spotvogel

Acrocephalus caligatus 0,10,1

9-11 October, Maasvlakte, *Rotterdam*, Zuid-Holland, photographed, videoed (W van Rijswijk, H van Rijswijk, C van Rijswijk et al; *Birding World* 19: 423, 2006, Dutch Birding 28: 399, plate 577-578, 2006).



523 Thrush Nightingale / Noordse Nachtegaal *Luscinia luscinia*, Kessenich, Limburg, 15 May 2006 (Otto Plantema)

524 Paddyfield Warbler / Veldrietzanger *Acrocephalus agricola*, Meijndel, Zuid-Holland, 14 October 2006 (Vincent van der Spek/VRS Meijndel) **525** Collared Flycatcher / Withalsvliegenvanger *Ficedula albicollis*, adult male, Ginkel-Noord, Gelderland, 5 June 2006 (Chris van Rijswijk/birdshooting.nl)





526 Booted Warbler / Kleine Spotvogel *Acrocephalus caligatus*, Maasvlakte, Zuid-Holland, 9 October 2006
(Chris van Rijswijk/birdshooting.nl)

527 Sardinian Warbler / Kleine Zwartkop *Sylvia melanocephala*, male, Hargen aan Zee, Noord-Holland,
27 April 2006 (Christiaan Giljam)



This bird stayed for three days and gave many birders the opportunity to closely study this interesting *Acrocephalus*. All previous records fall in the period from 31 August to 6 October, so the 2006 record is the latest ever.

Subalpine Warbler / Baardgrasmus

Sylvia cantillans 5,46,2

15 May, Maasvlakte, Rotterdam, Zuid-Holland, female (L Boon, W van Rijswijk).

Totals include birds identified to subspecies (see below). Reports at Ritthem, Zeeland, on 9 May 1987 and at Amsterdamse Waterleidingduinen, Noord-Holland, on 17 May 2006 are still in circulation. A report on Ameland, Friesland, on 2 May has not (yet) been submitted (cf van Dongen et al 2006a).

Western Subalpine Warbler / Westelijke Baardgrasmus

Sylvia cantillans cantillans/inornata 2,5,1

11 May, Maasvlakte, Rotterdam, Zuid-Holland, first-summer male, photographed (W van Rijswijk, C van Rijswijk, M Berlijn et al; Dutch Birding 28: 264, plate 386, 2006).

*** Eastern Subalpine Warbler / Oostelijke Baardgrasmus**

Sylvia cantillans albistriata 0,1,0

2004 28 May, De Uithof, Den Haag, Zuid-Holland, male, photographed, sound-recorded (W Kolber, T J C Luijendijk, F Ossendorp et al).

This bird had previously been accepted but the subspecies was not decided upon (cf van der Vliet et al 2006); now, it has been accepted as the first *S c albistriata*.

Sardinian Warbler / Kleine Zwartkop

Sylvia melanocephalus 0,7,1

26-27 April, Hargen, Bergen, Noord-Holland, first-summer male, photographed, videoed (G Dinsbach, T Udo, C Giljam et al; Dutch Birding 28: 187, plate 267, 2006).

The eighth record and the first since 1995. Previous records all concerned males at Osdorp, Noord-Holland, from 14 December 1980 to 22 February 1981, at Eemshaven, Groningen, on 13 May 1983, at Rottumeroog, Groningen, on 20 April 1991, on Texel, Noord-Holland, on 26-29 May 1993, at Lauwersoog, Groningen, from 30 October to 22 November 1993, on Texel, Noord-Holland, on 8-14 May, and at Egmond-Binnen, Noord-Holland, from 12 November to 29 December 1995.

Greenish Warbler / Grauwe Fitis

Phylloscopus trochiloides 6,42,1

26 August to 1 September, Koarnwerterstân (Kornwerderzand), Wânseradiel, Friesland, photographed (P M A van der Wielen, J Bisschop et al; Dutch Birding 28: 335, plate 467, 2006).

2005 17-20 September, Eemshaven-Oost, Eemmond, Groningen, first-winter, photographed (J G Bosma, A de Bruin, M Bot et al).

Reports at Eemshaven, Groningen, on 4 June, and at

Moddergat, Friesland, on 26-28 August have not (yet) been submitted (cf van Dongen et al 2006ab).

Arctic Warbler / Noordse Boszanger

Phylloscopus borealis 2,16,0

2002 21-22 September, Lange Paal, Vlieland, Friesland (R F J van Beusekom, A van Egmond, H Groot et al).

The seventh for Vlieland, making this small island the best place to find this species, with Schiermonnikoog as second best with five (cf van der Vliet et al 2006).

Hume's Leaf Warbler / Humes Bladkoning

Phylloscopus humei 2,29,0

2005 20 November to 14 January 2006, Oosterbeek, Renkum, Gelderland, photographed, sound-recorded.

This record was already mentioned in van der Vliet et al (2006).

Radde's Warbler / Raddes Boszanger

Phylloscopus schwarzi 2,15,2

13 October, Kennemerduinen, Bloemendaal, Noord-Holland, first-winter, ringed, photographed (C van Deursen, P Bergkamp, H Buckx et al; Dutch Birding 28: 397, plate 570, 2006); 19 October, Castricum, Noord-Holland, first-winter, ringed, photographed (R Reijnders, A Wijker, C Reijnders et al; Dutch Birding 28: 400, plate 580, 2006).

A report at Hargen aan Zee, Noord-Holland, on 29 October has not (yet) been submitted (cf van Dongen et al 2006b).

Dusky Warbler / Bruine Boszanger

Phylloscopus fuscatus 1,43,2

24-25 October, Lange Paal, Vlieland, Friesland (J Eerdmans, H Buckx, R Bekebrede); 26 November, Castricum, Noord-Holland, ringed, photographed (J Visser, A Wijker, R Reijnders; Dutch Birding 29: 65, plate 87, 2007).

A report at Brouwersdam, Zeeland, on 18 October has not (yet) been submitted (cf van Dongen et al 2006b).

bonelli's warbler / bergfluitier

Phylloscopus bonelli/orientalis 4,6,1

11 May, Donkere Duinen, Den Helder, Noord-Holland, singing, photographed, sound-recorded (J van der Laan, N Harder, C Hopman et al).

The bird was heard singing but not calling, making identification to species level tricky. The songs of Western Bonelli's Warbler *P bonelli* and Eastern Bonelli's Warbler *P orientalis* are very similar, whereas the most common calls are completely different. Specific identification on morphological characters is possible but requires very close views and/or detailed pictures to establish subtle differences in plumage and/or structure (cf Occhiato 2007).

Siberian Chiffchaff / Siberische Tjiftjaf

Phylloscopus collybita tristis -,19,2

9 November to 24 January 2007, Huizen, Noord-Holland, photographed, sound-recorded (R F J van Beusekom, D Groenendijk, L van Loo et al; Dutch

Birding 29: 65, plate 88, 2007); 18 November, Groene Glop, *Schiermonnikoog*, Friesland, ringed, photographed (H Bouwmeester et al; Dutch Birding 29: 67, plate 94, 2007).

2005 26 November to 8 December, camping De Pomp, Kollumerpomp, *Kollumerland en Nieuwkruisland*, Friesland, photographed, sound-recorded (R Cazemier, D Hoekstra et al).

Several reports are still in circulation: at Eemshaven, Groningen, on 18 October, with another one there on 28 October, and at Den Oever, Noord-Holland, on 3 November. A report on Texel, Noord-Holland, on 12 October has not (yet) been submitted (cf van Dongen et al 2006b). Two previously accepted records have been rejected after review: at Rotterdam, Zuid-Holland, on 26-28 November 1998 and at Oudemirdum, Friesland, from 27 November to 6 December 1998; these two decisions complete the review by the CDNA of records of Siberian Chiffchaff.

Iberian Chiffchaff / Iberische Tjiftjaf

Phylloscopus ibericus 2,15,1

22 May to 10 June, Oosterhout, *Alkmaar*, Noord-Holland, singing, photographed, sound-recorded (E van Saane, T Udo, A B van den Berg et al; The Sound Approach archives; Dutch Birding 29: 86, plate 114, 2007).

Iberian Chiffchaffs have been recorded annually since 2001, with the exception of 2003. Slaterus (2007) provided a full overview on the occurrence of this species in the Netherlands. A report at Egmond, Noord-Holland, on 7-11 June is still in circulation. A report at Fochtelooerveen, Friesland, on 27-28 May has not (yet) been submitted (cf van Dongen et al 2006a).

Collared Flycatcher / Withalsvliegenvanger

Ficedula albicollis 24,8,0

13 May to 12 June, Noord-Ginkel, *Ede*, Gelderland, adult male, photographed, sound-recorded, videoed (A Heeres, B Heeres, H Baak et al; The Sound Approach archives; Birding World 19: 232, 2006, Dutch Birding 28: 251, plate 355, 264, plate 385, 2006).

The 2006 bird was singing in the same general area as a male from 8 May to 27 June 2004 (often even on the same tree-trunk) and, therefore, although it was not reported in 2005, it is considered to be the same individual. Before this bird, there were only seven records since 1980: in May 1985 (two), May 1996, October 1996, April-May 1998 and May 2001 (two). Out of the total of 32, only one was a female (in May 1985).

Daurian Shrike / Daurische Klauwier

Lanius isabellinus 0,4,2

27 August, Maasvlakte, *Rotterdam*, Zuid-Holland, adult female, photographed (F van der Lans, P Planken, J Kleijweg et al; van der Lans 2006; Birding World 19: 322, 2006, Dutch Birding 28: 343, plate 478, 2006); 25-26 September, Den Hoorn, *Texel*, Noord-Holland, adult male, photographed (J Lehmus, R Hofman, M Berlijn et al; Birding World 19: 426, 2006, Dutch Birding 28: 395, plate 565, 2006).

Previous records were on Texel, Noord-Holland, on 4 May 1995; at Lauwersoog, Friesland/Groningen, on 8-11 December 1996 (cf Dutch Birding 24: 343, 2002); at Castricum, Noord-Holland, on 1-3 October 2000; and on Texel on 24-25 September 2003. A paper on the occurrence and identification of 'isabelline shrikes' in the Netherlands has been prepared for Dutch Birding.

House Crow / Huiskraai

Corvus splendens 0,22,-

1999 31 July, Stavoren, *Nijefurd*, Friesland (M Versluys).

This record is considered to refer to the same bird as at nearby Harlingen, Friesland, on 7 June 1999. The species is no longer considered since 1 January 2004 but the CDNA still welcomes all reports before this date.

* Purple-backed Starling / Daurische Spreeuw

Sturnus sturninus 0,1,0

2005 11-12 October, Oost-Vlieland, *Vlieland*, Friesland, first-winter male, photographed, videoed (R van Ouwkerk, C Giljam, J van der Laan et al; Giljam & van Ouwkerk 2005; Dutch Birding 27: 433, plate 543, 2005).

The first sighting of this East Asian starling to be accepted. Two previous sightings, in May 1999 and November 1999, were considered escapes but the occurrence of several extreme eastern vagrants during recent years in Europe (eg, Eastern Crowned Warbler *Phylloscopus coronatus* and Chestnut-eared Bunting *Emberiza fucata*) made the CDNA reconsider this point of view and give the Vlieland bird the benefit of the doubt. As a consequence, the two records from 1999 are now in recirculation. Purple-backed (or Daurian) Starling breeds just east of Lake Baikal (in the area Transbaykalia, also known as Dauria), Siberia, Russia, and the wintering grounds are around the equator, eg, in Indonesia and Malaysia.

Atlas Chaffinch / Atlasvink

Fringilla coelebs africana 0,2,0

1999 30 April, Eemshaven-Oost, *Eemmond*, Groningen, female, sound-recorded (M Jonker, H-J Wight, R Winters et al).

This bird had previously been accepted as African Chaffinch (Atlas Chaffinch or Tunesian Chaffinch *F c spodiogenys*; van der Vliet et al 2005). However, recent research on its two call types by The Sound Approach showed that this bird can now be identified as Atlas Chaffinch (Arnoud van den Berg & Magnus Robb in litt).

Arctic Redpoll / Witsuitbarmsijs

Carduelis hornemanni 43,62,4

27 January to 30 March, Vissershaven, IJmuiden, *Velsen*, Noord-Holland, at least two, photographed (R Winters, A B van den Berg et al); 31 January to 12 February, Zuidlaren, *Tynaarlo*, Drenthe, photographed (M Olthoff, M Bot, S Bot et al); 18-24 March, Noordpolderzijl, *Eemmond*, Groningen, male, photographed (I Weeber, M Bot et al).

2005 13 November, *Castricum*, Noord-Holland, adult male, ringed, photographed, videoed (J Visser, A Wijker, H Levering et al); 25 December to 1 January 2006,

Holwerd, *Dongeradeel*, Friesland, at least one, male, photographed (R Cazemier, M Bot et al); 27 December to 7 January 2006, Marshaven, *Zutphen*, Overijssel, male, photographed, videoed (Birding World 19: 10, 2006).

These records are part of the small invasion that started in late autumn 2005, now involving at least nine birds. Two individuals have now been accepted for IJmuiden, Noord-Holland, but the reports of up to four additional birds remain in circulation. The record at Zutphen was already mentioned in van der Vliet et al (2006). The following reports have not (yet) been submitted (cf van Dongen et al 2006a): at Alphen aan den Rijn, Zuid-Holland, on 17 January; at Haren, Groningen, on 18 January; at Leekstermeer, Groningen, on 27 January; at Zuidlaren, Drenthe, on 5 February (a second individual); at Beijum, Groningen, from 31 January to 18 February; at De Bijland, Gelderland, on 12-13 February; at Groningen, Groningen, on 27 February; and at Warmond, Zuid-Holland, on 5 March. A report at Selwerd, Groningen, Groningen, from 22 December 2005 to 5 February 2006 is still under consideration. The totals include the only Hornemann's Redpoll *C h hornemanni* at Huisduinen, Noord-Holland, on 11-15 October 2003 (van der Vliet et al 2006). It was shown by van den Berg et al (2007) that it appears unlikely that other Arctic Redpolls on the Dutch list concerned anything else than Coues's Arctic Redpoll *C h exilipes*. For instance, it is noteworthy that none of the Arctic Redpolls occurred as early in autumn as the Hornemann's.

Two-barred Crossbill / Witbandkruisbek

Loxia leucoptera bifasciata 37,220,1

22 February, Berkenplas, *Schiermonnikoog*, Friesland, adult male (M Olthoff).

Parrot Crossbill / Grote Kruisbek

Loxia pytyopsittacus 15,581,2

12 February, Tongeren, *Epe*, Gelderland, two, male and female, ringed, photographed (K Terpstra).

The first record since 1 January 2002, when the CDNA started considering reports again, after a stop from 1 January 1993 to 31 December 2001. The totals present the number of individuals accepted for 1900-79, 1980-92 and 2002-06, respectively.

*** Song Sparrow / Zanggors**

Melospiza melodia 0,0,1

30 April, Kabbelaarsbank, *Goedereede*, Zuid-Holland, photographed (P A Wolf, R van Loo et al; Wolf & Ebels 2006, 2007; Dutch Birding 28: 189, plate 268, 195, plate 277, 2006, 29: 31, plate 38, 32, plate 39-40, 2007).

The first record. It was found in the afternoon in an area closed for the public and was seen by only 10 birders. It was seen until at least 19:30 but had disappeared the next morning. Belgium and Norway both have one record, Britain has seven (Wolf & Ebels 2007).

Rustic Bunting / Bosgors

Emberiza rustica 14,57,2

21 April, Hargen, *Bergen*, Noord-Holland, adult male, summer plumage (N F van der Ham); 4-7 October,

Lange Paal, *Vlieland*, Friesland, adult male, winter plumage, photographed (L Edelaar, B Lagerveld, W van der Schot et al; Dutch Birding 28: 402, plate 582, 2006).

Yellow-breasted Bunting / Wilgengors

Emberiza aureola 3,10,0

1995 3-4 September, Oost-Vlieland, *Vlieland*, Friesland (J Eerdmans, H Buckx, P W W de Rouw et al).

With four records, Vlieland has been the best place to see this species. The year 1995 was the best ever with three but there have been only two since, in September 2001 and September 2003, which may reflect the species' decline in north-eastern Europe and possibly elsewhere.

Black-headed Bunting / Zwartkopgors

Emberiza melanocephala 2,9,1

15-18 October, Brouwersdam, *Schouwen-Duiveland*, Zeeland, male, photographed (T Fijen, T van Kessel, F Wildschut et al; Birding World 19: 426, 2006, Dutch Birding 28: 395, plate 564, 402, plate 581, 2006).

This was the first in autumn; previous records were in May-July and one was in February (1967).

*** Yellow-headed Blackbird / Geelkoptroepiaal**

Xanthocephalus xanthocephalus 0,1,0

1982 18-20 May and 14 June, Polder Waal en Burg, *Texel*, Noord-Holland, adult male (W J Wolff, P J van Vliet, H N Leijts et al), and 2-3 July, Formerumer Wiel, *Terschelling*, Friesland (L M J van den Bergh, F T van Driel, D Visser et al).

Following a review, this bird has been accepted as the species' first record. A full account has recently been published by Ebels & van den Bergh (2007) and van Vliet & Ebels (2007).

Systematic list of rejected reports

This list contains all records not accepted by the CDNA. Records marked with @ were rejected by all committee members in the first or second voting. Most records were rejected because the identification was not fully established (often due to lack of documentation) or when the bird showed signs of captivity, such as dubious rings, excessive wear or aberrant behaviour. Species for which the CDNA unanimously decided that all records up to now refer to birds of captive origin are indicated with *. This includes records of birds of which all ancestors are assumed to be of captive origin (introduced species of British category C).

Eastern Greylag Goose / Oostelijke Grauwe Gans

Anser rubrirostris 12 February, Blitterswijk, *Meerlo-Wansum*, Limburg, adult, photographed (@ this subspecies does not have an orange bill). **Hutchins's Canada**

Goose / Hutchins Canadese Gans *Branta hutchinsii hutchinsii* 17 April, Jaap Deensgat, Lauwersmeer, *De Marne*, Groningen, adult, photographed (@ no description; photographs too blurry to determine exact colours).

Bufflehead / Buffelkopeend *Bucephala albeola* 23 April, Horstermeer, *Wijdmeren*, Noord-Holland, adult male, photographed (@ not determined whether individual



528 Daurian Shrike / Daurische Klauwier *Lanius isabellinus*, adult female, Maasvlakte, Zuid-Holland, 27 August 2006 (Chris van Rijswijk/birdshooting.nl) **529** Daurian Shrike / Daurische Klauwier *Lanius isabellinus*, adult male, Den Hoorn, Texel, Noord-Holland, 26 September 2006 (Martijn Bot) **530** Purple-backed Starling / Daurische Spreeuw *Sturnus sturninus*, first-winter male, Oost-Vlieland, Vlieland, Friesland, 12 October 2005 (Jan van der Laan) **531** Purple-backed Starling / Daurische Spreeuw *Sturnus sturninus*, first-winter male, Oost-Vlieland, Vlieland, Friesland, 12 October 2005 (Sander Lagerveld) **532** Arctic Redpoll / Witstuitbarmsijs *Carduelis hornemanni*, IJmuiden, Noord-Holland, 27 January 2006 (Arnoud B van den Berg) **533** Parrot Crossbill / Grote Kruisbek *Loxia pytyopsittacus*, male (left), with Common Crossbill / Kruisbek *L. curvirostra*, Tongeren, Gelderland, 12 February 2006 (Klaas Terpstra)



534 Black-headed Bunting / Zwartkopgors *Emberiza melanocephala*, male, Brouwersdam, Zeeland, 17 October 2006 (Chris van Rijswijk/birdshooting.nl)

535 Song Sparrow / Zanggors *Melospiza melodia*, Kabbelaarsbank, Zuid-Holland, 30 April 2006 (Pim A Wolf)



wore no ring: individuals of this species may only be accepted when it is ascertained that they wear no ring and that the wings are undamaged); 17 September to 28 October, Muider Pier, *Muiden*, Noord-Holland, adult male, photographed (@ not determined whether individual wore no ring). **Falcated Duck / Bronskopeend** *Anas falcata* 26 November to at least 4 January 2007, Eernewoude, *Tytsjerksteradiel*, Friesland, male and three females, photographed (@ birds known to have escaped). **American Wigeon / Amerikaanse Smient** *Anas americana* 18 February, Klinkenbergerplas, *Oegsteegst*, Zuid-Holland, adult male (@ poor description); April, Damwoude, *Dantumadeel*, Friesland, male, photographed (no description; photographs do not show sufficient details). **Marbled Duck / Marmereend** *Marmaronetta angustirostris* 26-29 November, Oost Havendijk, *Dirksland*, Zuid-Holland, adult, photographed (@ damaged wings and very tame behaviour indicate captive origin). **Yellow-billed Loon / Geelsnavelduiker** *Gavia adamsii* 14 May, Camperduin, *Bergen*, Noord-Holland, immature (description incomplete); 16 December, Nes, *Ameland*, Friesland, juvenile (@ description incomplete). **Black-winged Kite / Grijsze Wouw** *Elanus caeruleus* 8 January, Soerendonk, *Cranendonck*, Noord-Brabant, adult (@ poor description). **Lammergeier / Lammergier** *Gypaetus barbatus* 15 May, Oostvaardersplassen, *Lelystad*, Flevoland, photographed (Dutch Birding 28: 329, plate 453, 200), and 17 May, Kale Duinen, Appelscha, *Ooststellingwerf*, Friesland, immature, photographed (Dutch Birding 28: 261, plate 374, 2006) (@ individuals of this species may only be accepted when it is ascertained that they wear no ring and that the wings are unmarked; otherwise, captive-bred birds from the re-introduced population in the Alps cannot be excluded). **Short-toed Eagle / Slangenarend** *Circus gallicus* 8 July, Milsbeek, *Gennep*, Limburg, photographed (description marginally incomplete; photograph too blurry to distinguish details). **Pallid Harrier / Steppiekiekendief** *Circus macrourus* 26 August, Zuidveld, *Vlagtwedde*, Drenthe, second calendar-year (@ description incomplete). *** Red-tailed Hawk / Roodstaartbuiszard** *Buteo jamaicensis* 5 May, Neeltje Jans, Veere, Zeeland, second calendar-year, photographed (difficult to evaluate due to similarity with several Palearctic *Buteo* species; species would be regarded as escape). **Steppe Buzzard / Steppebuiszard** *Buteo buteo vulpinus* 27 October, Lettele, *Deventer*, Overijssel, photographed (@ nominate subspecies *B. b. buteo* not ruled out). **Booted Eagle / Dwergarend** *Aquila pennata* 20 April, Brobbelbies-Zuid, Maashorst, *Uden*, Noord-Brabant, pale morph (@ description incomplete); 10 June, *Noordwijkerhout*, Zuid-Holland, pale morph, photographed (@ photographs most probably show a pale Common Buzzard *Buteo buteo*); 3 July, Polder Koegrass, *Den Helder*, Noord-Holland, pale morph (@ yellow legs are wrong); 13 July, Kekerdom, *Ubbergen*, Gelderland, dark morph (@ description incomplete). **Lesser Kestrel / Kleine Torenvalk** *Falco naumanni* 5 May, Kamperhoek, *Dronten*, Flevoland, male, photographed (@ no description; photographs too blurry for exact details). **American Merlin / Amerikaanse Smelleken** *Falco*

columbarius columbarius 28 August, released at *Vlissingen*, Zeeland (landed on board ship just south of Grand Banks, Newfoundland, Canada), female (@ no description, not photographed; during the ocean crossing, individual was supplied with food and water by the ship crew which is a form of human assistance that rules out acceptance for the Dutch list). **Demoiselle Crane / Jufferkraanvogel** *Grus virgo* 25 April, and 7-8 May, De Blauwe Kamer, *Rhenen*, Utrecht, and 4 May, De Weerribben, *Steenwijkerland*, Overijssel, photographed (@ identification accepted but individual is a known escape from a zoo near Rhenen). **Semipalmated Plover / Amerikaanse Bontbekplevier** *Charadrius semipalmatus* 17 May, Eemshaven-West, *Eemmond*, Groningen, adult, summer plumage, photographed (@ no description; photographs show too little detail). **Greater Sand Plover / Woestijnplevier** *Charadrius leschenaultii* 13 May, Slik van Battenoord, *Oostflakkee*, Zuid-Holland, adult, photographed (@ photographs show first-summer Grey Plover *Pluvialis squatarola*). **Great Snipe / Poelsnip** *Gallinago media* 9 October, Ijmuiden, *Velsen*, Noord-Holland (@ description incomplete). **Slender-billed Gull / Dunbekmeeuw** *Larus genei* 17 May, Den Oever, *Wieringen*, Noord-Holland, first-summer (@ description incomplete); 14 September, Veessen, *Heerde*, Gelderland, adult, photographed (@ no description; single photograph is not sufficient to exclude aberrant Black-headed Gull *L. ridibundus*); 19 September, Nollédijk, *Vlissingen*, Zeeland, four, adult (@ poor description). **Heuglin's Gull / Heuglins Meeuw** *Larus heuglini* 4 June, Erasmusgracht, *Amsterdam*, Noord-Holland, second calendar-year, photographed (@ the CDNA considers that current knowledge of this taxon is insufficient to accept vagrant individuals; Altenburg 2006; Dutch Birding 28: 269, plate 391, 270, plate 392, 2006); 28 June to 11 August, Erasmusgracht, *Amsterdam*, Noord-Holland, second calendar-year, photographed, videoed (@ the CDNA considers that current knowledge of this taxon is insufficient to accept vagrant individuals; Altenburg 2006; Dutch Birding 28: 270, plate 393, 2006). **Elegant Tern / Sierlijke Stern** *Sterna elegans* 16 July, Mokbaai, *Texel*, Noord-Holland, adult, summer plumage, photographed (@ no description; based on the single photograph, details such as bill shape difficult to determine; Dutch Birding 28: 247, plate 341, 2006). **Roseate Tern / Dougalls Stern** *Sterna dougallii* 6 June, Veerhaven, *Den Helder*, Noord-Holland, adult, summer plumage (@ hybrid tern not excluded). **Ashy-headed Wagtail / Italiaanse Kwikstaart** *Motacilla cinereicapilla* 11 May, 't Ven, *Veghel*, Noord-Brabant, male, photographed (@ brief description and photographs without sound-recording insufficient for acceptance). **Black-headed Wagtail / Balkankwikstaart** *Motacilla feldegg* 4 May, Eemshaven-Oost, *Eemmond*, Groningen, male, photographed (@ on some photographs grey on hind-neck visible which excludes this taxon). **Siberian Stonechat / Aziatische Roodborsttapuit** *Saxicola feldegg* 29 March, Zwanenwater, Callantsoog, *Zijpe*, Noord-Holland, two, male and female (@ description incomplete). **Sykes's Warbler / Sykes' Spotvogel** *Acrocephalus rama* 13 September, Dishoek, *Veere*, Zeeland (@ de-

scription incomplete). **Sardinian Warbler / Kleine Zwartkop** *Sylvia melanocephala* 7 May, Kooiplaats, Schiermonnikoog, Friesland, adult female (@ description incomplete). **Siberian Lesser Whitethroat / Vale Braamsluiper** *Sylvia curruca halimodendri* 27 January to 19 March, Hoge Mors, Leiden, Zuid-Holland, photographed (@ the CDNA fails to understand why this bird should not be identified as the nominate subspecies *S. c. curruca*). **Siberian Chiffchaff / Siberische Tjiftjaf** *Phylloscopus collybita tristis* 24 October, Paesens, Dongeradeel, Friesland, photographed (@ not sound-recorded; field observations of this taxon can only be accepted if photographs and/or sound-recordings of song are available); 18 November, Nieuwe Robbengat, Lauwersmeer, De Marne, Groningen (@ photographs or sound-recordings not available). **Collared Flycatcher / Withalsvliegenvanger** *Ficedula albicollis* 13 May, Oostvoorne, Westvoorne, Zuid-Holland, adult male (description incomplete). **Arctic Redpoll / Witstuitbarmsijs** *Carduelis hornemanni* 11 March, Ilmuiden, Velsen, Noord-Holland, adult male, photographed (@ the CDNA does not accept this species when rump colour is not described).

2005

Surf Scoter / Brilzee-eend *Melanitta perspicillata* 23 November, North Sea, Schouwen-Duiveland, Zeeland, female (@ description incomplete). **Blue-winged Teal x Northern Shoveler** *Anas discors x clypeata* 3-9 May, Abtskolk, Zijpe, Noord-Holland, male, photographed (@ parentage difficult to determine as the bird showed some field marks more indicative of Cinnamon Teal *A. cyanoptera*). **Yellow-billed Loon / Geelsnavelduiker** *Gavia adamsii* 7 November, Scheveningen, Den Haag, Zuid-Holland, adult, summer plumage (description incomplete). **Short-toed Eagle / Slangenarend** *Circus gallicus* 12 May, Doenrade, Schinnen, Limburg (description incomplete, especially tail pattern is missing). **Pallid Harrier / Steppekiekendief** *Circus macrourus* 30 April, Ruurlo, Gelderland, immature (@ description incomplete); 27 May, Eemshaven-Oost, Eemsmond, Groningen, second calendar-year female, photographed (photograph shows immature Montagu's Harrier *C. pygargus*; Dutch Birding 27: 284, plate 345, 2005); 28 August, Goudswaard, Korendijk, Zuid-Holland, third calendar-year male (@ description incomplete); 13 September, Noordhout, Driebergen-Rijsenburg, Utrecht, second calendar-year (@ description incomplete). **Long-legged Buzzard / Arendbuiszard** *Buteo rufinus* 3 October, Burgh-Haamstede, Schouwen-Duiveland, Zeeland, photographed (poor description; photographs not conclusive; Dutch Birding 27: 341, plate 535, 2005). **Golden Eagle / Steenarend** *Aquila chrysaetos* 5 November, Lemelerberg, Ommen, Overijssel, juvenile (@ description incomplete). **Killdeer / Killdeerplevier** *Charadrius vociferus* 27 April, De Pofertjes, Vossemeer, Kampen, Overijssel (description partly wrong, eg. including dark throat). **American Golden Plover / Amerikaanse Goudplevier** *Pluvialis dominica* 18 May, Noorderleech, Ferwerderadiel, Friesland, summer, photographed (description incomplete, also for acceptance as 'lesser golden plover' *P. dominica/fulva*; photograph of poor quality). **Baird's**

Sandpiper / Bairds Strandloper *Calidris bairdii* 10 August, Scherpenissepolder, Tholen, Zeeland, adult, photographed (@ description partly wrong, eg. wingtip length; photograph too blurry to determine any detail). **Heuglin's Gull / Heuglins Meeuw** *Larus heuglini* 29 July to 4 September, Erasmusgracht, Amsterdam, Noord-Holland, second calendar-year, photographed (@ the CDNA considers that current knowledge of this taxon is insufficient to accept vagrant individuals). **Brünnich's Murre / Kortbekzeekoet** *Uria lomvia* 23 October, Paal 7, Schiermonnikoog, Friesland, first-winter, photographed (other large alcids not sufficiently excluded; van Bemmelen et al 2005; Dutch Birding 27: 448, plate 560, 2005). **Greater Short-toed Lark / Kortteenleuwerik** *Calandrella brachydactyla* 18 May, Groene Strand, Terschelling, Friesland (@ description incomplete). **Eurasian Crag Martin / Rotszwaluw** *Ptyonoprogne rupestris* 10 October, Oosterend, Terschelling, Friesland (description incomplete, eg. white tail spots not described). **Olive-backed Pipit / Siberische Boompieper** *Anthus hodgsoni* 13 October, Sluftervallei, Texel, Noord-Holland (description incomplete). * **Japanese Waxwing / Japanese Pestvogel** *Bombicilla japonica* 3-9 March, Wageningen, Gelderland, photographed (identification accepted but species is considered escape; pink tail-band (normally red) considered strong indication of captive origin). **Eastern Black Redstart / Oosterse Zwarte Roodstaart** *Phoenicurus ochrurus phoenicuroides* 31 October, Kobbeduinen, Schiermonnikoog, Friesland, male (description incomplete; photographs are almost essential to examine an individual in detail). **Siberian Chiffchaff / Siberische Tjiftjaf** *Phylloscopus collybita tristis* 19 November, Nes, Ameland, Friesland, two, photographed (one individual) (@ not sound-recorded; field observations of this taxon can only be accepted if photographs and/or sound-recordings are available); 20 November, Robbenoort, Lauwersmeer, De Marne, Groningen, photographed (@ not sound-recorded; field observations of this taxon can only be accepted if photographs and/or sound-recordings are available); 23-28 December, Beverkoog, Alkmaar, Noord-Holland, photographed (not sound-recorded; field observations of this taxon can only be accepted if photographs and/or sound-recordings are available). **Iberian Chiffchaff / Iberische Tjiftjaf** *Phylloscopus ibericus* 9 June to 3 July, Dokkumer Nieuwe Zijlen, Dongeradeel, Friesland, singing, photographed, sound-recorded (sound-recordings did not include the call while the song does not rule out 'mixed singer' of hybrid origin). **Lesser Grey Shrike / Kleine Klapekster** *Lanius minor* 16 May, Bergschenhoek, Zuid-Holland, adult (description incomplete). **Arctic Redpoll / Witstuitbarmsijs** *Carduelis hornemanni* 7 December, Holwerd, Dongeradeel, Friesland, adult male, photographed (@ photograph shows Mealy Redpoll *C. flammea*); 11 December, Oude Waal, Bijland, Millingen aan de Rijn, Gelderland, adult male, ringed, photographed (@ photographs show Mealy Redpoll); 24 December to 2 January 2006, Holwerd, Dongeradeel, Friesland, male, photographed (description incomplete; photographs not conclusive).

2004

Red-spotted Bluethroat / Roodsterblauwborst *Luscinia svecica* 18 April to 6 June, Hezelstraat, Ooijpolder, Ubbergen, Gelderland, first-summer male, singing, photographed, sound-recorded, videoed (@ orangey-spotted White-spotted Bluethroat *L s cyanecula* not excluded; Dutch Birding 26: 278, plate 412, 2004). **Melodious Warbler / Orpheusspotvogel** *Hippolais polyglotta* 22 June to 4 July, Terziet, Epen, Wittem, Limburg (@ description incomplete). **Hume's Leaf Warbler / Humes Bladkoning** *Phylloscopus humei* 16 February, Werkendam, Noord-Brabant (@ description incomplete).

2003

Roseate x Common Tern / Dougalls Stern x Visdief *Sterna dougallii x hirundo* 18-22 July, Scherpenissepolder, Tholen, Zeeland, immature, photographed (@ description incomplete; photographs inconclusive).

2002

Icelandic Redwing / IJslandse Koperwiek *Turdus iliacus coburni* 8 October, Castricum, Noord-Holland, first-winter, ringed, photographed (@ withdrawn by observers; photographs show presumed hybrid Redwing x Common Blackbird *T merula* (cf Roselaar 2006)).

2001

Lesser Yellowlegs / Kleine Geelpootruiter *Tringa flavipes* 11 May, Polder Achteraf, Loosdrecht, Wijdmeren, Noord-Holland, videoed (@ video grabs show insufficient detail to identify the bird). **Baikalk Wagtail / Baikalkwikstaart** *Motacilla baicalensis* 8 May, Maasvlakte, Rotterdam, Zuid-Holland, male, photographed (@ photographs show female Pied Wagtail *M yarrellii*).

1999

Red-flanked Bluetail / Blauwstaart *Tarsiger cyanurus* 7 May, Oostvaardersdijk, Lelystad, Flevoland, female (@ description does not rule out several South-East Asian flycatchers of the genus *Cyornis*, which could occur as escape).

1998

dowitcher / grijze snip *Limnodromus scolopaceus/griseus* 30 August, Workumer Buitenwaard, Nijefurd, Friesland, adult, summer plumage (description incomplete, also for unidentified dowitcher). **Grey Catbird / Katvogel** *Dumetella carolinensis* 27 August, Koudum, Nijefurd, Friesland (@ reidentified as a Red-vented Bulbul *Pycnonotus cafer*, which is considered an escape). **Melodious Warbler / Orpheusspotvogel** *Hippolais polyglotta* 23 July, Reusel, Reusel-De Mierden, Noord-Brabant, ringed, photographed (no description; photograph shows insufficient details). **Siberian Chiffchaff / Siberische Tjiftjaf** *Phylloscopus collybita tristis* 26-28 November, Rotterdam, Zuid-Holland, photographed (no sound-recording available; field observations of this taxon can only be accepted if photographs and/or sound-recordings are available; photograph does not rule out grey Common Chiffchaff *P collybita*); 27 November to 6 December, Oudemirdum, Gaasterlân-Sleat,

Friesland, photographed (no sound-recording available; field observations of this taxon can only be accepted if photographs and/or sound-recordings of song are available). **Two-barred Crossbill / Witbandkruisbek** *Loxia leucoptera* 12 December, Grote Koningsbelt, Helledoorn, Overijssel, adult male (@ poor description does not rule out a wing-barred Common Crossbill *L curvirostra*).

1997

European Storm-petrel / Stormvogeltje *Hydrobates pelagicus* 13 September, Zuidpier, IJmuiden, Velsen, Noord-Holland (@ description incomplete). **Rose-coloured Starling / Roze Spreeuw** *Sturnus roseus* 18 November, Gasdam, Verdrongen Land van Saeftinghe, Hulst, Zeeland, juvenile (@ poor description).

1984

Falcated Duck / Bronskopeend *Anas falcata* 17 May, Smalle Eesterzanding, Smallingerland, Friesland, male, photographed (@ identification accepted but it is uncertain whether bird wore a ring; individuals of this species may only be accepted when it is ascertained that they wear no ring and that the wings are undamaged).

1976

Pallas's Fish-Eagle / Witbandzeearend *Haliaeetus leucorhynchus* 12 October, Barneveld, Gelderland, adult, photographed (@ details of the observation of the same bird in Germany indicate captive origin; Kuhl 1977, Wernicke 1977, contra van IJzendoorn 1980, cf van den Berg & Bosman 2001).

1949

Red-headed Bunting / Bruinkopgors *Emberiza bruniceps* 16 March, Goirle, Noord-Brabant, adult male, summer plumage, collected, photographed, skin retained at Milieu- en Educatiecentrum, Eindhoven, Noord-Brabant (identification accepted but wear of plumage not compatible with presumed date of collection).

Acknowledgements

Jan Hartman provided information on the status of Buffelhead in captivity. The Sound Approach (Magnus Robb and Arnoud van den Berg) provided information on the call of the Atlas Chaffinch at Eemshaven. Enno Ebels took care of the final editing. Roland thanks The Good The Bad And The Queen for their inspiration during many nightly hours, while Jan was inspired by Interpol during (mostly) late evening hours. Bram Rijkse kindly prepared the drawing of the Solitary Sandpiper on p 347.

References

- Altenburg, R G M 2006. DB Actueel: Kandidaat Heuglins Meeuwen in Amsterdam. Dutch Birding 28: 269-271.
- Altenburg, R G M, Muusse, M J M, Luijendijk, B-J & Muusse, T O V 2006. Restricted moult in second calendar-year Baltic Gull. Dutch Birding 28: 162-164.
- Altenburg, R G M, Luijendijk, B-J, Muusse, M J M & Muusse, T O V 2007. Moult sequence in second calendar-year Baltic Gull at Amsterdam in May 2006. Dutch Birding 29: 95-97.

- van Bemmelen, R S A, Wielstra, B, Renders, M & Hendriks, K 2005. DB Actueel: Black-and-white weekend: Kleine Alken en Kortbekzeekoet langs Schiermonnikoog. Dutch Birding 27: 448-449.
- van den Berg, A B & Bosman, C A W 1999, 2001. Zeldzame vogels van Nederland – Rare birds of the Netherlands. Avifauna van Nederland 1. First, second edition. Haarlem.
- van den Berg, A B, Ebels, E B & Robb, M S 2007. Groenlandse Witsluitbarmsijs te Huisduinen in oktober 2003 en determinatie, taxonomie en voorkomen. Dutch Birding 29: 25-31.
- van den Berg, A B & Haas, M 2006. WP reports: late July-early September 2006. Dutch Birding 28: 316-325.
- van den Berg, A B, Groenendijk, D & van Saane, E 2006. DB Actueel: Italiaanse Kwikstaarten te Camperduin en bij Flevo-centrale. Dutch Birding 28: 192-193.
- Blankert, J J & Steinhaus, G H 1982. Recente meldingen: oktober, november en december 1982. Dutch Birding 4: 143-148.
- Bosma, J & Nanninga, K 2006. DB Actueel: Izabeltapuit in Eemshaven. Dutch Birding 28: 341-343.
- Brinkhuizen, D & van der Schot, W 2006. DB Actueel: Woestijnplevieren te Ilmuiden en Eemshaven. Dutch Birding 28: 339-340.
- Bunskoek, M 2005. DB Actueel: Kumliens Meeuw op Terschelling. Dutch Birding 27: 152-154.
- Couperus, B & de Leeuw, J 2006. DB Actueel: Huisgierzwaluw te Ilmuiden. Dutch Birding 28: 412.
- van Dijk, A, Hustings, F, Koffijberg, K, van Turnhout, C, van der Weide, M, Zoetebier, D & Plate, C 2007. Kolonievogels en zeldzame broedvogels in Nederland in 2003-05. Limosa 80: 49-67.
- van Dongen, R M, Haas, K & de Rouw, P W W 2006a. Recente meldingen: januari-juni 2006. Dutch Birding 28: 119-125; 182-190; 255-265.
- van Dongen, R M, Hofland, R & de Rouw, P W W 2006b. Recente meldingen: juli-oktober 2006. Dutch Birding 28: 326-336; 390-403.
- van Dongen, R M, Hofland, R & de Rouw, P W W 2007. Recente meldingen: november-december 2006. Dutch Birding 29: 59-68.
- van Duivendijk, N & Kok, D 2006. DB Actueel: Vale Gierzwaluw op Vlieland: langverwachte nieuwkomer voor Nederland. Dutch Birding 28: 408-410.
- Ebels, E B & van den Bergh, L M J 2007. Geelkoptroepiaal op Terschelling in juli 1982. Dutch Birding 29: 159-162.
- Ebels, E B, Koffijberg, K, Lindenburg, P, de Krijger, J-P, Schoppers, E & Woets, B 2006. DB Actueel: Spectaculaire influx van Dunbekmeeuwen. Dutch Birding 28: 195-198.
- Ebels, E B, Baars, R G M, Hotting, M & Oskam, C 2007. Rotszwaluwen in West-Nederland in november 2006. Dutch Birding 29: 292-296.
- Giljam, C & van Ouwerkerk, R 2005. DB Actueel: Daurische Spreeuw op Vlieland. Dutch Birding 27: 446.
- Hoekstein, M 2006. DB Actueel: Amerikaanse Bosruiter bij Wissenkerke. Dutch Birding 28: 198-200.
- Hoekstein, M & Ebels, E B 2007. Amerikaanse Bosruiter bij Wissenkerke in mei 2006. Dutch Birding 29: 79-82.
- Hotting, M & Ebels, E B 2006. DB Actueel: Eindelijk Rotszwaluwen. Dutch Birding 28: 410-412.
- van IJzendoorn, E J 1980. Over Witbandzearend *Haliaeetus leucoryphus* bij Barneveld in 1976. Dutch Birding 2: 6-7.
- van IJzendoorn, E J & de Heer, P 1985. Herziening van de Nederlandse Avifaunistische Lijst. Limosa 58: 65-72.
- van IJzendoorn, E J, van der Laan, J & CDNA 1996. Herziening Nederlandse Avifaunistische Lijst 1800-1979: tweede fase. Dutch Birding 18: 157-202.
- Kuhk, R 1977. War der Bindenseeadler auf Scharhörn ein Wildvogel? Ornithol Mitt 29: 122.
- van der Lans, F 2006. DB Actueel: Daurische Klauwier op Maasvlakte. Dutch Birding 28: 343-344.
- van Manen, W 2002. Ruigpootuil *Aegolius funereus* geslagen door Havik *Accipiter gentilis* in Drents bos. Takkeling 10 (3): 225-228.
- Occhiato, D 2007. Western and Eastern Bonelli's Warblers in the field. Birding World 20: 303-308.
- Ottens, G, de Krijger, J-P, Lindenburg, P, Schoppers, E & Woets, B 2007. Dunbekmeeuwen in Nederland in mei 2006. Dutch Birding 29: 218-222.
- Roselaar, C S 2006. Herkenning van IJslandse Koperwieken *Turdus iliacus coburni*. Website: www.vogeltrekstation.nl/determinatie_cdna-coordinator.htm.
- Slaterus, R 2007. Iberische Tijftjaffen in Nederland. Dutch Birding 29: 83-91.
- Steijn, L 2006. DB Actueel: Groene Reiger te Amsterdam. Dutch Birding 28: 193-195.
- Vader, W J M 1964. Waarneming van een vreemde ruiter (Kleine Geelpootruiter) te Yerseke. Limosa 37: 311-314.
- van Vliet, P J & Ebels, E B 2007. Geelkoptroepiaal op Texel in mei-juni 1982. Dutch Birding 29: 232.
- van der Vliet, R E, van der Laan, J & CDNA 2005. Rare birds in the Netherlands in 2004. Dutch Birding 27: 367-394.
- van der Vliet, R E, van der Laan, J, Berlijn, M & CDNA 2006. Rare birds in the Netherlands in 2005. Dutch Birding 28: 345-365.
- Wernicke, K 1977. Bindenseeadler *Haliaeetus leucoryphus* auf Scharhörn. Ornithol Mitt 29: 12-13.
- Wolf, P A & Ebels, E B 2006. DB Actueel: Zanggors op Kabbelaarsbank. Dutch Birding 28: 194-195.
- Wolf, P A & Ebels, E B 2007. Zanggors op Kabbelaarsbank in april 2006. Dutch Birding 29: 31-33.

Roland E van der Vliet, Adenauerlaan 113, 3527 RC Utrecht, Netherlands
 Jan van der Laan, Brouwerstraat 19, 1814 HX Alkmaar, Netherlands
 Max Berlijn, Wilhelminastraat 9, 6285 AS Epen, Netherlands
 CDNA, Postbus 116, 2080 AC Santpoort-Zuid, Netherlands (cdna@dutchbirding.nl)

Masters of Mystery



SWAROVSKI
OPTIK

Solutions of fifth round 2007

The solutions of mystery photographs IX and X (Dutch Birding 29: 313, 2007) of the fifth round of the 2007 Masters of Mystery competition appear below.

IX The hand-held passerine in mystery photograph IX is obviously a recently fledged juvenile, as it is growing its tail and primaries and shows only fresh feathers. The visible parts of the bird – which include the wing, the short tail, a few undertail-coverts, part of the rump and just the edge of the crown – appear mainly striped and brownish. So, is it a lark, pipit, bunting or something else? Compared with the length of the greater coverts, the secondaries appear rather short. Furthermore, several juvenile lark species show a black subterminal line to the greater coverts, which is missing in the mystery bird. This eliminates larks, as their broad wings are caused by long secondaries. The short tertials rule out pipits. Sparrows with striped scapulars also show striped undertail-coverts and a plain crown. These characters, in combination with the two white wing-bars fit only a number of buntings. Indeed, all but one entrant identified the bird as a bunting, the exception being Zitting Cisticola *Cisticola juncidis*, which does not show white wing-bars and is thus easily excluded.

Three *Emberiza* buntings were mentioned: Common Reed *E. schoeniclus* (5%), Little *E. pusilla* (5%) and Yellow-breasted Bunting *E. aureola* (5%). From these, immature Common Reed shows only faint wing-bars and is therefore most easily eliminated. In Little, the wing-bar formed by the greater coverts is less prominent than the wing-bar formed by the median coverts. The wing-bars of the mystery bird are both clean white and, therefore, Little

can also be excluded. Juvenile Yellow-breasted indeed shows prominent white wing-bars but appears typically more buffish than the reddish-brown coloration shown by the mystery bird. More specifically, the reddish-brown fringes to the outer webs of the greater coverts are broad and this only fits a bunting from a different genus: Lapland Longspur *Calcarius lapponicus*.

This juvenile Lapland Longspur was photographed on 3 July 2007 by Rob van Bemmelen at Ammarnäs, Lappland, Sweden. It was identified correctly by 79% of the entrants. The same individual is depicted in plate 536. Note that *Calcarius* buntings share the typical tertial pattern of *Emberiza* buntings.

X All entrants easily identified the wader on this mystery photograph as one of the smaller *Calidris* sandpipers. The overall colour is buffish brown and it shows obvious black mantle-stripes on a brown ground colour. No typical grey winter-type feathers or bright rufous summer-type feathers are present and combining this with the date on which the photograph was taken, the bird must be in late juvenile or first-winter plumage. Only the head is visible, which means that important features like leg colour, primary projection and pattern and coloration of tertials, scapulars and coverts can not be used. Therefore, the identification must be based only on the colour, shape and length of the bill and on the head pattern, especially the supercilium and the loreal patch. The bill is all black and this excludes White-rumped Sandpiper *C. fuscicollis* and Long-toed Stint *C. subminuta* which both show a pale-based lower mandible in nearly all plumages. Note also that, in White-rumped, the supercilium is more prominent and paler compared with the mystery bird. In Long-toed, the dark

536 Lapland Longspur / Iļsgors *Calcarius lapponicus*, juvenile, Ammarnäs, Lappland, Sweden, 3 July 2007 (Rob van Bemmelen)



537 Least Sandpiper / Kleinste Strandloper *Calidris minutilla*, Puntarenas, Costa Rica, 18 December 2006 (Mark Zekhuis)





Mystery photograph XI (March)

forehead is connected with the loreal patch, which is not the case in the mystery bird.

The mystery bird shows a rather short and fine bill which is slightly down-curved. This does not fit Semipalmated Sandpiper *C pusilla*, which shows a rather straight and strong bill with a thick and blunt tip and a thick base. In addition, juvenile Semipalmated has a strong white supercilium, which is well developed behind the eye. In juvenile Western Sandpiper *C mauri*, the supercilium is broad and pale, especially before the eye, creating an open-faced expression. Note that, in Western, like in the mystery bird, the bill is fine with a decurved tip. However, the bill of the mystery bird is too short for a typical Western. Both Western and Semipalmated are, therefore, excluded as possible solutions.

Other species of which the juvenile plumage appears rather similar to the mystery sandpiper are Little Stint *C minuta* and Red-necked Stint *C fuscicollis*. Both have a rather short and black bill, as shown by the mystery bird. Note, however, that in Little and Red-necked the bill is straight and, at least in Red-necked, even shorter than in the mystery bird. Another feature both species share with the mystery bird is the pale forehead. However, juvenile Little normally shows an easily discernable split supercilium, which is hardly visible in the mystery bird. Furthermore, both juvenile Little and juvenile Red-necked have a less developed loreal patch compared with the mystery bird.

The overall colour and impression of the mystery bird, together with the white chin, the pale spot above the loreal patch and the bill shape and colour, are reminiscent of Baird's Sandpiper *C bairdii*. However, in Baird's, the breast is tinged buffish with, in juvenile plumage, small dark streaks, which are normally also present on the ear-coverts. In the mystery bird, the upperbreast is white and shows no dark streaks. Note also that juvenile Baird's has a regular scaly pattern on the mantle and on average a less obvious supercilium than the mystery bird.

The only small sandpiper left is Least Sandpiper *C minutilla* and the features shown by the mystery bird



Mystery photograph XII (July)

neatly fit this species. The dark loreal patch is very prominent and more or less isolated. Furthermore, the supercilium reaches the bill base and both these characters are strong pointers for a safe identification. This Least Sandpiper was photographed by Mark Zekhuis at Punta-renas, Costa Rica, on 18 December 2006. A photograph of another individual of the same flock is shown in plate 537. This mystery bird was correctly identified by 74% of the entrants. Wrong identifications included Little Stint (5%), Long-toed Stint (5%), White-rumped Sandpiper (11%) and Baird's Sandpiper (5%).

In the fifth round of the 2007 Masters of Mystery competition, 13 out of the 19 entrants managed to identify both mystery birds correctly. From these, Marijn Prins was drawn as the winner of a copy of *Birdpix. De beste foto's deel III* edited by Daan Schoonhoven and donated by Birdpix. After five rounds, there were no drop outs in the head of the race and, therefore, still seven entrants have managed to identify all 10 mystery photographs correctly. These are Fabian Bindrich (Germany), Martin Gottschling (Germany), Andrew Holden (England), Harri Kontkanen (Finland), Martin Kühn (Germany), Stuart Piner (England) and Clemens Portofée (Germany). They are closely followed by two entrants with nine and two with eight correct identifications. The names of all entrants with at least one correct identification can be viewed at www.dutchbirding.nl.

Sixth round 2007

Photographs XI and XII represent the sixth and final round of the 2007 competition. Please, study the rules (Dutch Birding 29: 39-40, 2007) carefully and identify the birds in the photographs. Solutions can be sent in three different ways:

- by postcard to Dutch Birding Association, Postbus 75611, 1070 AP Amsterdam, Netherlands
- by e-mail to masters@dutchbirding.nl
- from the website of the Dutch Birding Association at www.dutchbirding.nl

Entries for the sixth round have to arrive by **1 January 2008**. Please, indicate if you are subscribed to Dutch Birding. From those entrants having identified both mystery birds correctly, one person will be drawn who will receive a copy of *The Sound Approach to birding*. A guide to understanding bird sound by Mark Con-

stantine and The Sound Approach and donated by The Sound Approach. Swarovski Benelux has generously agreed to sponsor this competition again in 2007. This year, the overall winner after six rounds will receive a pair of marvellous 8.5x42 EL binoculars.

Rob S A van Bemmelen, Stavangerweg 535, 1013 AX Amsterdam, Netherlands (masters@dutchbirding.nl)
Dick Groenendijk, Elzenstraat 14, 4043 PB Opheusden, Netherlands (masters@dutchbirding.nl)
Jan Eerbeek, De Peel 2, 4041 EL Kesteren, Netherlands (masters@dutchbirding.nl)

Aankondigingen & verzoeken

Tijdschriften De Pieper en De Graspieper op cd De Stichting Samenwerkende Vogelwerkgroepen Noord-Holland (SVN) heeft alle artikelen over vogels uit de gerenommeerde Noord-Hollandse vogeltijdschriften De Pieper en De Graspieper, die verschenen in de periode 1962-2001, op een cd-rom gezet. Daarmee maakt deze cd 40 jaar ornithologie in Noord-Holland weer toegankelijk voor oude en nieuwe geïnteresseerden.

Alle artikelen zijn als tekst gescand, wat digitaal zoeken mogelijk maakt. Zo biedt de cd de mogelijkheid snel te zoeken op vogelsoort, auteur, beschreven gebied en nog een aantal categorieën. Alle artikelen zijn van een nieuwe lay-out voorzien, die goed leesbaar is op beeldscherm. Alle grafieken en tabellen zijn uiteraard overgenomen maar tekeningen en foto's alleen voor

zover die van belang waren voor een goed begrip van de tekst.

De cd geeft een mooi inzicht in de ontwikkeling van de veldornithologie, waarbij zoals bekend amateurs (in de goede betekenis van het woord, 'liefhebbers' dus) altijd een belangrijke rol gespeeld hebben. Menig artikel zal voor toekomstige onderzoekers nog een referentiepunt uit het recente verleden kunnen bieden.

De cd is te bestellen door contact op te nemen met Ben Pronk (telefoon 06-51424803, e-mail bdmpronk@hotmail.com) en EUR 7.75 (inclusief verzendkosten) over te maken op rekening 678363501 tnv Stichting Uitgeverij SVN te Uitgeest, ovv 'cd De Graspieper'. Ben Pronk zal de cd dan zo spoedig mogelijk toesturen.

Corrigenda

Het begin van de laatste zin in het bijchrift bij plaat 406 in het artikel over de herkenning van Amerikaanse Grote Stern *Sterna sandvicensis acutiflata* (Dutch Birding 29: 281, 2007) moet luiden: 'Longest new grown outer primaries appear to have very little **white** at tips and along fringe,...'.

In het bijchrift bij plaat 459 (Dutch Birding 29: 325, 2007) werd helaas niet de juiste fotograaf vermeld. De foto werd gemaakt door Hugo van der Slot.

In WP reports en Recente meldingen in het vorige nummer werd abusievelijk een Grijze Gors *Emberiza cia* voor België vermeld (Dutch Birding 29: 327, 341, 2007). Dit betrof echter een Cirlgors *E. cirrus*. REDACTIE

The first part of the last sentence in the caption of plate 406 in the paper on the identification of American Sandwich Tern *Sterna sandvicensis acutiflata* (Dutch Birding 29: 281, 2007) should read: 'Longest new grown outer primaries appear to have very little **white** at tips and along fringe,...'.

In the caption of plate 459 (Dutch Birding 29: 325, 2007) unfortunately the wrong photographer was mentioned. The photograph was taken by Hugo van der Slot.

In last issue's WP reports and Recente meldingen, a Rock Bunting *Emberiza cia* was erroneously mentioned for Belgium (Dutch Birding 29: 327, 341, 2007). However, this observation referred to a Cirl Bunting *E. cirrus*. EDITORS

WP reports

This review lists rare and interesting birds reported in the Western Palearctic mainly in **late September–November 2007**. The reports are largely unchecked and their publication here does not imply future acceptance by a rarities committee. Observers are requested to submit their records to each country's rarities committee. Corrections are welcome and will be published.

GEESSE TO DUCKS The first **Lesser White-fronted Geese** *Anser erythropus* arriving at their southern winter stronghold of Strijen, Zuid-Holland, the Netherlands, were five as early as 26 September; numbers here increased to 68 in the third week of November. On 10 October, up to 51 arrived in the Hortobágy, Hungary. The second **Greater White-fronted Goose** *A albifrons* for Bahrain was a juvenile at Badaan on 23 November. The male **Canvasback** *Aythya valisineria* at Castricum, Noord-Holland, the Netherlands, returned on 27 September (it was first seen here on 9 January 2003). In southern Spain, 130 **White-headed Ducks** *Oxyura leucocephala* were counted at Laguna de Medina on 20 November. The 11th **Black Scoter** *Melanitta americana* for Sweden was a male in Västergötland on 29 September. If accepted, a displaying adult male briefly in a flock of nine Common Scoters *M nigra* off Læsø, Nordjylland, on 30 October would be the third for Denmark. In Scotland,

a male was reported from Islay, Argyll, on 5 November. The male at Llanfairfechan, North Wales, returned on 12 November for its 10th winter. The male **Bufflehead** *Bucephala albeola* at Barendrecht, Zuid-Holland, returned on 28 October for its third winter. An eclipse **Barrow's Goldeneye** *B islandica* was present at Suðuroy, Faeroes, from 26 September to 3 October. The male at Quoile Pondage, Down, Northern Ireland, returned on 24 November for its third winter. Two long-staying males **American Black Duck** *Anas rubripes* remained at Njarðvík and Garður, Iceland, a male occurred at Klaksvík, Faeroes, from 26 September to at least 3 October, and the long-stayer (since 1996) in Galicia, Spain, was seen again at Ria de Foz on 7–27 September. In England, the **Marbled Duck** *Marmaronetta angustirostris* first seen in Norfolk on 19 August remained from 22 August to 7 October in Suffolk.

DIVERS TO GREBES From 23 November, an adult **Pacific Diver** *Gavia pacifica* was present at Marazion, Cornwall, England. In the Canary Islands, a **Northern Fulmar** *Fulmarus glacialis* was trapped by a fisherman at Agaete, Gran Canaria, on 7 October; it recovered and was released on 10 October. A **Madeiran Storm-petrel** *Oceanodroma castro* seen for 45 min at Pendeen, Cornwall, on 15 September, will be the third for Britain; previous

538 Red-footed Booby / Roodpootgent *Sula sula*, 190 nautical miles north of Cape Verde Islands, 21 October 2007
(Bud Lehnhausen)





539 Wilson's Snipe / Amerikaanse Watersnip *Gallinago delicata*, with Common Snipes / Watersnippen *G. gallinago*, Lower Moors, St Mary's, Scilly, England, 11 October 2007 (James Lidster)

540 Wilson's Snipe / Amerikaanse Watersnip *Gallinago delicata*, Lower Moors, St Mary's, Scilly, England, 12 October 2007 (Steve Young/Birdwatch)





541 Green Heron / Groene Reiger *Butorides virescens*, adult, Berre l'Étang, Bouches-du-Rhône, France, 3 November 2007 (Amine Flitti) **542** Tree Swallow / Boomzwaluw *Tachycineta bicolor*, Corvo, Azores, 14 October 2007 (Vincent Legrand) **543** Sandhill Crane / Canadese Kraanvogel *Grus canadensis*, Nuuk, Greenland, 5 October 2007 (Carsten Egevang)



records were in 1911 and on 28 July 2007 (cf Dutch Birding 29: 317, 2007). A **Red-footed Booby** *Sula sula* was photographed 190 nautical miles north of the Cape Verde Islands on 21 October. An adult **Brown Booby** *S. leucogaster* flew south past St Catherine's, Jersey, Channel Islands, on 15 November. The second **Pygmy Cormorant** *Phalacrocorax pygmeus* for France was a first-winter at Aix-sur-Vienne, Haute-Vienne, on 4-7 October. A **Striated Heron** *Butorides striata* flew across the Nile at Zamalek, Egypt, on 27 November. Amazingly, the 'Amsterdam' **Green Heron** *B. virescens* returned for its second winter at Berre l' Étang, Bouches-du-Rhône, France, on 30 October; it was first seen as a first-year at Amsterdam, Noord-Holland, on 25 April 2006 and remained here until 30 September, then it wintered at Berre from 5 November 2006 to 1 May 2007 and was seen again at Amsterdam on 31 May with a last sighting on 18 July at nearby Zaandam, Noord-Holland (Dutch Birding 28: 325, 2006; 29: 45, 255-256, 2007). A **Grey Heron** *Ardea cinerea* photographed on Saint Paul on 1 October was the first for Alaska and the second for North America. In the Netherlands, no less than 123 **Purple Herons** *A. purpurea* migrated past Ridderkerk, Zuid-Holland, on 4 September. The second **Black Stork** *Ciconia nigra* for Madeira was seen at Ponta do Sol on 10 October (the first was more than 150 years ago). In southern Spain, 70 Black Storks were counted at Dehesa de Abajo and 4250 **Glossy Ibises** *Plegadis falcinellus* at Brazo del Este on 18 November. In north-western Spain, the **Pied-billed Grebe** *Podilymbus podiceps* at Caque,

Galicia, from 26 July reappeared a few times in Asturias and again in Galicia from 23 August to at least 27 October (cf Dutch Birding 29: 317, 2007).

RAPTOR TO CRANES This autumn, seven **Crested Honey Buzzards** *Pernis ptilorhynchus* were identified during the 'Northern Valleys soaring bird migration survey' in Israel, with over 413 000 European Honey Buzzards *P. apivorus* (www.birds.org.il). An adult male **Levant Sparrowhawk** *Accipiter brevipes* at Krosno Odrzanskie on 7 October was the month's highlight for Poland. In Denmark, a subadult **Eastern Imperial Eagle** *Aquila heliaca* flew in from Skåne, Sweden, at Stevns Klint on 13 October. A first-winter was reported at Gruissan, Aude, France, on 13 October and a second calendar-year over Fehmarn, Schleswig-Holstein, Germany, on 19 October. A pale second calendar-year eagle migrating over Budel-Dorplein, Noord-Brabant, on 6 May 2007 provoked lengthy discussions about its identification as a possible spotted eagle *A. clanga* '*fulvescens*'/*pomarina* (cf Dutch Birding 29: 258, 2007); Dick Forsman will discuss the bird's identification at the Dutch Birding Vogeldag at De Werelt, Lunteren, Gelderland, on 12 January 2008 and, surprisingly, it might well turn out to be the first **Spanish Imperial Eagle** *A. adalberti* for the Netherlands (this species has been recorded at least seven times in France, with recent records of first-years on 14 January 1999, 16-19 September 2001, 12 September 2002 and 5 June 2004; cf Dutch Birding 28: 250, 2006). The 14th **Lesser Kestrel** *Falco naumanni* for

544 Hudsonian Whimbrel / Amerikaanse Regenwulp *Numenius hudsonicus*, Fajã Grande, Flores, Azores, 28 October 2007 (Kris De Rouck)





545 American Black Tern / Amerikaanse Zwarte Stern *Chlidonias niger surinamensis*, Rashane Turlough, Galway, Ireland, 2 September 2007 (Michael Davis) **546** White-winged Tern / Witvleugelstern *Chlidonias leucopterus*, juvenile, Ponta Delgada, São Miguel, Azores, 9 October 2007 (Dominic Mitchell) **547** Semipalmated Sandpiper / Grijze Strandloper *Calidris pusilla*, Vistula mouth, Gdansk, Poland, 30 September 2007 (Zbyszek Kajzer) **548** Western Sandpiper / Alaskastrandloper *Calidris mauri* and Semipalmated Sandpiper / Grijze Strandloper *C. pusilla*, Lagoa Azul, São Miguel, Azores, 15 October 2007 (Dominic Mitchell) **549** Sharp-tailed Sandpiper / Siberische Strandloper *Calidris acuminata*, Ballycotton, Cork, Ireland, 5 October 2007 (Paul & Andrea Kelly/irishbirdimages.com) **550** Pacific Golden Plover / Aziatische Goudplevier *Pluvialis fulva*, Cabo da Praia, Terceira, Azores, 30 October 2007 (Rafael Armada)

Sweden was a first-year at Falsterbo, Skåne, on 4-5 October. A first-winter female **Common Kestrel** *F tinnunculus* trapped at Golden Gate Raptor Observatory, San Francisco, on 23 October was the first for California, USA. If accepted, an adult **Sooty Falcon** *F concolor* photographed on Linosa off Sicily on 13 September will be the first for Italy. A **Small Button-quail** *Turnix sylvaticus* was photographed at Oualidia, Morocco, on 16 September. The second **Sandhill Crane** *Grus canadensis* for Greenland was photographed at Nuuk on 5-6 October. A **Demoiselle Crane** *G virgo* was seen in the Jizreel valley, Israel, on 24 November.

WADERS The **Killdeer** *Charadrius vociferus* near Pool of Virkie, Mainland, Shetland, Scotland, from 6 April remained until at least 30 October. The third for Spain was a first-winter at Cecebre, A Coruña, from 24 November. On 25 October, two **Three-banded Plovers** *C tricolor* were found at Tut Amon on Nasser lake, Aswan, Egypt. Remains of the third **Eurasian Dotterel** *C morinellus* for Iceland were found at Arfadalsvík, Grindavík, on 8 October. A juvenile **Pacific Golden Plover** *Pluvialis fulva* at Cabo da Praia, Terceira, from 26 October was the first for the Azores. By tracking a single satellite-tagged individual from its breeding grounds in Kazakhstan, the location of a huge flock of 3200 **Sociable Lapwings** *Vanellus gregarius* was discovered in Ceylanpinar, southern Turkey, in mid-October. This is the largest flock seen in many decades of this species, of which only as few as an estimated 400 were believed to exist a few years ago. Already on 25 September, a flock of 189 was found at Bulanik in eastern Turkey. In Europe, singles were seen at Mouzay, Meuse, France, on 23 September; in Hainaut, Belgium, on 13-27 September (juvenile) and 27 September (adult); in Sachsen, Germany, from 30 September to 1 October (two singles); at Kiskunsagi, Hungary, on 1-3 October (juvenile); at Lac du Der, Marne, France, on 7 October; at Vinon, Var, France, on 14 October (juvenile); at Llobregat delta, Barcelona, Spain, on 1 November; at Kerkini, Serres, Greece, on 4 November; and at Bologna, Italy, on 5-11 November. The fourth **Semipalmated Sandpiper** *Calidris pusilla* for Poland was trapped at the Vistula mouth on 30 September. If accepted, a first-year **Western Sandpiper** *C mauri* at Garðskagi on 16 November will be the second for Iceland. On 12 October, a juvenile **Least Sandpiper** *C minutilla* was photographed at Butt of Lewis, Lewis, Outer Hebrides, Scotland. It was a record year for **White-rumped Sandpiper** *C fuscicollis* in Iceland with at least 12 until 10 October. In Scotland, juvenile **Baird's Sandpipers** *C bairdii* occurred on North Uist, Outer Hebrides, on 18 September, at Butt of Lewis on 21-22 September, at Ythan Estuary, Aberdeenshire, on 30 September and at Loch Leven, Perth and Kinross, on 12-14 October. In Ireland, a juvenile stayed at Tacumshin, Wexford, from 22 September to 4 October. The first for the Cape Verde Islands was at Santa Maria, Sal, on 20-22 October. **Sharp-tailed Sandpipers** *C acuminata* occurred at Ballycotton, Cork, Ireland, on 4-5 October and at Nes, Ameland, Friesland, the Netherlands, on 9-27 October. A **Wilson's Snipe** *Gallinago delicata* stayed on

St Mary's, Scilly, England, from 11 October into November. The first **Upland Sandpiper** *Bartramia longicauda* for Hungary was a juvenile in the Hortobágy from 18 to at least 21 November. In Britain, **Spotted Sandpipers** *Actitis macularia* occurred, eg, on St Mary's from 20 September, at Burravoe, Yell, Shetland, from 27 September to 11 October (juvenile), on Lewis on 27 September, on Unst, Shetland, from late September to 4 October, and in Glamorgan, Wales, from 20 October to at least late November (juvenile). Three turned up this autumn in Iceland. Others were at Ballycotton on 3 October, at Gozon, Asturias, Spain, from 16 October into November, and on Madeira on 20 October. In England, **Greater Yellowlegs** *Tringa melanoleuca* were present at Baston Langtoft, Lincolnshire, on 25 September and at Farlington Marshes, Hampshire, on 26-27 September. In Girona, Spain, a **Wilson's Phalarope** *Phalaropus tricolor* was seen at Aiguamolls de l'Empordà from 22 September onwards. Others were at Belfast Lough, Down, Northern Ireland, from 20 September (juvenile), at Ria de Alvor, Portugal, on 21 September (adult) and in Worcestershire from 23 September.

GULLS TO AUKS An **Ivory Gull** *Pagophila eburnea* was reported from Smøla, Møre og Romsdal, Norway, on 9 November. An adult **Ross's Gull** *Rhodostethia rosea* was seen at Haapsalu, Estonia, on 13 October and a first-winter at Höfn, Iceland, on 24 October. The ringed adult **Laughing Gull** *L atricilla* ('Atze') observed since 2000 (or 1998) at several places in Germany, Italy, the Netherlands, Spain and Switzerland, which came to roost daily at Loowaard, Gelderland, the Netherlands, from 5 August to 11 October (cf Dutch Birding 23: 225-226, 2001, 29: 288-291, 2007), returned for its second consecutive winter at Tordera delta, Blanes, Spain, on 10 November. In England, an adult **Franklin's Gull** *Larus pipixcan* was briefly seen at Alvecote Pools, Warwickshire, on 29 September and another was discovered in the inland roost of Farmoor, Oxfordshire, on 10 November. **Bonaparte's Gulls** *L philadelphia* were watched, eg, at Fahamore, Kerry, Ireland, on 22 September (adult); at Strangford Lough, Down, on 29 September; in Aberdeenshire, Scotland, on 20 October (adult); in Ardmoy Bay, Waterford, Ireland, on 27-28 October (adult); and in Angus, Scotland, from 11 November (adult). The first for Lithuania was an adult at Baltoji Voke on 18 October. In Austria, a presumed subadult **Heuglin's Gull** *L heuglini* was photographed at Melk, Niederösterreich, on 27 October. A first-year **White-winged Tern** *Chlidonias leucopterus* at Ponta Delgada, São Miguel, on 9 October may be the first for the Azores. In Ireland, a juvenile **American Black Tern** *C niger surinamensis* was seen at Tacumshin, on 5 October and a **Forster's Tern** *Sterna forsteri* at Cruisestown Strand, Louth, from 29 October to at least 18 November. In Scotland, a healthy **Brünnich's Murre** *Uria lomvia* was found off Girdle Ness, Aberdeenshire, on 7 November and another was seen off Cley, Norfolk, on 12 November. In eastern Britain, record-breaking numbers of **Little Auks** *Alle alle* were seen with, for instance, 18 713 flying north past the Farne Islands, Northumberland, on 9 November, 18 900 past St Abb's



551 Yellow-bellied Sapsucker / Geelbuiksapspecht *Sphyrapicus varius*, first-year male, Selfoss, Iceland, 8 October 2007 (Yann Kolbeinsson)

552 Common Nighthawk / Amerikaanse Nachtzwaluw *Chordeiles minor*, Corvo, Azores, 25 October 2007 (David Monticelli)





553 American Mourning Dove / Treurduif *Zenaida macroura*, Inishboffin, Galway, Ireland, 6 November 2007
(Tom McGeehan)

554 American Mourning Dove / Treurduif *Zenaida macroura*, Carnach, North Uist, Outer Hebrides, Scotland,
1 November 2007 (Steve Duffield)





555 Yellow-billed Cuckoo / Geelsnavelkoekoek *Coccyzus americanus*, Corvo, Azores, 24 October 2007
(Rafael Armada)

556 Yellow-billed Cuckoo / Geelsnavelkoekoek *Coccyzus americanus*, Corvo, Azores, 26 October 2007
(Rafael Armada)





557 Grey-cheeked Thrush / Grijswangdwerglijster *Catharus minimus*, Fair Isle, Shetland, Scotland, 30 September 2007 (Rebecca Nason)

558 Swainson's Thrush / Dwerglijster *Catharus ustulatus*, Fetlar, Shetland, Scotland, 1 October 2007 (Hugh Harrop)





559 Pechora Pipit / Petsjorapieper *Anthus gustavi*, Toab, Shetland, Scotland, 13 October 2007
(Hugh Harrop)

560 Pechora Pipit / Petsjorapieper *Anthus gustavi*, Helgoland, Schleswig-Holstein, Germany, 4 October 2007
(Stefan Pfütze)





561 American Buff-bellied Pipit / Amerikaanse Waterpieper *Anthus rubescens rubescens*, Liscannor, Clare, Ireland, 8 October 2007 (Michael Davis)

562 American Buff-bellied Pipit / Amerikaanse Waterpieper *Anthus rubescens rubescens*, Ouessant, Finistère, France, 26 September 2007 (Aurélien Audevard)



Head, Borders, in just four hours on 11 November, and 28 803 past Farne Islands on 11 November.

DOVES TO WOODPECKERS A first-winter **Oriental Turtle Dove** *Streptopelia orientalis* at Jokkmokk, Lapland, on 4-6 October was the 17th for Sweden. The adult returned to Falköping, Västergötland, Sweden, on 23 October for its third winter. In Israel, one was seen at Hula on 25 October. The first for Estonia (presumably *S o meena*) was discovered at Vöiste, Piirumi, on 13 November. An **American Mourning Dove** *Zenaid macroura* at Carnach on North Uist, Outer Hebrides, on 1-7 November was the second for this island. The first for Ireland (and the sixth or seventh for the WP) was present on Inishboffin, Galway, on 2-15 November. Previous ones were on Isle of Man on 31 October 1989, in Vestmannaeyar, Iceland, on 19 October 1995, on North Uist on 14-16 November 1999, in Södermanland, Sweden, on 13-11 June 2001 ('category D') and on Corvo, Azores, on 2 November 2005. **Snowy Owls** *Bubo scandiacus* remained on Lewis and at Blacksod, Mayo, Ireland, through October. In Suffolk, one flew in from the sea on 10 November. If accepted, a **White-rumped Swift** *Apus caffer* briefly at Cresswell Pond, Northumberland, on 16 September would be the first for Britain. A **Little Swift** *A affinis* at Ilhéu da Vila, Santa Maria, on 18 November will be the first for the Azores. A first-year male **Yellow-bellied Sapsucker** *Sphyrapicus varius* at Selfoss on 7-13 October was the second for Iceland; previous WP records were in June 1961 (Iceland), September-October 1975 (England) and October 1988 (Ireland). A first-year male **Eurasian Three-toed Woodpecker** *Picoides tridactylus* at Grenen, Skagen, Nordjylland, from 2 October (trapped) was the ninth for Denmark and the first since May 1988; a female was photographed at nearby Tornby on 18 October.

LARKS TO ACCENTORS The second **Calandra Lark** *Melanocorypha calandra* for Kuwait was photographed at Jahra on 15 November. A **Horned Lark** *Eremophila alpestris* in a Skylark *Alauda arvensis* flock at Bañugues beach, Gozón, Asturias, on 21 October was the third for Spain. If accepted, an **American Cliff Swallow** *Petrochelidon pyrrhonota* at Ballymacrown, Cork, on 4 November will be the second for Ireland. **Pechora Pipits** *Anthus gustavi* occurred on Røst, Nordland, Norway, on 22 September (two); on Housay, Out Skerries, Shetland, on 28 September; on Helgoland, Schleswig-Holstein, on 3-4 October (first for Germany); on Foula, Shetland, on 4-5 October; at Toab, Mainland, Shetland, on 12-14 October; and briefly at Robin Hood Bay, North Yorkshire, England, on 24 October. The first for Wales stayed at Goodwick Moor, Pembrokeshire, on 19-23 November. At least 15 **Blyth's Pipits** *Anthus godlewskii* were reported: at Gästrikland, Sweden, on 1-3 October (ninth); Titran, Frøya, Sør-Trøndelag, Norway, on 4-5 October; Stånggrund, Kristiinankaupunki, Finland, on 13 October; Île de Sein, Finistère, France, on 14 October; Signilskär, Hammarland, Finland, on 16 October; Tresco, Scilly, on 16-23 October; Sumburgh, Mainland, Shetland, on 17-18 October; Sennen, Cornwall, on 20-23 October

and 16 November; Awirs, Liège, Belgium, on 21 October (trapped); Hanko, Finland, on 25 October; Fair Isle, Shetland, on 27 October (picked up dead later that day); Helgoland on 26-30 October (third for Germany); Nanjizal, Cornwall, on 1 November; and Pyhtää, Finland, on 12 November. An unprecedented influx of at least 16 **American Buff-bellied Pipits** *A rubescens rubescens* involved singles at 46 nautical miles south-east of Vík, Iceland, on 19 September; at 150 nautical miles north-west of Butt of Lewis on 20 September (found dead aboard a ship); on Fair Isle from 23 September to 7 October; on St Mary's and Tresco from 25 September to 2 October (up to two); on Ouessant, Finistère, from 26 September to 10 October (first for France); at Lissagriffin, Mizen, Cork, on 6-14 October (up to two); at Clahane, Liscannor, Clare, Ireland, from 7 October into November; at Farmoor Reservoir and Port Meadow, Oxfordshire, England, on 8-12 October; at Garðskagi í Garði, Iceland, on 11-12 October; on Benbecula, Outer Hebrides, on 18 October; at Hafurbjarnarstaðir, Miðnes, Iceland, on 20-21 October; at Ballycotton from 31 October to at least 11 November; at Trevescan, Cornwall, on at least 1-17 November; at Carnsore Point, Wexford, on 2 November; and at Land's End, Cornwall, from 2 November onwards. The second **Siberian Buff-bellied Pipit** *A r japonicus* for Kuwait was photographed at Jahra on 21 November. In Israel, one was seen at Samar on 23 November. On 12 October, the second **Siberian Accentor** *Prunella montanella* for Turkey was found at Gelin-kaya, Erzurum; the first was in November 2006. The first **Black-throated Accentor** *Patrogularis* for Croatia was trapped at Pakostane on 13 November.

THRUSHES On Foula, a male **Siberian Rubythroat** *Luscinia calliope* was seen on 5 October. In western Europe, a total of at least 13 **Red-flanked Bluetails** *Tarsiger cyanurus* concerned singles at, eg, Corton, Suffolk, on 28 September; at Weybourne Camp, Norfolk, on 29 September; on Bardsey Island, Gwynedd, Wales, on 1 October (adult male); on Utsira, Rogaland, Norway, on 9, 19 and 23-24 October (three); at Scatness, Mainland, Shetland, on 13-14 October; at Siemianówka, Podlaskie, on 16 October (third for Poland); at Flamborough Head, East Yorkshire, England, on 20-23 October; on Linosa, off Sicily, on 21 October (eighth for Italy); at Cot Valley, Cornwall, on 3 November; and on Ouessant from 16 November onwards. An adult male **Ehrenberg's Redstart** *Phoenicurus phoenicurus samamisicus* on Lampedusa off Sicily on 25 September was the first for Italy. The 12th to 14th **Isabelline Wheatears** *Oenanthe isabellinus* for Finland were found at Jurmo bird station, Korppoo, on 27 September, at Björkboda, Dragsfjärd, on 29 September and at Munahietä, Siikajoki, on 6 October. First-winter **Pied Wheatears** *O pleschanka* turned up on Texel on 3 October, on Helgoland on 20 October (female) and in Devon, England, on 19 November (male). The first **Desert Wheatears** *O deserti* this autumn were the ones at Ottenby, Øland, Sweden, on 25 October and Sörve bird station, Estonia, on 29 October. In the Netherlands, **White's Thrushes** *Zoothera aurea* were reported at IJmuiden, Noord-Holland, on 1 October, on



563 Long-tailed Shrike / Langstaartklauwier *Lanius schach*, first-year male, Skallingen, Blåvand, Vestjylland, Denmark, 17 October 2007 (*Fabien Ruysschaert*)

564 Long-tailed Shrike / Langstaartklauwier *Lanius schach*, first-year male, Skallingen, Blåvand, Vestjylland, Denmark, 17 October 2007 (*Ole Krogh*)





565 Siberian Thrush / Siberische Lijster *Zoothera sibirica*, immature male, Hametoun, Foula, Shetland, Scotland, 28 September 2007 (Hugh Harrop)

566 Blyth's Pipit / Mongoolse Pieper *Anthus godlewskii*, first-year, Tresco, Scilly, England, 17 October 2007 (Steve Young/Birdwatch)





567 River Warbler / Krekelzanger *Locustella fluviatilis*, Vík, Mýrdalur, Iceland, 11 October 2007
(Yann Kolbeinnsson)

568 Lanceolated Warbler / Kleine Sprinkhaanzanger *Locustella lanceolata*, Fair Isle, Shetland, Scotland,
3 October 2007 (Rebecca Nason)





569 Asian Brown Flycatcher / Bruine Vliegenvanger *Muscicapa dauurica*, first-winter, Flamborough Head, East Yorkshire, England, 4 October 2007 (Paul Hackett)

570 Hornemann's Redpoll / Groenlandse Witstuitbarmsijs *Carduelis hornemanni hornemanni*, Quendale, Shetland, Scotland, 12 October 2007 (Hugh Harrop)





571 Blackpoll Warbler / Zwartkopzanger *Dendroica striata*, Port Hellick, St Mary's, Scilly, England, 19 October 2007 (Steve Young/Birdwatch)

572 Indigo Bunting / Indigogors *Passerina cyanea*, Ribeira de Ponte, Corvo, Azores, 22 October 2007 (Vincent Legrand)





573 Scarlet Tanager / Zwartvleugeltangare *Piranga olivacea*, Corvo, Azores, 20 October 2007 (Vincent Legrand)
 574 Grey-cheeked Thrush / Grijswangdwerglijster *Catharus minimus*, Poco d'Aqua, Corvo, Azores, 22 October 2007 (Vincent Legrand) 575 White's Thrush / Goudlijster *Zoothera aurea*, Sumburgh, Shetland, Scotland, 13 October 2007 (Hugh Harrop) 576 Red-flanked Bluetail / Blauwstaart *Tarsiger cyanurus*, first-year male, Linosa, Sicilia, Italy, 21 October 2007 (Igor Maierano) 577 Yellow-browed Bunting / Geelbrauwgors *Emberiza chrysophrys*, Gambell, Alaska, USA, 15 September 2007 (Paul Mayer) 578 White-throated Sparrow / Witkeelgors *Zonotrichia albicollis*, Höfn, Iceland, 13 November 2007 (Yann Kolbeinsson)

Texel, Noord-Holland, on 10 October and at Den Haag, Zuid-Holland, on 15 October. One was picked up dead on Fair Isle on 2 October, a window victim was collected at Thorngumbald, East Yorkshire, and one was seen at Sumburgh, Mainland, Shetland, on 13 October. An immature male **Siberian Thrush** *Z. sibirica* photographed at Hametoun on Foula on 28 September was the first for Shetland. Also in Shetland, a **Swainson's Thrush** *Catharus ustulatus* stayed at Houbie, Fetlar, from 28 September to 4 October. **Grey-cheeked Thrushes** *C. minimus* were present on Fair Isle on 30 September, on St Mary's on 12-22 October and at Cape Clear, Cork, on 15 October. The second **Eye-browed Thrush** *Turdus obscurus* for Israel was a first-year male trapped at Jerusalem on 4-6 November (the first was at Eilat in October 1996). A **Black-throated Thrush** *T. atrogularis* was photographed on Helgoland on 15 November.

WARBLERS The increase of **Cetti's Warblers** *Cettia cetti* in the Netherlands in recent years is well illustrated by 12 trapped this autumn at Verdrongen Land van Saefinghe, Zeeland, until 3 November. **Pallas's Grasshopper Warblers** *Locustella certhiola* were found on Røst on 24 and 28 September, on Fair Isle on 28 September and on Out Skerries on 2 October. In Shetland, up to three **Lanceolated Warblers** *L. lanceolata* were present on Fair Isle between 27 September and 3 October and one was on Foula on 7-8 October. The third **Common Grasshopper Warbler** *L. naevia* for Iceland turned up at Höfn, Einarssundur, on 22 October. A **River Warbler** *L. fluviatilis* at Vík, Mýrdalur, on 11-13 October was the second for Iceland; the first was in October 1974. Long-staying **Paddyfield Warblers** *Acrocephalus agricola* in Britain included singles at St Margaret's, Cliffe, Kent, on 28-29 September and at Quendale, Mainland, Shetland, on 9-14 October. On 29 September, one was trapped on Utsira. In Spain, an individual ringed in Lleida on 6 March was retrapped at Marjal de Pego Oliva, Alicante, on 10 September. In October alone, a total of 11 **Blyth's Reed Warblers** *A. dumetorum* occurred in Britain. Singles at Mizen Head, Cork, on 10-14 October and on The Mullet, Mayo, on 12 October were the first and second for Ireland. If accepted, a **Sedge Warbler** *A. schoenobaenus* photographed on Gambell, Alaska, on 30 September will be the first for North America. A presumed **Moltoni's Warbler** *Sylvia cantillans moltoni* at Burnham Overy, Norfolk, from 30 September to 5 October may be the first for Britain. At Eilat, Israel, a female **Ménétries's Warbler** *S. mystacea* was trapped on 12 October. A first-year **Barred Warbler** *S. nisoria* trapped at Ghadira on 14 September was (only) the fourth for Malta. The first **Eastern Crowned Warbler** *Phylloscopus coronatus* for the Netherlands and the fourth for the WP was twitted by many birders at Katwijk, Zuid-Holland, on 5 October; previous WP records were in October 1843 (Germany), September 2002 (Norway) and October 2004 (Finland). **Arctic Warblers** *P. borealis* were staying, eg, on Housay on 23-27 September; at Zeebrugge, West-Vlaanderen, Belgium, on 23 September; at Raversijde, West-Vlaanderen, on 3 October; on Whalsay, Shetland, on 9 October; and on Unst on 10 November (one of the latest ever).

A **Yellow-browed Warbler** *P. inornatus* trapped at Sombor on 2 October was (only) the first for Serbia. The first **Hume's Warbler** *P. humei* for Hungary was at Szeged from 13 to at least 21 November. A **Dusky Warbler** *P. fuscatus* on Linosa on 20 October was (only) the fourth or fifth for Italy and one trapped in Ribeira on 8 November was the second for Galicia. C 10 Dusky Warblers (including four trapped) were reported for the Netherlands between 29 September and 24 October, more than 14 for Britain in October and two in Ireland. The first for Croatia was trapped on 4 November. **Radde's Warblers** *P. schwarzi* were found at Bomenland, Vlieland, Friesland, on 13 October (with a Dusky at less than 100 m distance) and on Schiermonnikoog, Friesland, on 14 October (retrapped on 17 October); in Belgium, one was trapped in West-Vlaanderen on 12 October. The third for Malta was trapped on Comino on 2 November. The third **Eastern Bonelli's Warbler** *P. orientalis* for Norway stayed on Røst from 22 September.

FLYCATCHERS TO SHRIKES A first-winter **Asian Brown Flycatcher** *Muscicapa dauurica* at Flamborough Head on 3-4 October will be the first for Britain; the one on Fair Isle on 1-2 July 1992 has not been accepted as a genuine vagrant (Birding World 20: 425-428, 2007). A flock of four **White-headed Long-tailed Tits** *Aegithalos caudatus caudatus* was photographed on Helgoland on 12-13 October. In the Netherlands, a '**Pleske's Tit**' *Parus caeruleus x cyanus* was trapped at Castricum and others were seen in European Blue Tit flocks at Vuren, Zuid-Holland, on 17 November and at Ilmuiden on 18 November. Remarkably, a **Crested Tit** *Lophophanes cristatus* was reported at Kapuzbazi, Turkey, on 16 October. A first-winter **Turkestan Shrike** *Lanius phoeniceoides* at Buckton, East Yorkshire, from 29 September to 5 October was trapped. On 12-15 October, one was present in Camargue, Bouches-du-Rhône, France. In Ireland, a first-winter **Daurian Shrike** *L. isabellinus* occurred at Mizen Head on 19-21 October. In Sweden, first-winters were found at Husebymaden, Småland, on 23 October and at Utklippan, Blekinge, on 26-27 October. A first-year male **Long-tailed Shrike** *L. schach* at Skallingen, Blåvand, Vestjylland, on 15-17 October was the first for Denmark and the third for Europe; previous ones were a second-year male in Gotland, Sweden, on 11 June 1999 and a first-winter on South Uist, Outer Hebrides, from 27 October to 4 November 2000. **Lesser Grey Shrikes** *L. minor* stayed at Holkham, Norfolk, on 1-8 October and in Nord-Trøndelag, Norway, on 6-12 October.

FINCHES TO BUNTINGS Six **Common Linnets** *Carduelis cannabina* at Lombo do Vasco, Sete Cidades, São Miguel, on 21 November were the first for the Azores. After singles on Fetlar and Whalsay in the first week of October, three **Hornemann's Redpolls** *C. hornemanni hornemanni* were identified in Shetland in the third week of October and two on The Mullet in Mayo on 30 October. In Ireland, a **Red-eyed Vireo** *Vireo olivaceus* was discovered at Dunquin, Kerry, on 14 October. On St Mary's, two **Blackpoll Warblers** *Dendroica striata*

were present, one at The Garrison on 9-20 October and another at Porth Hellick on 10-23 October. A first-year **White-throated Sparrow** *Zonotrichia albicollis* at Höfn from 12 November onwards was the sixth for Iceland. A male **Black-faced Bunting** *Emberiza spodocephala* was briefly seen on Helgoland on 15 October. The third for the Netherlands was a first-winter trapped at Castricum on 18 November. A first-winter **Pine Bunting** *E. leucocephalos* stayed at Sveinslagan, Kokkola, Finland, on 21 October, a male on Fair Isle from 25 October to 10 November and a male at Talldungen, Närsholmen, Gotland, Sweden, from 28 October. The first **Yellow-browed Bunting** *E. chrysophrys* for North America was found on Gambell, Alaska, on 15 September. A male **Black-headed Bunting** *E. melanocephala* was present in Hordaland, Norway, from 19 October. A first-winter male **Rose-breasted Grosbeak** *Pheucticus ludovicianus* stayed on St Agnes, Scilly, on 23-29 October.

NEARCTIC VAGRANTS IN THE AZORES Five **American Black Ducks** were reported from Flores in October-November. A first-year **Double-crested Cormorant** *P. auritus* was seen at Porto Formoso on 14 November. On São Miguel, **American Bitterns** *Botaurus lentiginos* were found at Lagoa Azul on 30 September and at Ponta Delgada on 15 October and a first-winter **Tricolored Heron** *Egretta tricolor* at Praia de Água de Alto on 2 October (second for the WP; the first was on Pico, Azores, in October 1985; Dutch Birding 9: 17-19,

1987). A **Green Heron** was photographed on São Jorge on 23 October (and misidentified as a Little Bittern *Ixobrychus minutus*; www.birdpix.nl/album_page.php?pic_id=113324). **Snowy Egrets** *E. thula* were seen at Fajã dos Cubres, São Jorge, on 3 October, at Fajã Grande, Flores, on 22 October and at Mosteiros, São Miguel, on 27 October. **American Great Egrets** *Casmerodius albus* egretta stayed on Flores from 9 October to at least 21 November, Corvo on 17 October, São Miguel on 18 October and Terceira on 19 October. **Great Blue Herons** *A. herodias* were present on Corvo from 1 October to at least 15 November and on Flores from 12 to at least 18 October. A **Western Sandpiper** was reported from Lagoa Azul, São Miguel, on 13 October. The second **Stilt Sandpiper** *C. himantopus* for the Azores was photographed at Fajã dos Cubres, São Jorge, on 7 October. **Upland Sandpipers** were found on Corvo on 31 October and on Flores on 21 November. **Solitary Sandpipers** *T. solitaria* were seen at Cabo da Praia, Terceira, on 24 September, at Ponta Delgada, Flores, on 11 October and at Lagoa dos Espriados, Achada das Furnas, São Miguel, on 25 October. On Terceira, a **Greater Yellowlegs** stayed at Cabo da Praia on 23-28 September. A **Wilson's Phalarope** was on Corvo on 17 October. A **Royal Tern** *S. maxima* was seen 370 nautical miles south-west of Flores on 12 October and a **Forster's Tern** at Lajes, Flores, on 24 October. **Common Nighthawks** *Chordeiles minor* were discovered at Lajes do Pico, Pico, on 19 October (it died later that day), on Corvo on

579 Pied Wheatear / Bonte Tapuit *Oenanthe pleschanka*, Helgoland, Schleswig-Holstein, Germany, 20 October 2007 (Martin Gottschling)





580 Black-faced Bunting / Maskergors *Emberiza spodocephala*, Castricum, Noord-Holland, Netherlands, 18 November 2007 (Cock Reijnders) **581** Turkestan Shrike / Turkestaanse Klauwier *Lanius phoenicuroides*, Buckton, East Yorkshire, England, 4 October 2007 (Steve Seal) **582** Pine Bunting / Witkopgors *Emberiza leucocephalos*, Fair Isle, Shetland, Scotland, 26 October 2007 (Paul Baxter)



25 October and at Lomba da Fazenda, São Miguel, on 25 October (two). A **Belted Kingfisher** *Megasceryle alcyon* was found at Lajes harbour, Flores, on 17 October. **Tree Swallows** *Tachycineta bicolor* were seen on Corvo on 19-20 and 23-26 October. Also on Corvo, a **Grey-cheeked Thrush** stayed on 21-27 October. **Red-eyed Vireos** were present on Corvo on 13-14 and 20 October and on Flores on 23-25 October and 27 October. The origin of up to 14 **Common Crossbills** *Loxia curvirostra* at Serra da Tronqueira, São Miguel, from 11 October to at least 27 November remains a mystery. A **Black-throated Green Warbler** *D. virens* was photographed aboard a ship 188 nautical miles south-west of Flores on 11 October. A **Myrtle Warbler** *D. coronata* was found at Ponta da Fajã, Flores, on 17 October and a **Blackpoll Warbler** at Phyllo wood, Sete Cidades, São Miguel, on 14 October. **Scarlet Tanagers** *Piranga olivacea* were found on Corvo on 20 October and at Fajã Grande on 25 October. Also on Corvo, **Indigo Buntings** *Passerina cyanea* were seen on 20-28 and 30-31 October (up to two). On Flores, two **Bobolinks** *Dolichonyx oryzivorus* were seen at Ponta Delgada from 4 October onwards. Furthermore, in September-October, at least one first-year **American Herring Gull** *L. smithsonianus*, a few **Laughing Gulls**, c 30 **Semipalmated Plovers** *C. semipalmatus*, c eight **American Golden Plovers** *P. dominica*, c 20 **Semipalmated Sandpipers**, c six **Least Sandpipers**, c 50 **White-rumped Sandpipers**, c 12 **Pectoral Sandpipers** *C. melanotos*, eight **Wilson's Snipes** (including seven identified out of 10 snipes shot on São Miguel on

28 October), two **Long-billed Dowitchers** *Limnodromus scolopaceus*, four **Hudsonian Whimbrels** *Numenius hudsonicus*, at least nine **Spotted Sandpipers**, c 11 **Lesser Yellowlegs** *T. flavipes* and c 10 **Yellow-billed Cuckoos** *Coccyzus americanus* were reported.

For a number of reports, Birding World, Birdwatch, Ornithos, www.birdguides.com, www.rarebirdalert.co.uk and www.net-fugl.dk were consulted. We wish to thank Shai Agmon, Peter Alfrey, Abdulrahman Al-Sirhan, Ruud Altenburg, Sherif Baha-el-Din, Chris Batty, Soner Bekir, Richard Bonser, Robin Chittenden, Rolf Christensen, Tony Clarke, Dirk Colin, Andrea Corso (Italy), Pierre-André Crochet, Gerald Driessens, Enno Ebels, Mimi Eelman, Carsten Egevang, Guven Eken, Lee Evans, Catarina Fagundes, Amine Flitti, Jacques Franchimont, Raymond Galea (Malta), Steve Gantlett, Luis Gordinho, Barak Granit, Geert Groot Koerkamp, Marcello Grusso (Sardinia), Christophe Gruwier, Grzegorz Grygoruk, Pablo Gutiérrez, Ricard Gutiérrez (Spain), James Hanlon, Hugh Harrop, Erik Hirschfeld, Ottaviano Janni, Krys Kazmierczak, Howard King, Szabolcs Kókay, Yann Kolbeinsson, Hans Larsson, Paul Lehman, André van Loon, Tomas Lundquist, Igo Maiorano, Lucio Maniscalco, Paul Mayer, Anthony McGeehan, Richard Millington, Dominic Mitchell, Killian Mullarney, Niall Moores, Gert Ottens, Gerard Ouwenel, Yoav Perlman (IRDC), René Pop, David Porat, Nikos Probonas, Peter Pyle, Magnus Robb, Cosme Damian Romai, Hugo Romano (Madeira), Gary Rosenberg, René van Rossum, Kris De Rouck, Luciano Ruggieri, Michael Sammut, Nir Sapir, Wolfgang Schweighofer, Marko Sciban, Angelo Scuderi, Dare Sere (Slovenia), Gerard Steinhaus, Vincent Stork, Norman van Swelm, Kókay Szabolcs, Jos Trammer (Vrs Saeftinghe), Magnus Ullman, Mattias Ullman, Jan Visser, Rinse van der Vliet and Anton Zuljevic for their help in compiling this review.

Arnoud B van den Berg, Duinlustparkweg 98, 2082 EG Santpoort-Zuid, Netherlands
(arnoud.vandenbergh@planet.nl)
Marcel Haas, Kapellaan 52, 1851 PE Heiloo, Netherlands (m.haas@wpbirds.com)

Recente meldingen

Dit overzicht van recente meldingen van zeldzame en interessante vogels in Nederland en België beslaat voornamelijk de periode **september-oktober 2007**. De vermelde gevallen zijn merendeels niet geverifieerd en het overzicht is niet volledig. Alle vogelaars die de moeite namen om hun waarnemingen aan ons door te geven worden hartelijk bedankt. Waarnemers van soorten in Nederland die worden beoordeeld door de Commissie Dwaalgasten Nederlandse Avifauna wordt verzocht hun waarnemingen zo spoedig mogelijk toe te zenden aan: CDNA, Postbus 45, 2080 AA Santpoort-Zuid, Nederland, e-mail cdna@dutchbirding.nl. Hiertoe gelieve men gebruik te maken van CDNA-waarnemingsformulieren die eveneens verkrijgbaar zijn bij bovenstaand adres, of via de website van de DBA op www.dutchbirding.nl.

Nederland

GANZEN TOT VALKEN De **Dwergganzen** *Anser erythropus* bij Strijen, Zuid-Holland, waren er vroeg bij met eind september reeds zeven exemplaren. De traditione-

le grote groepen verschenen vanaf 8 oktober ten zuiden van Anjum, Friesland, met een maximum van 61 op diezelfde dag en vanaf 23 oktober weer bij Strijen met een maximum van 51 op 28 oktober. Daarnaast werden slechts zes losse Dwergganzen doorgegeven. Vanaf de laatste dagen van september werden 15 **Roodhalsganzen** *Branta ruficollis* opgemerkt. Vanaf 23 september verbleven vijf **Witbuirokroganzen** *B. hrota* op Texel, Noord-Holland. Daarnaast werden nog zes exemplaren gemeld, voornamelijk in het noorden van het land. **Zwarte Rotganzen** *B. nigricans* waren aanwezig op 12 oktober bij Paesens, Friesland, vanaf 21 oktober weer op Schiermonnikoog, Friesland, vanaf 24 oktober op Ameland, Friesland, en in de Prunjepolder, Zeeland, en drie vanaf 27 oktober op Wieringen, Noord-Holland. Grote groepen **Krooneenden** *Netta rufina* betroffen van 15 september tot 28 oktober maximaal 241 op de Gouwee, Noord-Holland; van 18 tot 26 september maximaal 56 op het Drontermeer bij Elburg; Gelderland, vanaf 22 september maximaal 190 bij het Harderbos, Flevoland; en op 9 oktober 143 op het Veluwemeer ter hoog-



583 Vorkstaartmeeuw / Sabine's Gull *Larus sabini*, juveniel, Noordzee ten westen van Westkapelle, Continentaal Plat, 29 september 2007 (*Corstiaan Beeke*)

584 Noordse Pijlstormvogel / Manx Shearwater *Puffinus puffinus*, Noordzee ten noorden van Ameland, Continentaal Plat, 23 september 2007 (*Ipe Weeber*)



te van Nunspeet, Gelderland. Voor het derde opeenvolgende jaar keerde het mannetje **Grote Tafeleend** *Aythya valisineria* terug naar het Hoefijzermeer bij Castricum aan Zee, Noord-Holland, met 27 september als eerste datum (de eerste waarneming hier dateert van januari 2003). Er waren opvallend veel **Witoogenden** *A nyroca* met in de gehele periode c 20, waaronder twee van 19 september tot 8 oktober op het Drontermeer, Gelderland, en twee op 21 oktober in de Botshol, Utrecht. Het mannetje **Buffelkopeend** *Bucephala albeola* van Barendrecht, Zuid-Holland, was vanaf 28 oktober voor de derde opeenvolgende winter te zien. Daarnaast waren er waarnemingen van ontsnapte exemplaren op 13 oktober bij Muiden, Noord-Holland, en op 18 oktober bij Den Helder, Noord-Holland. Een mannetje **Amerikaanse Smient** *Anas americana* verbleef van 23 tot 27 oktober bij Hollum op Ameland. Een bizarre waarneming tijdens een 'pelagic' was die van een vliegende **Kwartel** *Coturnix coturnix* op 6 oktober c 15 km ten noorden van Ameland. Drie **Ijsduikers** *Gavia immer* vlogen op 12 oktober langs Terschelling, Friesland; daarna vlogen exemplaren op 14 en 30 oktober eveneens langs Terschelling, op 21 oktober langs Bloemendaal aan Zee, Noord-Holland, en op 30 oktober langs Westkapelle, Zeeland. Voor de kust van Terschelling was op 14 oktober bovendien kortstondig een **Geelsnavelduiker** *G. adamsii* ter plaatse. Er werden behoorlijk veel 'grotere pijlen' gemeld. Het begon langs Westkapelle met een **Grote Pijlstormvogel** *Puffinus gravis* op 10 september en een melding van een **Kuhls Pijlstormvogel** *Calonectris borealis* op 11 september. Eveneens op 11 september vloog een vermoedelijke Kuhl langs Ameland. Op 29 september werd een exemplaar gemeld langs Vlieland, Friesland, en op 30 september wederom langs Vlieland, langs Texel en langs Camperduin, Noord-Holland. De beste dagen voor **Grauwe Pijlstormvogels** *P. griseus* waren 3 september met 194 langs Terschelling; 10 september met 91 langs Westkapelle; 15 september met 74 langs Terschelling; 18 september met 63 langs Ameland; en 30 september met 40 langs Texel. **Vale Pijlstormvogels** *P. mauretanicus* vlogen nog op 1 september langs Texel en Huisduinen, Noord-Holland; op 21 september langs Westkapelle; op 25 september langs Egmond aan Zee, Noord-Holland; en op 30 september langs Camperduin. **Noordse Pijlstormvogels** *P. puffinus* werden met 50 van de 80 exemplaren vooral in de tweede helft van september gezien; een exemplaar bleef op 22 september 'hangen' tussen Den Helder en Texel. Het enige **Stormvogeltje** *Hydrobates pelagicus* in deze periode vloog op 4 september langs Lauwersoog, Groningen. **Vale Stormvogeltjes** *Oceanodroma leucorhoa* verschenen wel met vele 10-tallen, waaronder op 10 september alleen al 20 langs Scheveningen, Zuid-Holland, en 31 langs Westkapelle. We durven blijkbaar steeds vaker ongeringde **Grote Aalscholvers** *Phalacrocorax carbo carbo* te melden, met ditmaal waarnemingen van 19 tot 30 september en op 15 oktober bij IJmuiden, Noord-Holland, op 24 september bij Westkapelle en vanaf 14 oktober – evenals vorige winter – op het Engelermeer bij 's-Hertogenbosch, Noord-Brabant. **Kuifaalscholvers** *P. aristotelis* werden waargenomen van 16 tot 20 september en op 7 oktober

op Ameland; op 19 september langs Scheveningen; vanaf 2 oktober bij IJmuiden, met op 25 oktober twee; vanaf 21 oktober twee bij de Oosterscheldekering, Zeeland; van 25 tot 27 oktober op Vlieland; en van 26 tot 28 oktober bij Den Helder. De **Woudaap** *Ixobrychus minutus* van Diependal, Drenthe, bleef tot 4 september. **Kwakken** *Nycticorax nycticorax* verbleven tot 14 oktober bij de Brabantsche Biesbosch, Noord-Brabant; op 5 september in de Loosdrechtse Plassen, Utrecht; op 7 september bij Krimpen aan den IJssel, Zuid-Holland; op 11 en 12 september bij Well, Limburg; op 12 september bij Rhooen, Zuid-Holland; van 12 tot 18 september bij Alphen aan de Rijn, Zuid-Holland; op 14 september bij Macharen, Noord-Brabant; en van 1 tot 12 oktober bij Woubrugge, Zuid-Holland. Uitzonderlijk laat was de **Ralreiger** *Ardeola ralloides* die van 20 tot 30 oktober verbleef bij Willeskop, Utrecht. **Koereigers** *Bubulcus ibis* waren te zien van 23 september tot 14 oktober in de Brabantsche Biesbosch; op 25 september bij Rockanje, Zuid-Holland; van 2 tot 11 oktober bij Strijen; van 6 tot 12 oktober bij Simonshaven, Zuid-Holland; op 20 oktober langs Vlissingen, Zeeland; en op 31 oktober in de Oostvaardersplassen, Flevoland. De gehele maand september trokken weer **Purperreigers** *Ardea purpurea* langs Ridderkerk, Zuid-Holland. In totaal ging het om bijna 400 exemplaren, waarvan alleen al 123 op 4 september. In de Dordtsche Biesbosch, Zuid-Holland, trokken er op 7 september ook nog eens 57 over. Tot half september werden in totaal 67 **Zwarte Ooievaars** *Ciconia nigra* gezien, waaronder negen op 2 september overvliegend bij Heeswijk-Dinther, Noord-Brabant. Daarna volgden tot 6 oktober nog 15 exemplaren. De **Zwarte Ibis** *Plegadis falcinellus* van de Bandpolder, Friesland, werd nog tot 2 september gezien. Uiteraard verbleven bij de Oostvaardersplassen de gehele periode diverse **Zeearenden** *Haliaeetus albicilla*. Daarnaast werden nog c 20 exemplaren gemeld, waaronder langverblijvende de gehele periode in de Lauwersmeer, Groningen, en vanaf 6 oktober rond het Ketelmeer, Overijssel, en rond het Haringvliet, Zuid-Holland. Een juveniele **Steppekiekendief** *Circus macrourus* vloog op 28 september langs telpost Kwinteloijen bij Veenendaal, Utrecht. Tot 12 september werden nog slechts vier **Grauwe Kiekendieven** *C. pygargus* gemeld. Op 24 oktober was er een melding van een onvolwassen **Steenarend** *Aquila chrysaetos* bij Aalten, Gelderland. In september en oktober werden respectievelijk 17 en vier **Roodpootvalken** *Falco tinnunculus* gemeld.

RALLEN TOT ALKEN Op 27 september werd een **Kwartelkoning** *Crex crex* gezien bij Katwijk aan Zee, Zuid-Holland. Na een vroege groep van 30 **Kraanvogels** *Grus grus* op 25 september over Helmond, Noord-Brabant, volgden pas vanaf 14 oktober enkele 100en her en der in kleine groepjes. **Steltkluten** *Himantopus himantopus* bleven tot 22 oktober bij Reeuwijk, Zuid-Holland. Daarnaast was er één van 2 september tot 13 oktober bij Strijen. De bekende escape (met geel ringetje) van Ede, Gelderland, werd tot 2 september gemeld. Er werden 23 **Morinelplevieren** *Charadrius morinellus* op trek gezien (meest enkelingen), waarvan de laatste van 3 tot



585 Ralreiger / Squacco Heron *Ardeola ralloides*, met Waterral / Water Rail *Rallus aquaticus*, Willeskop, Utrecht, 23 oktober 2007 (Albert Noorlander) **586** Grote Aalscholver / Atlantic Great Cormorant *Phalacrocorax carbo carbo* (onder), met Aalscholver / Continental Great Cormorant *P c sinensis*, IJmuiden, Noord-Holland, 27 september 2007 (Leo J R Boon/Cursorius)





587 Grauwe Pijlstormvogel / Sooty Shearwater *Puffinus griseus*, Noordzee bij Hoek van Holland, Zuid-Holland, 29 september 2007 (Remco Gulien)

12 oktober op Terschelling. Er waren meer of minder serieuze meldingen van '**kleine goudplevieren**' *Pluvialis dominica/fulva*. Na een exemplaar op 9 september bij Fortmond, Overijssel, volgde op 16 oktober een **Aziatische Goudplevier** *P. fulva* op Texel, op 20 oktober een **Amerikaanse Goudplevier** *P. dominica* bij het Hellegatschor, Zeeland, en op 25 oktober eveneens een Amerikaanse op Ameland. **Bonapartes Strandlopers** *Calidris fuscicollis* werden gezien op 16 september en van 22 tot 29 september bij Punt van Reide in of bij de Dollard, Groningen, en op 23 september op Texel. Er werden nog 'slechts' negen **Gestreepte Strandlopers** *C. melanotos* waargenomen, waarvan de laatste op 8 oktober langs Katwijk aan Zee vloog. Een goede vondst was die van een **Siberische Strandloper** *C. acuminata* die van 9 tot 27 oktober in de weilanden bij Nes op Ameland liep. **Breedbekstrandlopers** *Limicola falcinellus* foerageerden tot 1 september (twee) bij polder Breebaart, Groningen; tot 2 september bij Paesens; op 16 september in de Prunjepolder; en op 29 september op Texel. **Blonde Ruiters** *Tryngites subruficollis* zijn inmiddels jaarlijkse kost, met ditmaal waarnemingen op 14 september op de Hompelvoet, Zuid-Holland; op 15 september overvliegend bij De Cocksdorp op Texel; op 21 en 22 in de Honswijkerwaard, Utrecht; en van 27 september tot 17 oktober bij Petten, Noord-Holland. **Poelsnippen** *Gallinago media* werden gemeld op 5 september op Ameland, op 27 september bij Oegstgeest, Zuid-Holland, en op 23 oktober bij Mariënberg, Overijssel. In september wer-

den c 20 **Grauwe Franjepoten** *Phalaropus lobatus* geteld en op 16 oktober nog één op Ameland. Vanaf 7 september werden c 40 **Rosse Franjepoten** *P. fulvicarius* waargenomen, met maximaal drie van 29 september tot 3 oktober bij IJmuiden, en vier op 24 oktober bij Groote Keeten, Noord-Holland. Bijzonder is de melding van een exemplaar op 14 oktober op het Leikeven bij Loon op Zand, Noord-Brabant. De trek van **Kleinste Jagers** *Stercorarius longicaudus* zette flink door met in de eerste helft van september c 100 exemplaren. De beste dagen waren 1, 4 en 10 september met respectievelijk 10, 22, en 23. In de tweede helft van de maand volgden er nog c 20 en tussen 12 en 18 oktober vier. De beste plek was Westkapelle met c 35 waarvan negen op 10 september. Er waren ook waarnemingen in het binnenland waaronder die van een op 600 m hoogte vliegend exemplaar op 4 september over Vliegbasis Soesterberg, Utrecht, ontdekt met behulp van radar. Van 4 tot 12 september verbleef een exemplaar in de Erfkamerlingenschap bij Lobith, Gelderland, en op 6 oktober was er een vondst bij de Afsluitdijk, Friesland. Tot 18 september werden ook opvallend hoge aantallen **Grote Jagers** *S. skua* geteld, met op 4 september 47 langs Terschelling, op 10 september 40 langs Westkapelle en op 15 september 47 en 18 september 42 langs Ameland. De **Lachmeeuw** *Larus atricilla* van de uiterwaarden bij Loo, Gelderland, kon tot 10 oktober worden gezien terwijl de **Ringsnavelmeeuw** *L. delawarensis* van Tiel, Gelderland, de gehele periode bleef. **Vorkstaartmeeuwen** *L. sabini* waren zeer goed vertegenwoordigd met c 135 exemplaren. De eerste werd op 3 september langs Terschelling gesignaleerd. Het grootste deel (c 100) passeerde tussen 8 en 30 september. Een kleine opleving was er tussen 15 en 21 oktober met 18. Van 15 tot 22 september verbleef er één op een akker bij Kommerzijl, Groningen. Op 8 september werd tijdens een wadlooptocht van Holwerd, Friesland, naar Ameland een **Kleine Burgemeester** *L. glaucooides* gemeld. De bekende adulte **Grote Burgemeester** *L. hyperboreus* van Den Helder vertoefde daar de gehele periode en een onvolwassen vogel werd op 1 september gezien bij Scheveningen. **Lachsterns** *Gelochelidon nilotica* werden nog gemeld op 27 september over het Vossemeer, Overijssel, en op 30 september (twee) langs Camperduin. In september werden nog c 45 **Reuzensterms** *Hydroprogne caspia* waargenomen waarvan 22 begin september aan de Friese westkust, zes op 3 september langs Diemen, Noord-Holland, en negen op 9 september in de Lauwersmeer. De laatste verbleef tot 6 oktober bij het Vossemeer. Het aantal van 31 **Grote Sterns** *Sterna sandvicensis* dat nog op 31 oktober langs de Brouwersdam, Zuid-Holland, werd geteld is een vermelding waard. Een **Witwangstern** *Chlidonias hybrida* werd op 3 september gezien bij Lemmer, Friesland. **Witvleugelsterns** *C. leucopterus* waren voornamelijk tot half september te zien met in totaal 22, waaronder ten minste 10 op 1 september op De Kreupel bij Enkhuizen, Noord-Holland. De laatste vlogen tot 19 september bij Huizen, Noord-Holland; op 19 en 20 september in Groningen; tot 23 september in de Lauwersmeer, Groningen; en op 8 oktober bij Koarnwerdersân (Kornwerderzand), Friesland. Eén **Zwarte Zeekoet** *Cep-*

phus grylle passeerde op 2 september Terschelling en twee vlogen op 11 september langs Camperduin. Na een **Kleine Alk** *Alle alle* op 17 september langs Terschelling en twee op 30 september langs Texel, volgden vanaf 13 oktober c 32 exemplaren, waarvan 13 op 30 oktober langs Terschelling en één meerdere dagen bij de Zuidpier van IJmuiden. Bijzonder was de levende **Papegaaiduiker** *Fratercula arctica* in nagenoeg zomerkleed die op 24 september bij Scheveningen gefotografeerd werd. Vanaf 29 september werden maar liefst 20 langsvliegende gemeld, waarvan twee op 30 september en vijf op 1 oktober langs Camperduin en vier op 25 oktober langs Texel.

BIJENETERS TOT GORZEN De vijf **Bijeneters** *Merops apiaster* van de Meinweg, Limburg, werden tot 5 september gezien. Op 6 september waren er daar nog drie. Verder waren er op 2 september twee bij Groote Keeten en op 7 september drie bij Cuijk, Noord-Brabant. Late exemplaren werden gemeld op 25 september bij Zwolle, Overijssel, en op 14 oktober overvliegend bij Soestduinen, Utrecht. **Hoppen** *Upupa epops* werden waargenomen van 10 tot 13 september bij Heerenveen, Friesland, op 30 september en 1 oktober bij Siddeburen, Groningen, en op 14 oktober over de Groote Heide bij Venlo, Limburg. Een zeer late **Draaihals** *Jynx torquilla* werd op 24 oktober waargenomen bij Ugchelen, Gelderland. Een **Kortteenleeuwerik** *Calandrella brachy-*

dactyla verbleef op 22 september kortstondig op de noordpunt van Texel. Het hoogste aantal **Kuifleeuweriken** *Galerida cristata* in Tradepark-West bij Venlo, Limburg, was acht op 13 september. De gehele periode werd een exemplaar (weer) met enige regelmaat gezien bij de Vogelvallei op de Maasvlakte. Er waren daarnaast verspreid over het land nog zes meldingen van overvliegende exemplaren. Een **Rotszwaluw** *Ptyonoprogne rupestris* vloog op 28 oktober over de telpost Eemshaven, Groningen. Een vroege **Grote Pieper** *Anthus richardi* werd op 11 september gemeld bij de Nedereindse Plas bij Nieuwegein, Utrecht. Vanaf 22 september werden c 115 exemplaren doorgegeven. Topdag was 13 oktober met 13 waarvan vijf op Vlieland. Op 31 oktober werd er één geringd in de Kennemerduinen, Noord-Holland. Tot 15 oktober werden nog c 50 **Duinpiepers** *A campestris* gezien. Topdagen waren 16 september met acht en 23 september met 10. Op 23 oktober was er nog een melding bij IJmuiden. Er waren **Siberische Boompiepers** *A hodgsoni* op 3 oktober langs IJmuiden (roep opgenomen), op 7 oktober kort ter plaatse in het Westduinpark bij Den Haag, Zuid-Holland, en op 13 oktober tussen Oosterend en het Hoornse Bos op Terschelling. Het geluid van een vermoedelijke **Petsjorapieper** *A gustavi* werd op 24 september gehoord in een groepje Graspiepers *A pratensis* én opgenomen. De eerste **Roodkeelpieper** *A cervinus* werd waargenomen op 16 september over de Afsluitdijk en tussen 22 september en 21 okto-

588 Blonde Ruiter / Buff-breasted Sandpiper *Tryngites subruficollis*, Petten, Noord-Holland, 8 oktober 2007
(Michel Veldt)



589 Blonde Ruiter / Buff-breasted Sandpiper *Tryngites subruficollis*, Petten, Noord-Holland, 8 oktober 2007
(Lesley van Loo)



Recente meldingen



590 Noordse Pijlstormvogel / Manx Shearwater *Puffinus puffinus*, ten noorden van Den Helder, Noord-Holland, 23 september 2007 (Sander Lagerveld) **591** Kleinste Jager / Long-tailed Jaeger *Stercorarius longicaudus*, Scheveningen, Zuid-Holland, 1 september 2007 (Arno ten Hoeve) **592** Baltische Mantelmeeuw / Baltic Gull *Larus fuscus fuscus*, Westkapelle, Zeeland, 28 september 2007 (Pim A Wolf) **593** Papegaaiduiker / Atlantic Puffin *Fratercula arctica*, adult, Scheveningen, Zuid-Holland, 24 september 2007 (Mike Melis) **594** Grote Aalscholver / Atlantic Great Cormorant *Phalacrocorax carbo carbo*, IJmuiden, Noord-Holland, 27 september 2007 (Leo J R Boon/Cursorius) **595** Amerikaanse Smient / American Wigeon *Anas americana*, adult mannetje, Hollum, Ameland, Friesland, 25 oktober 2007 (Anne-Sophie Berlijn)



596 Grote Kruisbek / Parrot Crossbill *Loxia pytyopsittacus*, Vlieland, Friesland, 12 oktober 2007 (*Han Zevenhuizen*) **597** Siberische Boompieper / Olive-backed Pipit *Anthus hodgsoni*, Terschelling, Friesland, 13 oktober 2007 (*Rudy Offereins*) **598** Bruine Boszanger / Dusky Warbler *Phylloscopus fuscatus*, Vlieland, Friesland, 13 oktober 2007 (*Marc Guyt/Agami*) **599** Aziatische Roodborsttapuit / Siberian Stonechat *Saxicola maurus*, Texel, Noord-Holland, 20 oktober 2007 (*Eric Menkveld*) **600** Bosgors / Rustic Bunting *Emberiza rustica*, Vlieland, Friesland, 7 oktober 2007 (*Arnold Wijker*) **601** Roodmus / Common Rosefinch *Carpodacus erythrinus*, Vlieland, Friesland, 30 september 2007 (*Han Zevenhuizen*)



602 Roodkopklauwier / Woodchat Shrike *Lanius senator*, eerstejaars, Posthuis, Vlieland, Friesland, 7 oktober 2007 (Eelke Schoppers) **603-604** Bonte Tapuit / Pied Wheatear *Oenanthe pleschanka*, De Cocksdorp, Texel, Noord-Holland, 3 oktober 2007 (Eric Menkveld)





605 Kleine Spotvogel / Booted Warbler *Acrocephalus caligatus*, Maasvlakte, Zuid-Holland, 15 september 2007
(Christiaan Giljam)

ber volgden er nog c 30. Op 23 september werd een overvliegende **Citroenkwikstaart** *Motacilla citreola* gedetermineerd op het ringstation bij Castricum, voornamelijk op basis van de roep. Een vroege langsvliegende **Pestvogel** *Bombycilla garrulus* werd op 29 september op Ameland gemeld. Vanaf 16 oktober werden er nog 13 opgemerkt, voornamelijk in het noorden. Langs de Geul in Limburg waren er waarnemingen van **Roodbuikwaterspreeuw** *Cinclus cinclus aquaticus* op 5 september bij Etenaken en op 20 en 23 september bij Valkenburg. Op 6 oktober werd een langsvliegende **Waterspreeuw** *Cinclus* gezien op Vlieland. Een mogelijk vrouwtje **Oosterse Gekraagde Roodstaart** *Phoenicurus phoenicurus samamisicus* werd op 30 september gemeld op de Maasvlakte, Zuid-Holland. Op 20 oktober was korte tijd een **Aziatische Roodborsttapuit** *Saxicola maurus* aanwezig op Texel. Een vogelaar die op 3 oktober speciaal vrij had genomen om eens wat leuks te vinden was naar Texel gegaan en vond in de beroemde 'tuintjes' van De Cocksdorp een eerstejaars mannetje **Bonte Tapuit** *Oenanthe pleschanka*. Van de ongreepbare **Goudlijster** *Zoothera aurea* waren er de volgende meldingen: op 1 oktober kortstondig bij het Kennemermeer, Noord-Holland, op 10 oktober bij Westerslag op Texel aanvliegend uit zee en landend in de duinen en op 15 oktober langsvliegend bij Den Haag. Naast de bekende **Cetti's Zangers** *Cettia cetti* waren er nieuwe op 12 september bij Vlaardingen, Zuid-Holland, en op 25 oktober in de Alblasserwaard, Zuid-Holland. Vangsten vonden behalve in Zeeland on-

der meer in Noord-Holland plaats: op 13 september bij Castricum en op 6 oktober bij Bloemendaal. Nieuwe plekken voor **Graszanger** *Cisticola juncidis* werden gevonden bij het Gat van Pinte, Zeeland, bij Bennekom, Gelderland, en in de Schermer bij Alkmaar, Noord-Holland. In het Verdrongen Land van Saeftinghe, Zeeland, werden op 15 september ten minste 13 exemplaren geteld. **Struikrietzangers** *Acrocephalus dumetorum* hingen bij Castricum in het net op 12 september en 20 oktober. Op 13 september werd nog een **Waterrietzanger** *A. paludicola* gezien op Texel. Een **Kleine Spotvogel** *A. caligatus* verbleef van 14 tot 25 september op de Maasvlakte. Er werden nog c 20 **Sperwergrasmussen** *Sylvia nisoria* doorgegeven tussen 5 september en 7 oktober, waaronder een raamslachtoffer op 5 september bij Zurich, Friesland, en zes ringvangsten. Een megaklapper werd op 5 oktober ontdekt in Katwijk aan Zee. Het betrof een **Kroonboszanger** *Phylloscopus coronatus*; nieuw voor Nederland en pas de vierde voor Europa! Helaas kon de vogel de volgende dag al niet meer worden teruggevonden. Op 6 oktober was er een melding van een roepende **Swinhoes Boszanger** *P. plumbeitarsus* op Vlieland. Eveneens op Vlieland verschenen **Grauwe Fitissen** *P. trochiloides* op 3 oktober in het dorp en op 7 oktober in Bomenland. **Pallas' Boszangers** *P. proregulus* waren redelijk algemeen met vanaf 6 oktober 15 exemplaren. Na meldingen van **Bladkoningen** *P. inornatus* op 11 september bij Sneek, Friesland, op 15 september in Oranjestad, Zeeland, en nog eens zes tussen 21 en 29



606 Kleine Spotvogel / Booted Warbler *Acrocephalus caligatus*, Maasvlakte, Zuid-Holland, 15 september 2007 (Niels Goddijn) **607** Kroonboszanger / Eastern Crowned Warbler *Phylloscopus coronatus*, Katwijk aan Zee, Zuid-Holland, 5 oktober 2007 (Marc Guyt/Agami) **608** Bruine Boszanger / Dusky Warbler *Phylloscopus fuscatus* en Bladkoning / Yellow-browed Warbler *P. inornatus*, Meijndel, Zuid-Holland, 13 oktober 2007 (Vincent van der Spek/Vrs Meijndel)

september elders, barstte de doortrek los op 30 september met op die dag al negen exemplaren. In de eerste twee weken van oktober volgden er c 240 (!), met bijvoorbeeld alleen al 18 op 14 oktober op Vlieland. Tot 22 september volgden er nog eens ruim 60 en daarna tot het eind van de maand nog enkelingen. Vlieland was hét eiland van de phylloscopen dit najaar met van 26 tot 29 oktober ook nog een **Humes Bladkoning** *P. humei* bij Lange Paal en op 13 oktober een **Raddes Boszanger** *P. schwarzi* bij Bomenland. Op 14 oktober werd op Schiermonnikoog een Raddes gevangen die op 17 oktober nogmaals in het net hing. Op 29 september was er een vroege melding van een **Bruine Boszanger** *P. fuscatus* op Vlieland. Er volgden exemplaren op 7 en 8 oktober bij de Eemshaven; op 13 oktober in Meijndel, Zuid-Holland, en één op Vlieland (op 50 m van de eerder gemelde Raddes Boszanger); op 17 oktober bij Dishoek, Zeeland; op 19 en 21 vangsten op (alweer) Vlieland; op

20 en 21 oktober op Texel; op 21 oktober in de Lauwersmeer (vangst); op 22 oktober bij Castricum (vangst); en op 24 oktober in Westkapelle. Hiermee lijkt 2007 een recordjaar voor deze soort te worden. **Siberische Tjiftjaffen** *P. collybita tristis* werden gemeld van 6 tot 8 oktober en op 28 oktober op Schiermonnikoog; op 13 oktober op Texel; op 14 oktober op Vlieland; en op 22 oktober bij Westkapelle. De **Iberische Tjiftjaf** *P. ibericus* van Diemen werd vrijwel dagelijks gemeld tot 15 september, waarna hier nog een waarneming volgde op 23 september. **Kleine Vliegenvangers** *Ficedula parva* deden het goed met waarnemingen op 15 september bij de Brabantsche Biesbosch; op 29 september bij Ede, Gelderland, op Vlieland en twee op Ameland, waarvan er één nog op 30 september aanwezig was; op 30 september ook op Terschelling; op 5 oktober op Schiermonnikoog; op 7 oktober op Rottumeroog, Groningen; op 7 en 8 oktober op de Oosterscheldekeuring, Zeeland; op

10 oktober weer op Ameland; en op 30 oktober in Apeldoorn, Gelderland. Op 14 september werd een juveniele **Withalsvliegenvanger** *F. albicollis* gevangen in Meijndel. **Taigaboombkruipers** *Certhia familiaris* werden gemeld op 29 september (twee) en 20 (vangst), 21 en 28 oktober op Schiermonnikoog; op 1 oktober bij de Eemshaven; op 7 oktober bij Wassenaar, Zuid-Holland; op 8, 20 en 28 oktober op drie verschillende locaties op Vlieland; op 20 oktober bij Holwierde, Groningen; en op 25 oktober in het Speulderbos, Gelderland. Van 1 tot 7 oktober was een onvolwassen **Roodkopklauwier** *Lanius senator* aanwezig op Vlieland. Op 1 september was één van de **Roze Spreeuwen** *Sturnus roseus* van Vlieland nog aanwezig. Andere werden gezien op 8 september (vliegend) langs Ouddorp, Zeeland; op 22 september op Texel; op 29 september weer op Vlieland; op 5 oktober (vliegend) langs Den Haag; en op 22 oktober kort ter plaatse bij Petten. Vanaf 2 oktober werden op diverse plaatsen **Grote Kruisbekken** *Loxia*

pytyopsittacus gemeld. Naar later bleek was zelfs onze bekendste geluidenman er een beetje ingetuid en lijkt het er sterk op dat het voor een groot deel om 'grote kruisbekken *L. curvirostra*' ging. Vooral nog is moeilijk te bepalen welke van de doorgegeven exemplaren of groepjes de 'real thing' betroffen. Serieuze en verifieerbare waarnemingen kwamen onder andere van Vlieland en Terschelling. **Roodmussen** *Carpodacus erythrinus* werden nog gezien op 30 september en 1 oktober op Vlieland, op 5 oktober bij Katwijk aan Zee en op 14 oktober langs Den Haag. **Ortolanen** *Emberiza hortulana* waren schaars met tot 23 september 18 doortrekkers, waarna nog een melding volgde van twee op 9 oktober langs Den Oever, Noord-Holland. Een **Bosgors** *Erustica* werd op 7 oktober gevangen op Vlieland. Tussen 28 september en 22 oktober werden 12 **Dwerggorzen** *E. pusilla* gemeld. Buiten Limburg werd slechts één **Grauwe Gors** *E. calandra* gezien en wel vanaf 31 oktober bij de Brabantsche Biesbosch.

Ruud M van Dongen, Taalstraat 162, 5261 BJ Vught, Nederland

Remco Hofland, Aert van Neslaan 336, 2341 HN Oegstgeest, Nederland (remco.hofland@dutchbirding.nl)

Peter W W de Rouw, Detmoldstraat 92-1, 3523 GH Utrecht, Nederland

België

DUIKERS TOT VALKEN De eerste **Wilde Zwaan** *Cygnus cygnus* vloog op 23 oktober langs Arendonk, Antwerpen, en op 28 trok een groep van 15 over het Groot Schietveld in Brecht, Antwerpen, en later over Arendonk. Een exemplaar pleisterde die dag bij Roly, Namur. Een **Dwerggans** *Anser erythropus* vloog op 20 oktober laag over De Maten in Genk, Limburg. Drie witte **Sneeuwganzen** *A. caerulescens* van onbekende herkomst liepen op 7 september bij Verrebroek, Oost-Vlaanderen, en van 10 tot 13 oktober verschenen ze bij Kieldrecht, Oost-Vlaanderen, op de laatste dag in gezelschap van een Blauwe Sneeuwganzen. Er werden in totaal ten minste 13 **Krooneenden** *Netta rufina* waargenomen met maximaal vijf bij Dilsen-Stokkem, Limburg, op 8 september. Tot 10 september pleisterde nog een mannetje **Witoogeend** *Aythya nyroca* in Harchies/Hensies, Hainaut, en van 20 tot 23 oktober zwom hier een vrouwtje. Op 5 september was er een waarneming in Latour, Luxembourg, en op 12 september in Ploegsteert, Hainaut. Op 28 oktober werd er één gezien bij Hollogne-sur-Geer, Liège, en op 31 oktober verscheen een mannetje in de Kalmt-houtse Heide, Antwerpen. De eerste twee **Parelduikers** *Gavia arctica* van het najaar vlogen pas op 30 oktober langs De Panne, West-Vlaanderen. De 180 **Noordse Stormvogels** *Fulmarus glacialis* die daar op 10 september werden geteld betroffen de hoogste telling van het jaar. In totaal werden 170 **Grauwe Pijlstormvogels** *Puffinus griseus* waargenomen met een maximum van 78 langs De Panne op 18 september. De in totaal 45 waargenomen **Noordse Pijlstormvogels** *P. puffinus* illustreren hoe schaars de gunstige zeetrektdagen waren tijdens deze periode. Op 24 en 27 september werd in De Panne telkens één **Vale Pijlstormvogel** *P. mauretanicus* opgemerkt. Tussen 2 en 18 september passeerden langs de Belgische

kust 38 **Vale Stormvogeltjes** *Oceanodroma leucorhoa* waarvan 21 langs Oostende, West-Vlaanderen, op 10 september. Op 8 september verbleef een **Woudaap** *Ixobrychus minutus* in Harchies/Hensies. Op 13, 16 en 22 september was een juveniele aanwezig in Lier-Anderstad, Antwerpen, en op 16 september werd er één gezien in De Maten in Genk. De hele maand september verbleven maximaal vier **Kwakken** *Nycticorax nycticorax* in Harchies/Hensies. Juveniele verschenen in Lier-Anderstad tot 15 september; bij Kruibeke, Oost-Vlaanderen, op 3 september; in De Gavers in Harelbeke, West-Vlaanderen, van 7 tot 9 september; in de Platwijers in Zonhoven, Limburg, op 9 september; twee vlogen op 14 september over Ranst, Antwerpen; op 14 oktober verbleef er één in het domein Kiewit in Hasselt, Limburg, en op 20 oktober vloog er weer één langs Lier-Anderstad. Een adulte vloog op 25 september over Châtelet, Hainaut. De hele periode werden maximaal 11 **Koe-reigers** *Bubulcus ibis* gezien in de omgeving van de Rhillebroeken en De Blankaart bij Woumen, West-Vlaanderen. Verder waren er waarnemingen in De Gavers in Harelbeke van 6 tot 8 september; weer op de bezinkingsputten in Tienen, Vlaams-Brabant, (een geringe vogel) van 7 tot 9 september; (twee) in de Uitkerkse Polders, West-Vlaanderen, van 7 tot 22 september; bij Kapelle-op-den-Bos, Vlaams-Brabant, op 15 oktober; en (twee) bij Doel, Oost-Vlaanderen, op 17 oktober. Tussen 1 en 3 september werden nog 12 **Purper-reigers** *Ardea purpurea* opgemerkt waaronder een groepje van vier over Kalmthout. De laatste waarnemingen waren in Meetkerke, West-Vlaanderen, op 8 september; in Ploegsteert op 12 september; in Zonnebeke, West-Vlaanderen, op 18 september; en bij Kallo, Oost-Vlaanderen, van 2 tot 20 oktober. Tussen 7 en 16 september trokken nog zes **Zwarte Ooievaars** *Ciconia nigra* over de oostelijke helft van Vlaanderen. In oktober werd

er één gezien over Angreau, Hainaut, op 6 oktober; drie vlogen over Liedekerke, Vlaams-Brabant, op 7 oktober; en één trok over Heverlee/Bertem, Vlaams-Brabant, op 14 oktober. De trek van **Ooievaars** *Ciconia* strekte zich uit tot ver in oktober met alleen in die maand nog 97 waarnemingen waaronder zeven over Huy, Liège, op 7 oktober en zelfs een overnachtende groep van 21 in Zichem, Vlaams-Brabant, op 24 en 25 oktober. Verrassend was de waarneming van een 'langstreckende' juveniele **Europese Flamingo** *Phoenicopterus roseus* bij Nieuwpoort, West-Vlaanderen, op 30 oktober. Op 31 oktober werd dezelfde vogel opgemerkt in Noord-Frankrijk. Onverklaarbaar was de overervdovende rust rond de waarneming van een overtrekkende **Grijs Wouw** *Elanus caeruleus* in Honnay, Liège, op 2 september. Op diezelfde dag vloog daar een **Zwarte Wouw** *Milvus migrans* over, op 20 september trok er één in Groot-Bijgaarden, Vlaams-Brabant, en de laatste waarnemingen van deze soort gebeurden pas op 14 oktober in Honnay en op 15 oktober in Malèves/Ste-Marie-Wastinnes, Brabant-Wallon. In september werden in totaal (inclusief Wallonië) c 98 **Rode Vrouwen** *M. milvus* waargenomen. In oktober volgden er nog eens 142 waaronder 17 bij Roly op 13 oktober. De waarneming van een **Zeearend** *Haliaeetus albicilla* bij Cerfontaine, Namur, op 6 oktober zou de voorbode worden van een voor deze soort goed najaar: op 20 oktober vloog er één over Wortel, Antwerpen; op 21 oktober over Wervik, West-Vlaanderen; op 24 oktober over Boekhoute, Oost-Vlaanderen; en op 28 oktober over Kessenich, Limburg. Een ontsnapte **Afrikaanse Zeearend** *H. vocifer* vertoefde op 8 september in de moerassen van Harchies. Op 7 oktober werd een **Vale Gier** *Gyps fulvus* gemeld in Profondeville, Namur. Op 20 oktober trok een juveniele **Slangenarend** *Circaetus gallicus* over Zedelgem, West-Vlaanderen. Een juveniele **Steppiekiekendief** *Circus macrourus* trok op 22 oktober laag over De Maten in Genk en op 24 oktober volgde een tweede juveniele over Lommel. Tussen 14 en 30 september werden nog zes waarnemingen van **Grauwe Kiekendieven** *C. pygargus* opgetekend. Twee vogels volgden nog op 1 oktober over Brecht en op 7 oktober over Berlare, Oost-Vlaanderen. Op 16 oktober verscheen de eerste **Ruigpootbuiser** *Buteo lagopus* in Wortel. Vanaf 20 oktober brak er een 'kleine invasie' los met op 20 oktober één over Meldert, Vlaams-Brabant; op 21 oktober te Arendonk, Boekhoute, Kalmthout, Lier, Maasmechelen, Limburg, Neerpelt, Limburg, Outgaarden, Vlaams-Brabant (tot 22 oktober) en twee over Lommel; op 22 oktober te Brecht, Kalmthout, Riemst, Limburg, en Sint-Denijs, West-Vlaanderen; op 23 oktober te Engsbergen, Limburg, Geistingen, Limburg, Kalmthout, Munte, Oost-Vlaanderen, Oostmalle, Antwerpen, Relegem/Asse, Vlaams-Brabant, Schulen, Limburg, Ukkel, Brussels Gewest, en Zonhoven; op 27 oktober te Kalmthout en Kessenich, Limburg; op 28 oktober te Brecht en Neerpelt; op 30 oktober in Harchies; en op 31 oktober te Lommel. Op 21 september werd een **Dwergarend** *Aquila pennata* opgemerkt bij Oostduinkerke, West-Vlaanderen, en op 7 oktober trok er één over de trektpost bij het Fort van Bornem, Antwerpen. In totaal werden tijdens de periode

c 162 overtrekkende **Visarenden** *Pandion haliaetus* gezien. De trek viel stil rond 15 oktober, waarna nog vier exemplaren werden opgemerkt. Van 1 tot 10 september pleisterde een makke, juveniele **Roodpootvalk** *Falco vespertinus* in de Kalkense Meersen, Oost-Vlaanderen. Vrouwtjes vlogen over Bertrix, Luxembourg, op 16 september en over Bure, Namur, op 23 september. Trekkende juveniele werden gezien in Ekeren, Antwerpen, op 30 september en over Boekhoute op 4 oktober.

RALLEN TOT SPECHTEN Tussen 1 en 27 september werden in totaal 12 **Porseleinhoenders** *Porzana porzana* opgemerkt. Op 30 september lagen een dode **Kwartelkoning** *Crex crex* langs de kustweg in Heist, West-Vlaanderen. Op 14 en 15 september ging een eerste stevige trek golf van **Kraanvogels** *Grus grus* over België. De aantallen lagen hoe oostelijker hoe hoger met onder meer 700 over de Barrage de la Gileppe, Liège. De enige Vlaamse waarneming die dag betrof 24 over Maasmechelen. Op 8 oktober vlogen er negen over Zutendaal, Limburg. Tussen 18 en 24 oktober volgde een tweede en kleinere golf, met 186 over Vlaanderen. In de eerste week van september foerageerde een ontsnapte **Chinese Kraanvogel** *G. japonensis* bij Bredene, West-Vlaanderen. Op 6 september werden twee **Steltkluten** *Himantopus himantopus* gezien bij Adinkerke, West-Vlaanderen. Vanaf 8 september pleisterde de hele periode een juveniele in de Achterhaven bij Dudzele en van 10 tot 29 september foerageerde een geringde in de Uitkerkse Polders, die na inbeslagname werd gerevalideerd en losgelaten. Bij Clermont, Hainaut, verbleven op 1 en 4 september respectievelijk twee en vijf **Morinelplevieren** *Charadrius morinellus*. Langstreckende solitaire vogels werden nog gezien bij Leeftaal, Vlaams-Brabant, op 12 september, te Lier-Anderstad op 22 september en bij Lommel op 28 september. Het vinden van **Steppiekieviten** *Vanellus gregarius* lukt 'vlotjes' de laatste jaren: van 13 tot 27 september verbleef een juveniele bij het Lac de Virelles, Hainaut, en op 27 september verscheen een adulte op de kouters bij Ragnies/Clermont. Op 2 september verbleef kortstondig een **Blonde Ruiter** *Tryngites subruficollis* in de IJzermonding in Nieuwpoort maar zoekacties nadien bleken vruchteloos. Er verbleven twee **Grauwe Franjepoten** *Phalaropus lobatus* in de Achterhaven van Zeebrugge, West-Vlaanderen, van 30 september tot 4 oktober en één bleef tot 7 oktober. De eerste **Rosse Franjepoot** *P. fulicarius* pleisterde op 19 en 20 september in Oostende. Op 3 oktober trok er één langs Het Zwin in Knokke, West-Vlaanderen, en later één langs Oostende. Op 4 en 5 oktober zwom er één in de Voorhaven van Zeebrugge. Het ontbreken van najaarsstormen in deze periode resulteerde in een mager totaal van 16 **Middelste Jagers** *Stercorarius pomarinus*. Onverwacht was de langdurige aanwezigheid van een **Kleine Jager** *S. parasiticus* in Harchies van 13 september tot 10 oktober. Dezelfde vogel verplaatste zich van 13 tot 16 oktober naar Héron, Hainaut. **Kleinste Jagers** *S. longicaudus* werden herkend in Oostende (vier) en in De Panne (twee). In het binnenland verschenen juveniele in Tienen op 4 september en in Lier-Anderstad op 7 september. De laatste waarneming was op 25 oktober in de Baai van Heist. Er wer-



609 Pallas' Boszanger / Pallas's Leaf Warbler *Phylloscopus proregulus*, Zeebrugge, West-Vlaanderen, 21 oktober 2007 (Patrick Beirens)

610 Noordse Boszanger / Arctic Warbler *Phylloscopus borealis*, Raversijde, West-Vlaanderen, 3 oktober 2007 (Johan Buckens)





611 Noordse Boszanger / Arctic Warbler *Phylloscopus borealis*, Zeebrugge, West-Vlaanderen, 23 september 2007 (Johan Buckens)

den in totaal 27 **Zwartkopmeeuwen** *Larus melanocephalus* gemeld met maximaal vier in Hoboken, Antwerpen, op 7 oktober. Tussen 7 en 29 september werden 46 **Vorkstaartmeeuwen** *L. sabini* genoteerd met waarnemingen in Bredene; Nieuwpoort (twee); Oostende (12 waarvan acht op 10 september) en De Panne (31 waarvan 22 op 10 september). Op 13 oktober volgde nog een waarneming meer in het binnenland: in Vlissegem, West-Vlaanderen. Tussen 17 en 22 september vlogen vijf **Reuzensterns** *Hydroprogne caspia* langs: in Oostende op 17 september, langs Nieuwpoort (twee) op 19 september, en langs Zeebrugge en daarna langs Oostende op 22 september. Van 1 tot 3 september pleisterde een juveniele **Witvleugelstern** *Chlidonias leucopterus* in Het Vinne in Zoutleeuw, Vlaams-Brabant. In De Panne trokken exemplaren langs op 10 en op 26 september. Vanaf 5 september verschenen **Velduilen** *Asio flammeus* op het toneel: in september waren het er negen en in oktober 23. **Hoppen** *Upupa epops* werden op 15 september gezien in Fontaine-l'Évêque, Hainaut, en op 7 oktober bij Hamois, Namur. Twee ontsnapte **Kookaburra's** *Dacelo novaeguineae* verblijven al bijna een jaar bij de Weiput in Zingem, Oost-Vlaanderen, en weten zich daar aardig te behelpen. Met 53 **Draaihalzen** *Jynx torquilla* scoorde september niet bijzonder goed voor deze soort. Daarna volgden nog waarnemingen in Hoepertingen, Vlaams-Brabant, op 4 oktober en Heist op 6 oktober. Het najaar is niet het beste moment om

Middelste Bonte Specht *Dendrocopos medius* waar te nemen maar buiten de gekende broedgebieden werden toch vogels opgemerkt in Brasschaat, Antwerpen (drie), en Lille, Antwerpen (twee).

LEEUEWERIKEN TOT GORZEN Op 28 september trok een **Kortteenleeuwerik** *Calandrella brachydactyla* over Lier-Anderstad. Er werden nog **Kuifleeuweriken** *Galerida cristata* gezien in Blankenberge, West-Vlaanderen, De Panne en Zeebrugge. Onverwacht waren de waarnemingen in Asse, Vlaams-Brabant, van 30 september tot 4 oktober; over het Schulensbroek op 5 oktober; en de ringvangst in Merksplas, Antwerpen, op 23 oktober. Op 29 en 30 september werd al een **Strandleeuwerik** *Eremophila alpestris* ontdekt in de Voorhaven van Zeebrugge. Op 20 oktober vloog een groepje van zes over het Groot Schietveld in Brecht en op 27 oktober zat er weer één in de Voorhaven van Zeebrugge. De trek van **Grote Piepers** *Anthus richardi* schoot op 6 oktober uit de startblokken: er volgden in totaal 19 waarnemingen. Op 21 oktober werd bij Awirs, Liège, een eerste-winter **Mongoolse Pieper** *A. godlewskii* geringd. September stuwde een 50-tal **Duinpiepers** *A. campestris* over het land en in oktober werden er nog acht vastgesteld, waarvan de laatste op 14 oktober over Heist. Tussen 8 september en 31 oktober passeerden 18 solitaire **Roodkeelpiepers** *A. cervinus* met het merendeel van de waarnemingen in de eerste decade van oktober. Op 5 september trok een eerste-winter **Citroenkwikstaart** *Motacilla citreola* laag over Lier. Op 8 en kortstondig op 10 september pleisterde een eerste-winter bij Adinkerke. Tussen 27 en 30 september werden 59 **Beflijsters** *Turdus torquatus* gezien met maximaal 17 over Sint-Denijs op 27 september; in oktober werden er nog eens 76 geteld. **Cetti's Zangers** *Cettia cetti* worden op alsmear meer plaatsen gehoord en gezien. De hoogste telling betrof 11 zangposten in de Achterhaven van Zeebrugge op 14 oktober. **Graszangers** *Cisticola juncidis* waren aanwezig in Adinkerke; Bredene (drie); Doornzele, Oost-Vlaanderen (drie); Gent, Oost-Vlaanderen; Kruibeke; Nieuwpoort (14 op 21 oktober); Oostmalle; Uitkerke; Zeebrugge (maximaal 10 op 22 september); en Zele/Berlare (twee). Een late **Grote Karekiet** *Acrocephalus arundinaceus* werd op 7 oktober geringd in Kinrooi, Limburg. Er waren ringvangsten van eerste-winter **Sperwergrasmussen** *Sylvia nisoria* in Sint-Laureins, Oost-Vlaanderen, op 5 september; in Tongeren, Limburg, op 13 september; in Kinrooi op 22 september; in Merksplas op 24 september en in Nodebais, Brabant-Wallon, op 30 september. Op 23 september liet een **Noordse Boszanger** *Phylloscopus borealis* zich erg goed bekijken in Zeebrugge en op 3 oktober verscheen een andere in Raversijde, West-Vlaanderen. Van 17 tot 19 oktober verbleef in Zeebrugge een **Pallas' Boszanger** *P. proregulus* en van 18 tot 21 oktober was op exact dezelfde plek een tweede exemplaar aanwezig. De eerste melding van een **Bladkoning** *P. inornatus* kwam op 13 september van Munsterbilzen, Limburg. Daarna zouden tussen 28 september en 25 oktober op de kop af 100 exemplaren worden waargenomen waarvan 32 in het binnenland en alleen al 27 op de topdagen 13 en 14 oktober. In Ingooigem, West-Vlaanderen, werd op

12 oktober een **Raddes Boszanger** *P. schwarzi* geringd. Er doken **Bruine Boszangers** *P. fuscatus* op in De Haan, West-Vlaanderen, op 19 oktober (ringvangst) en in de IJzermonding in Nieuwpoort van 20 tot 22 september. Op 19 en 20 september werd de eerste **Kleine Vliegenvanger** *Ficedula parva* van het najaar gevonden in de Haag in Heist. Op 7 oktober pleisterde een adult mannetje in Zeebrugge en van 20 tot 26 oktober een eerste-winter bij Blankenberge. Langs De Fonteintjes in Zeebrugge trok op 22 oktober een (vermoedelijke) **Witkopstaartmees** *Aegithalos caudatus caudatus*. Met in totaal 36 **Buidelmezen** *Remiz pendulinus* mogen we van een 'normaal' najaar spreken. De waarnemingen gebeurden in Amay, Liège (vijf); Avelgem, West-Vlaanderen; Bellem, Oost-Vlaanderen (twee); Boekhoute (twee); Escanaffles; Essen; Genk-De Maten (zeven); Kallo-Melsele (twee); Kruibeke (vijf); Sint-Lenaarts, Antwerpen; Tienen (vier); Verrebroek, Oost-Vlaanderen; en Wenduine, West-Vlaanderen. Tussen 1 en 22 september verschenen nog 10 **Grauwe Klauwieren** *Lanius collurio* en op 10 oktober werd een vrij late juveniele ontkedt bij Kieldrecht. Vanaf 24 september arriveerden **Klapensters** *Lexcubitor*: in Vlaanderen werden er in totaal 51 waargenomen. Dit aantal is vergelijkbaar met dat van de twee vorige jaren. 'Toevallig' werden op 5 september twee onafhankelijke meldingen van een **Notenkraker** *Nucifraga caryocatactes* ontvangen, in De Liereman in Oud-Turnhout, Antwerpen, en in Harelbeke. **Bonte Kraaien** *Corvus cornix* werden gezien in Lommel op 23 oktober; in Heusden, Oost-Vlaanderen, op 25 oktober; in Het Zwin in Knokke vanaf 28 oktober; en in Schulen op 31 oktober. Op 13 oktober vloog een **Raaf** *C. corax* over Viersel, Antwerpen, en op 20 oktober trok er één over Arendonk. Een juveniele **Roze Spreeuw** *Sturnus roseus* trok op 14 oktober over Sint-Denijs. De eerste drie **Grote Barm-**

sijzen *Carduelis flammea* werden op 27 oktober geringd in Averbode, Vlaams-Brabant. Tussen 12 en 28 oktober werden **Grote Kruisbekken** *Loxia pytyopsittacus* waargenomen in De Maten in Genk (zes) en in de Mechelse Heide in Maasmechelen (negen). Vanaf 7 oktober werden vrijwel dagelijks langsvliegende **Goudvinken** *Pyrrhula pyrrhula* opgemerkt. Het ging om kleine groepjes tot vier exemplaren. Opmerkelijk was de **Noordse Goudvink** *P. p. pyrrhula* met trompetroep die op 27 oktober werd gezien in Tombeek, Vlaams-Brabant. Vanaf 4 oktober werden op tal van plaatsen ook **Appelvinken** *Coccothraustes coccothraustes* gehoord of gezien. De eerste **Ijsgors** *Calcarius lapponicus* trok op 27 september over het vliegveld in Oostmalle-Zoersel. In totaal werden er tijdens deze periode 50 opgemerkt. Op 29 september verbleef een **Sneeuwgors** *Plectrophenax nivalis* in de Voorhaven van Zeebrugge. In de periode werden er in totaal slechts zeven waargenomen. Tussen 1 en 22 september werden nog 16 **Ortolanen** *E. hortulana* opgemerkt waarvan het gros over het binnenland. Er volgden late waarnemingen op 30 september in Renuâmont, Luxembourg, en op 4 oktober in Tienen en in De Maten in Genk. Op 14 en 27 oktober vloog een kleine 'tikkende gors' over het Groot Schietveld in Brecht. Zekere **Dwerggorzen** *E. pusilla* werden waargenomen in Lebbeke, Oost-Vlaanderen, op 29 september (ringvangst); in Zeebrugge-Voorhaven op 19 en 20 september; in het Grenspark in Essen onregelmatig vanaf 23 oktober; en in Wijgmaal, Limburg, op 23 oktober (ringvangst).

De hulp van al diegenen die (hun) waarnemingen inspraken op de Natuurpunt-Vogellijn was hier onontbeerlijk. De Natuurpunt-Vogellijn is alleen vanuit België bereikbaar op het nummer 0900-00194 (EUR 0.45/min), de Natuurpunt-Inspreklijn is te bereiken op 0800-11194 (gratis). De Waalse gegevens werden in hoofdzaak geput uit de AVES-website.

Gerald Driessens, Pastoriestraat 16, 2500 Lier, België (gerald.driessens@natuurpunt.be)

DB Actueel

Kroonboszanger in Katwijk Na vele magere jaren van 'bosjeskloppen' vergezeld door hoogtepuntjes als Pallas' Boszanger *P. proregulus*, Bladkoning *P. inornatus* en een 'net niet bevredigende' (Woestijn)braamsluiper *Sylvia curruca halimodendri/minula* was het op 5 oktober 2007 eindelijk raak – het verliep alleen totaal anders dan ik me van een megavondst had voorgesteld... Die ochtend verliet ik rond 08:30 mijn huis aan de Schorpioen in Katwijk aan Zee, Zuid-Holland, om een ochtendje te gaan vogelen bij de Wassenaarse Slag. Dit voornemen werd na enkele voetstappen in de kiem gesmoord. Tegenover mijn woning ligt een groenstrook waar ik enkele mezen *Parus* hoorde roepen. Het is een goede gewoonte van mij om in deze tijd van het jaar even bij zo'n groep stil te staan. De derde vogel die ik

zag viel mij onmiddellijk op als een zeldzame *Phylloscopus* met vleugelstrepen en mijn eerste indruk was die van een Grauwe Fitis *P. trochiloides*. Hij liet zich maar kort en slecht bekijken en het leek mij het beste om eerst enkele lokale vogelaars op te trommelen, omdat ik verwachtte dat de vogel spoedig in het vele groen van de woonwijk zou verdwijnen. Rond 09:00 arriveerde assistentie vanaf de Katwijkse Puinhoop. De vogel werd spoedig teruggevonden maar liet zich nog altijd erg moeilijk zien. Teus Luijendijk kreeg hem wat beter in beeld en op basis van het postuur, de gele poten en de wenkbrauwstreep die niet tot aan de snabelbasis doorliep dacht hij eerder aan een Noordse Boszanger *P. borealis*. Ondertussen wist René van Rossum een foto van de vogel te maken. Na enig beraad besloten wij hem als



612 Kroonboszanger / Eastern Crowned Warbler *Phylloscopus coronatus*, Katwijk aan Zee, Zuid-Holland, 5 oktober 2007 (Menno van Duijn)

613 Kroonboszanger / Eastern Crowned Warbler *Phylloscopus coronatus*, Katwijk aan Zee, Zuid-Holland, 5 oktober 2007 (Roland Jansen)



vrij zekere Noordse Boszanger door te geven en werd hij als semafoonbericht verspreid. Op de display van RvRs camera waren wij eindelijk in staat om de vogel op ons gemak te bekijken en het viel ons allen op dat hij wel een hele donkere brede oogstreep en kruin had. RvR opperde dat het wel eens om een Kroonboszanger *P. coronatus* zou kunnen gaan maar de gele onderstaartdekveren die kenmerkend zijn voor deze soort waren op de foto niet overtuigend zichtbaar. We hadden op dat moment ook nog geen spoor van een lichte kruinstreep kunnen ontdekken. Na raadpleging van wat literatuur bleken er meer kenmerken te zijn die pleitten voor Kroonboszanger zoals de geheel lichte ondersnavelbasis en de groentoon van de mantel. Inmiddels hadden we ook geconstateerd dat hij wel degelijk gele onderstaartdekveren had. Arnold Meijer was ondertussen gearriveerd en hij kreeg een glimp van de kruinstreep te zien. Op dat moment was alle twijfel weggenomen en om 10:10 werd hij als 'zeker' doorgepiept. Het grootste deel van de dag verbleef hij in de c 75 bij 10 m grote groenstrook langs de Biltlaan, waarbij hij zich veelal hoog in het kronendak ophield. De trage foerageeracties en het zwijgzame gedrag maakten het niet makkelijk om hem terug te vinden. Hoewel de vogel bijna nooit riep slaagde TL er in om enkele opnamen van de roep te maken. De spanning onder de vele 100en vogelaars die de Kroonboszanger die dag hebben bezocht was dan ook goed merkbaar. Halverwege de dag verplaatste hij zich voor korte tijd naar de overkant van de Biltlaan met het

614 Kroonboszanger / Eastern Crowned Warbler
Phylloscopus coronatus, Katwijk aan Zee, Zuid-Holland, 5 oktober 2007 (René van Rossum)



hele gevolg vogelaars achter zich aan, wat nog tot gevaarlijke verkeerssituaties leidde. Na terugkeer in zijn favoriete singel werd hij tot c 19:00 gezien. De commotie rond de Kroonboszanger ontging de regionale pers niet en de volgende week kopte de krant met: 'Klein klotevogeltje zet Katwijkse woonwijk op stelten'.

Het betreft het eerste geval voor Nederland. In de WP is de Kroonboszanger slechts driemaal eerder vastgesteld, waarvan één veldwaarneming: Helgoland, Schleswig-Holstein, Duitsland, 4 oktober 1843 (vondst); Jæren, Noorwegen, 30 september 2002 (ringvangst); Jämsköla, Finland, 23 oktober 2004. Kroonboszanger is een broedvogel van bossen van Zuidoost-Rusland (Amoerland, Ussuriland), Noordoost- en Centraal-China, Japan en het Koreaanse schiereiland. De overwinteringsgebieden liggen op het Maleise schiereiland, Sumatra en Java. De afstand van het meest westelijke deel van het broedgebied tot Nederland is c 6500 km. CASPER ZUYDERDUYN

EASTERN CROWNED WARBLER On 5 October 2007, an Eastern Crowned Warbler *Phylloscopus coronatus* stayed from morning until dusk at Katwijk aan Zee, Zuid-Holland, the Netherlands. It was observed by several 100s of birders. It was identified by the combination of strong face pattern with dark side-crown and dark eye-stripe and long whitish supercilium and whitish median crown-stripe, leaf-green upperparts with pale-fringed flight-feathers, pale base of lower mandible, pale legs, double wing-bar (upper one inconspicuous) and yellowish undertail-coverts. This is the fourth record for Europe and the Western Palearctic, with previous ones on Helgoland, Schleswig-Holstein, Germany, on 4 October 1843 (collected), Jæren, Norway, on 30 september 2002 (trapped), and Jämsköla, Finland, on 23 October 2004.

Novemberstorm brengt zeevogels en zeevogelaars naar de kust Vanaf dinsdag 6 tot en met maandag 12 november 2007 woedde een stevige aanlandige storm over Nederland, voornamelijk uit noordwestelijke hoek. De media grepen de voorspellingen met beide handen aan om weer eens lekker paniek te zaaien. Horrorverhalen over superstormen worden door vogelaars echter van een positieve draai voorzien: kans op mooie zeevogels, en in groten getale. En terecht – er was sprake van enkele spectaculaire invasies en een aantal lastige zee-soorten kwam (eindelijk) binnen bereik van (zee)vogelend Nederland.

Direct na aanvang van de storm op 6 november werden hoge aantallen jagers *Stercorarius* gemeld. Sommige telposten moesten nog even wakker worden geschud maar het waren toch echt Middelste Jagers *S. pomarinus*, eigenlijk de enige jagersoort die je hier in november in hoge aantallen kunt verwachten. Voor het eerst sinds 1985 voltrok zich weer een heuse invasie, tot groot ongenoegen van de vele Drieteenmeeuwen *Rissa tridactyla* die voor de kust hingen en veelvuldig werden lastiggevallen. Veel Middelste Jagers, voor het merendeel in juveniel kleed, vlogen dichtbij langs en vaak in groepjes. Tot ver in het binnenland werden exemplaren opgemerkt. Het zwaartepunt lag bij Westkapelle, Zeeland: op



615 Stormvogeltje / European Storm-petrel *Hydrobates pelagicus*, Flevocentrale, Flevoland, 10 november 2007 (Mervyn Roos) **616** Vaal Stormvogeltje / Leach's Storm-petrel *Oceanodroma leucorhoa*, Terschelling, Friesland, 10 november 2007 (Arie Ouwerkerk) **617** Kleine Alk / Little Auk *Alle alle*, IJmuiden, Noord-Holland, 18 november 2007 (Lesley van Loo)





618 Middelste Jager / Pomarine Jaeger *Stercorarius pomarinus*, adult, met Zilvermeeuw / European Herring Gull *Larus argentatus*, adult, Maasvlakte, Zuid-Holland, 9 november 2007 (Hans Gebuis)

619 Middelste Jager / Pomarine Jaeger *Stercorarius pomarinus*, juveniel, Eemshaven, Groningen, 10 november 2007 (Roef Mulder)



www.trektellen.nl werden in de eerste helft van november maar liefst 1469 individuen (!) ingevoerd voor deze post (inclusief mogelijke dubbeltellingen). Op vrijdag 9 november werd hier ook een nieuw landelijk dagrecord gevestigd met 408 (377 zuid en 31 noord). Hiermee werd het oude record van 7 november 1985 te Camperduin, Noord-Holland, met één individu gebroken (het Camperduin-aantal was inclusief 36 pleisterende vogels). Middelste Jagers vlogen ook het IJsselmeer op en werden in Flevoland onder meer gezien langs de Dashorst dijk en bij de Flevocentrale en in Noord-Holland bij IJburg, Muiden en de Vijfhoek.

Ook een hoog aantal Kleine Alken *Alle alle* deed Nederland aan. Dit keer waren ze niet hoofdzakelijk weggelegd voor de Waddeneilanden, zoals tijdens de 'Kleine Alken-fall' op 23 oktober 2005, maar vlogen ze langs de hele Noordzeekust. Een aantal werd ver het binnenland in geblazen of door op merkwaardige plekken op (zo zocht een exemplaar op de asfaltweg bij de Flevocentrale beschutting onder de stilstaande auto van een vogelaar). De beste dag was zaterdag 10 november, toen bij vrijwel elke telpost bestaande dagrecords verpletterd werden. Absolute top was opnieuw Westkapelle, waar 661 exemplaren (588 zuid, 73 noord) passeerden, de op twee na beste dag ooit voor Nederland. Tijdens de invasiewinter van 1990/91 had Camperduin een nipt betere dag met 768 exemplaren (733 zuid en 35 noord) op 27 december 1990. Het landelijke dagrecord van 3287 op 23 oktober 2005 te Schiermonnikoog, Friesland, is hiermee vanzelfsprekend nog lang niet in zicht. Voor de maand november zijn dergelijke aantallen ongekend. Een macaber aspect aan het *en masse* afdwalen kwam tot uiting in de vele uitgemergelde exemplaren die in vogelasiels belandden.

Papegaaiduikers *Fratercula arctica* worden in Nederland bijna alleen maar langs de noordkust van de Waddeneilanden gemeld en ook daar niet regelmatig. De aantallen waarin deze soort in november langs de Hollandse en Zeeuwse kust opdook waren ongewoon

620 Papegaaiduiker / Atlantic Puffin *Fratercula arctica*,
adult, Westkapelle, Zeeland, 11 november 2007
(Pim A Wolf)



hoog. Het was een welkome influx, met name voor al die vogelaars die nu, soms na 10-tallen jaren, eindelijk dit gapende gat op hun lijstjes konden opvullen. Vooral Scheveningen, Zuid-Holland, en Westkapelle scoorden goed, met respectievelijk negen en zeven exemplaren. Ook ten noorden van de Waddeneilanden en zelfs in de Waddenzee ontbrak de soort niet. Bij Westkapelle en IJmuiden, Noord-Holland, werden bovendien kort ter plaatse zwemmende vogels gemeld. Ook enkele Papegaaiduikers belandden in vogelasiels.

Leek vorig jaar al uitzonderlijk goed voor Stormvogeltjes *Hydrobates pelagicus*, dit keer gingen ze echt helemaal los. In november 2006 was de Waddenzee dé plek om deze voor Nederlandse twitters als moeilijk te boek staande soort waar te nemen. Opnieuw scoorden posten als Den Oever, Noord-Holland, en Lauwersoog, Groningen, buitengewoon goed. Een aantal vogelaars dat vergeefs vanaf Ameland, Friesland, de Noordzee had afgespeurd (waaronder jaarlijster Peter de Vries) kon deze soort toch nog tijdens de terugtocht van de veerboot naar het vasteland bijschrijven! Gelukkig vielen, net als tijdens de influxen in 1990 en 1998, ook de rest van Nederland 'stofjes' ten deel. Er werd zelfs een exemplaar gezien dat vlak onder de dijk langs de Flevocentrale vloog. Het landelijke record van 28 naar zuid op 31 oktober 1998 te Scheveningen werd bijna geëvenaard: op 10 november werden er 23 naar zuid genoteerd te Westkapelle. Scheveningen zelf scoorde op die dag ook goed met 16 (14 zuid, twee noord). De hierop volgende dag was het weer raak te Westkapelle, nu met 16 (drie zuid, 13 noord). Via de gebruikelijke websites werd melding gemaakt van in totaal c 100 exemplaren. Weliswaar zijn dubbeltellingen niet uitgesloten maar het algehele beeld mag duidelijk zijn: het waren er voor Nederlandse begrippen veel. Vale Stormvogeltjes *Oceanodroma leucorhoa* deden het, zeker voor november, met enkele 100en waarnemingen eveneens erg goed.

Rosse Franjepoten *Phalaropus fulicarius* zijn in dit jaargetijde en onder dergelijke weersomstandigheden niet zeldzaam maar de aantallen waren dit jaar bovengemiddeld: er werden meer dan 80 langtrekkende exemplaren gemeld op www.trektellen.nl. Ook was er een opvallende piek van langtrekkende Grote Burgemeesters *Larus hyperboreus*, waarbij enkele 10-tallen (eerste-winter) vogels betrokken zijn geweest; ze vlogen vooral langs Westkapelle maar gingen ook het IJsselmeer op, zoals een exemplaar bij IJburg. Ook Drieteenmeeuwen werden op verschillende plaatsen gezien langs de IJsselmeerkust, waar deze soort normaliter erg zeldzaam is. November is aan de late kant voor enkele gemelde Noordse Pijlstormvogels *Puffinus puffinus* en Vorkstaartmeeuwen *L. sabini* en ook werden nog aardig wat Noordse Sterns *Sterna paradisaea* gemeld, waaronder zelfs adulte. Van soorten als Noordse Stormvogel *Fulmarus glacialis*, Grauwe Pijlstormvogel *P. griseus* en Grote Jager *S. skua* werden opmerkelijk genoeg geen hoge aantallen gemeld. BEN WIELSTRA

SEAWATCHING DURING NOVEMBER During the first half of November, a north-western storm hit the Dutch shores. High numbers of Pomarine Jaeger *Stercorarius pomari-*

nus and Little Auks *Alle alle* were encountered, including several (far) inland. Also relatively high numbers of European Storm-petrel *Hydrobates pelagicus* and Atlantic Puffin *Fratercula arctica* were observed, two species that are notoriously difficult to observe and twitch in the Netherlands. Leach's Storm-petrel *Oceanodroma leucorhoa*, Red Phalarope *Phalaropus fulicarius* and Glaucous Gull *Larus hyperboreus* were recorded in higher than usual numbers. Also several late Manx Shearwaters *Puffinus puffinus*, Sabine's Gulls *L. sabini* and Arctic Terns *Sterna paradisaea* were noted.

'Pleskes Mees' gevangen bij Castricum Op 15 november 2007 werd een 'Pleskes Mees' (hybride Azuurmees x Pimpelmees *Cyanistes cyanus* x *caeruleus*) gevangen op de vinkenbaan van Vogelringstation Castricum in de duinen bij Castricum, Noord-Holland. De vogel werd tijdens de ronde van 11:00 tussen 20 Pimpelmezen aangetroffen in een mistnet. Bij aankomst bij het net viel het Jan Visser meteen op dat dit iets anders moest zijn. 'Een Azuurmees!? Nee toch niet, het is een Pleskes Mees!' Nadat JV de vogel uit het net had gehaald en voorzichtig in een leefzakje had gestopt, klopte zijn hart twee keer zo snel als normaal. Wat een beest! JV was nog volop bezig om de andere mezen uit het net te halen toen Luc Knijnsberg kwam helpen omdat het allemaal wat lang leek te duren.

De vogel werd in de vinkershut uit het zakje gehaald en nader bekeken. Op dat moment kwamen ook de an-

dere aanwezige ringers, Henk Levering en Arnold Wijker, van hun ronde terug. Vol verbazing en met een glimlach keken deze ringers naar twee dansende collega's!

In de hand vielen de volgende kenmerken op: het vergeleken met Pimpelmees iets grotere formaat, de witte kop met lichtblauwe kap, de zwarte forse snavel, de witte buik en borst met twee kleine gele vlekjes, de brede witte toppen aan de grote dekveren en handdekveren, de witte randen aan de alula en de grote witte toppen aan de tertials. De buitenste staartpennen hadden een witte buitenzoom en alle staartpennen hadden een witte top. Hij had duidelijk contrast tussen de niet geruide grote handdekveren en de geruide grote dekveren en werd daarom genoteerd als eerste-kalenderjaar; hij werd voorzien van ringnummer AN84490. De volgende maten werden genoteerd: vleugellengte 72 mm, staartlengte 60 mm en snavelpunt tot schedel 7.9 mm. Hij had vetgraad 2 (volgens het Busse-systeem) en woog 12 g. De 'Pleskes Mees' werd na te zijn gefotografeerd en gefilmd losgelaten en vloog c 200 m in noordelijke richting, waar hij nog even werd teruggevonden boven in een struik.

Deze vangst betreft het tweede geval van 'Pleskes Mees' in Nederland. Op 9 november 1968 werd het eerste exemplaar gevangen op de Bremerbergdijk, Flevoland (Limosa 42: 201-205, 1969). In Dutch Birding 16: 232-234, 1994, werd een overzicht gegeven van vangsten en waarnemingen van 'Pleskes Mees' in Europa; dit werd aangevuld met een oud geval in België in decem-

621 'Pleskes Mees' / 'Pleske's Tit' *Cyanistes cyanus* x *caeruleus*, met Pimpelmees / European Blue Tit *C. caeruleus*, Castricum, Noord-Holland, 15 november 2007 (Arnold Wijker)



ber 1878 (cf Dutch Birding 18: 83, 1996). In Centraal- en West-Europa zijn 'Pleskes Mezen' vaker vastgesteld dan zuivere Azuurmezen en bij sommige oude gevallen van Azuurmees is het de vraag of 'Pleskes Mees' altijd met zekerheid is uitgesloten. Alleen in Noord-Europa (Finland en Zweden) zijn in de afgelopen decennia zuivere Azuurmezen aangetroffen, met in de winter van 2006/07 maar liefst zes exemplaren in Finland (Dutch Birding 29: 119, 2007); in dezelfde winter werd in Finland ook een 'Pleskes Mees' gezien.

De vangst in Castricum viel samen met een grote influx van Pimpelmezen in Nederland vanaf eind oktober. Op verschillende ringstations werden beduidend meer exemplaren gevangen dan gebruikelijk. Hieronder wa-

ren meerdere vogels die geringd waren in de Baltische staten en Rusland.

Op 17 november 2007 werd een mogelijke 'Pleskes Mees' gezien in Vuren, Zuid-Holland, en op 18 november werd een exemplaar kort maar goed gezien in IJmuiden, Noord-Holland. JAN VISSER, LUC KNIJNSBERG, HENK LEVERING & ARNOLD WIJKER

'PLESKE'S TIT' On 15 November 2007, a first-year 'Pleske's Tit' (hybrid Azure x European Blue Tit *Cyanistes cyanus* x *caeruleus*) was trapped and ringed at Castricum, Noord-Holland, the Netherlands. This was the second record, after the first trapped at Bremerbergdijk, Flevoland, on 9 November 1968.

DBA-nieuws

Betaling van abonnementsgeld voor 2008 Bij dit nummer van Dutch Birding treft u een rekening aan voor het abonnementsgeld voor 2008. Nederlandse abonnees kunnen het abonnementsgeld betalen met de eveneens bijgevoegde acceptgirokaart. Wij verzoeken de Belgische abonnees om de betaalinstructies op de rekening te volgen. Zoals eerder medegedeeld zal de abonnementsprijs met EUR 2.50 verhoogd worden in verband met onder meer de toezending van het Dutch Birding-jaaroverzicht op dvd naar alle begunstigers in Nederland en België. Dit brengt de abonnementsprijs voor Nederland op EUR 36.50 en voor België op EUR 39.50. Wij verzoeken u vriendelijk het abonnementsgeld voor 1 januari 2008 over te maken.

Voorts verzoeken wij u om alle correspondentie over abonnementszaken te richten aan: Dutch Birding Association, p/a Jeannette Admiraal, Iepenlaan 11, 1901 ST Castricum, Nederland, of aan circulation@dutchbirding.nl.

Payment of subscription for 2008 Enclosed with this issue, you will find the invoice for the subscription fee for 2008. The rates for 2008 remain EUR 37.00 for subscribers in Europe (outside Belgium and the Netherlands) and EUR 40.00 for subscribers outside Europe. We kindly request to follow the instructions on the enclosed invoice.

For all subscription matters, please use the following address: Dutch Birding Association, c/o Jeannette Admiraal, Iepenlaan 11, 1901 ST Castricum, Netherlands, or circulation@dutchbirding.nl.

Vliegende start en noodlanding van Texelweek 2007 De Dutch Birding-vogelweek 2007 op Texel, Noord-Holland, (kortweg Texelweek) die op zaterdag 13 oktober 2007 begon ging wat publieke belangstelling betreft zeer voortvarend van start. Een kleine 200 vogelaars begon het eiland af te speuren naar leuke soorten. Door de verse aankomst van met name veel lijsters *Turdus* en Goudhanen *Regulus regulus* zag het er allemaal span-

nend uit. Enkele Bladkoningen *Phylloscopus inornatus*, waarvan het exemplaar in de tuin van Klein Zeeburg zich het hele weekend fraai liet bekijken, en een Roodkeelpieper *Anthus cervinus* over de 'tuintjes' was echter een schrale oogst. Grote Kruisbek *Loxia pytyopsittacus*, waarvan regelmatig enkele exemplaren werden gemeld vanuit de Staatsbossen, ontpopte zich als fantoomsoort van de week. Hij werd gemeld/geclaimd op zaterdag en enkele andere dagen, maar was nooit twitchbaar. Zaterdagavond was er in het afgeladen Eierlandse Huis gelukkig wat afleiding in de vorm van een geslaagde 'Kazakhstan Night', met veel informatie over (vogelreizen naar) dit immens grote land. Zondag 14 oktober werd een vrij zekere Witkopstaartmees *Aegithalos caudatus caudatus* gemeld maar niet teruggevonden. Ed Opperman maakte de toehoorders 's avonds warm voor een reis naar de Commandeur-eilanden, uit de kust van Kamtsjatka, Rusland.

Op maandag 15 oktober vond de grootste twitch van de week plaats, voor een Pallas' Boszanger *P. proregulus* op de noordpunt, waar ook een Grote Pieper *A. richardi* en twee Roodkeelpiepers ter plaatse waren. Van de 'inloopavond' werd alleen gebruikgemaakt door Peter Meijer, met een korte lezing over het uiterste zuiden van Zuid-Amerika, de opmaat tot een 'Antarctic Odyssee'. DBA-bestuurslid Wietze Janse gaf informatie over de laatste ontwikkelingen rondom Dutch Bird Alerts. Dinsdag 16 oktober werd een langsvliegende mogelijke 'kleine goudplevier' *Pluvialis dominica/fulva* gemeld. Nabij de bewuste locatie werd mogelijk de betreffende vogel gevonden door één vogelaar, die hem heeft gefilmd en gedetermineerd als Aziatische Goudplevier *P. fulva*. De prijswinnaars 's avonds, bij de gezellige mystery bird-competitie nieuwe stijl, waren Wilfred Mahu, Jannet Keijzer en Nils van Duijvendijk.

Op een enkele Bladkoning na werd op woensdag 17 en donderdag 18 oktober niets bijzonders gemeld. Woensdag werd door Pterodroma Adventures een pelagische trip georganiseerd. Het werd een fijn zeevogel-

dagje voor een select groepje dapperen, die in de vroege ochtend vanuit Oudeschild vertrokken. Met behulp van een zwaar kaliber gehaktmolen werd een grote hoeveelheid visafval tot hapklare brokjes vogelvoer gemalen en uitgestrooid over zee. De leukste soort was een onvolwassen Vorkstaartmeeuw *Larus sabini* en de fotografen aan boord konden zich tevens uitleven op de gewone zeevogels. De thuisblijvers misten woensdagavond een interessante lezing van Arnold van den Berg over soorten en ondersoorten van Marokko.

Aan de Big Day op donderdag deden vier teams mee, die bij elkaar 126 soorten zagen. De door sponsor Swarovski beschikbaar gestelde rugzakken gingen naar het team van Gerben van den Berg, Dick Groenendijk en Marcel Scholte, met 107 soorten. De andere teams kwamen tot respectievelijk 104, 102 en 90 soorten. Als toegift was er een korte kennismaking met het tamelijk onbekende vogelland Bulgarije, door Laurens Steijn. De prijs die Swarovski beschikbaar had gesteld voor de Soort van de Week (een carbonstatief ter waarde van EUR 540) werd na rijp beraad niet uitgereikt.

Zoals de laatste jaren gebruikelijk lijkt te worden leverde de afterparty weer enkele leuke soorten op: een lastig twitchbare Aziatische Roodborsttapuit *Saxicola maurus* (zaterdag 20 oktober) in het noorden en een Bruine Boszanger *P. fuscatus* (zaterdag 20 en zondag 21 oktober) in het zuiden van Texel.

Los van het feit dat er de laatste jaren gedurende de officiële Texelweek weinig aansprekende soorten worden gezien (waarbij het toeval een grote rol speelt), blijkt het lastiger te worden om 'Dutch birders' hiervoor te enthousiasmeren. Misschien heeft het al meer dan 25 jaar bestaande instituut (in 1981 werd reeds de eerste vogelweek georganiseerd, op Terschelling, Friesland) aan zijn doelstellingen voldaan: het afstruinen van de Waddeneilanden in de herfst is immers populairder dan ooit. Eerder werd aangekondigd dat de Texelweek 2008 gepland staat voor dezelfde week als in 2007, beginnend op zaterdag 11 oktober 2008. Het bestuur beraadt zich echter nog over de invulling. Een lang weekend (vrijdagavond tot en met zondag) is geopperd als mogelijke variant. Hierover zal zo snel mogelijk uitsluitel worden gegeven. GIJSBERT VAN DER BENT

Dutch Birding-vogeldag 2008, in samenwerking met Waarneming.nl De komende Dutch Birding-vogeldag vindt plaats op zaterdag 12 januari 2008. Congrescentrum De Werelt te Lunteren, Gelderland, is begin dit jaar zo goed bevallen dat we opnieuw hebben gekozen voor deze locatie. De datum is even wennen; half maart vinden wij toch wat te ver in het voorjaar, dus is er gekozen voor deze zaterdag in het hartje van de winter.

Speciale gast van deze vogeldag is de beroemde Finse

ornitholoog Dick Forsman. Deze publicist, fotograaf, tekenaar/schilder, reisleader en vermaard roofvogelkenner zal twee lezingen verzorgen. Eén daarvan gaat over de herkenning van Oostelijke Zwarte Wouw *Milvus lineatus*. De tweede lezing gaat over zeldzame grote arenden *Aquila* in Nederlands perspectief, en zal mogelijk uitsluitel geven op de vraag of Spaanse Keizerarend *A. adalberti* sinds mei 2007 op de Nederlandse lijst staat. Dominique Verbelen uit België laat ons meegenieten van zijn zesdaagse zeetrip, de 'Ultimate Pelagic', door de Golf van Biskaje. Naast prachtige foto's van zeevogels als Grote Pijlstormvogel *Puffinus gravis* is er ook veel aandacht voor zeezoogdieren. Vooruitlopend op de publicatie van het boek *Petrels night and day* zal Magnus Robb met behulp van geluid en veel beeldmateriaal ingaan op de taxonomische ontwikkelingen en herkenning in het veld van de verschillende (onder)soorten die (nog) behoren tot Madeirastormvogeltje *Oceanodroma castro*, Midderraan Stormvogeltje *Hydrobates pelagicus melitensis*, Kleine Pijlstormvogel *P. baroli* en Kaapverdische Kleine Pijlstormvogel *P. boydi*. Uiteraard zijn er de vertrouwde programmaonderdelen als de mystery birdcompetitie (met leuke prijzen) en het Jaaroverzicht van Wim Wiegant, die niet zal schromen heikele determinatiezaken en teltechnische kwesties aan te kaarten en de daarbij betrokkenen publiekelijk ter verantwoording te roepen. Wim heeft voorzichtig aangekondigd dat hij het jaaroverzicht niet eeuwig kan blijven verzorgen, dus deze uitvoering moet u zeker niet missen.

De samenwerking met Waarneming.nl geeft een bijzondere tint aan de dag. Vertegenwoordigers van deze bij vogelaars alom bekende organisatie zullen aanwezig zijn met een stand, om kennis te maken met hun gebruikers en hen te informeren over de nieuwste ontwikkelingen.

In de ruime foyer van het congrescentrum wordt een heuse vogelaarsbeurs ingericht, met stands met boeken, optische apparatuur, cd's en dvd's, collega-vogelorganisaties, aanbieders van vogelreizen en vogelkunst. Heeft u ook interesse om aanwezig te zijn met een stand dan kunt u voor meer informatie contact opnemen met Arjan van Egmond (arjan.van.egmond@dutchbirding.nl of 06-21585788).

De zaal gaat open om 09:00. Het programma duurt tot c 17:00 en tussen de lezingen door zijn ruime pauzes opgenomen om de stands te kunnen bezoeken en/of gezellig bij te praten. De entree bedraagt EUR 5.00.

Voor het definitieve programma, een overzicht van de standhouders en reisinformatie naar Congrescentrum De Werelt, zie onze website www.dutchbirding.nl, of bel de Dutch Birding-vogellijn (0900-BIRDING, EUR 0.35/min). ARJAN VAN EGMOND & GIJSBERT VAN DER BENT