



Grasshopper Warbler. Claremorris, Co. Mayo, Ireland. 2nd June 2006.
Photo: Richard H. Coombes.

List of *Locustella* Warblers with References

Compiled by Joe Hobbs



Introduction

This is the final version of the *Locustella* warbler's list, no further updates will be made. Grateful thanks to Dick Coombes and Tom Shevlin (www.irishbirds.ie) for the cover images and all those who responded with constructive feedback. All images © the photographers.

Please note that this and other Reference Lists I have compiled are **not exhaustive** and are best employed in conjunction with other sources.

Some species, previously included with the *Locustella* have been moved to a new genus *Helopsaltes*, which is placed before the *Locustella* in the list order (for more refer to **Alström, P. et al.** 2018, full reference on page 3 in General Notes). These changes are reflected in this list.

Joe Hobbs

Index

The general order of species follows the International Ornithologists' Union World Bird List (**Gill, F. & Donsker, D.** (eds.) 2019. IOC World Bird List. Available from: <https://www.worldbirdnames.org/> [version 9.1 accessed January 2019]).

Final Version

Version 2.10 (April 2019).

Cover

Main Image: Grasshopper Warbler. Claremorris, Co. Mayo, Ireland. 2nd June 2006. Picture by Richard H. Coombes.

Vignette: Grasshopper Warbler. Great Saltee Island, Co. Wexford, Ireland. 2nd May 2009. Picture by Tom Shevlin.

Species	Page No.
Bamboo Warbler [<i>Locustella alfredi</i>]	13
Benguet Bush Warbler [<i>Locustella seebohmi</i>]	19
Brown Bush Warbler [<i>Locustella luteoventris</i>]	10
Chestnut-backed Bush Warbler [<i>Locustella castanea</i>]	16
Chinese Bush Warbler [<i>Locustella tacsanowskia</i>]	13
Dalat Bush Warbler [<i>Locustella</i>]	19
David's Bush Warbler [<i>Locustella davidi</i>]	17
Friendly Bush Warbler [<i>Locustella accentor</i>]	16
Gray's Grasshopper Warbler [<i>Helopsaltes fasciolata</i>]	5
Grasshopper Warbler [<i>Locustella naevia</i>]	11
Javan Bush Warbler [<i>Locustella montis</i>]	19
Lanceolated Warbler [<i>Locustella lanceolata</i>]	9
Long-billed Bush Warbler [<i>Locustella major</i>]	10
Long-tailed Bush Warbler [<i>Locustella caudata</i>]	17
Marsh Grassbird [<i>Helopsaltes pryeri</i>]	5
Middendorff's Grasshopper Warbler [<i>Helopsaltes ochotensis</i>]	8
Pallas's Grasshopper Warbler [<i>Helopsaltes certhiola</i>]	6
River Warbler [<i>Locustella fluviatilis</i>]	13
Russet Bush Warbler [<i>Locustella mandelli</i>]	18

Sakhalin Warbler [<i>Helopsaltes amnicola</i>]	4
Savi's Warbler [<i>Locustella lusciniooides</i>]	14
Sichuan Bush Warbler [<i>Locustella</i>]	20
Spotted Bush Warbler [<i>Locustella thoracica</i>]	17
Styan's Grasshopper Warbler [<i>Helopsaltes pleskei</i>]	7
Taiwan Bush Warbler [<i>Locustella alishanensis</i>]	18
West Himalayan Bush Warbler [<i>Locustella kashmirensis</i>]	18

Relevant Publications

- Ali, S. & Dillon, R.S.** 1973 & 1997. *Handbook of the Birds of India and Pakistan, Volume 8 - Warblers to Redstarts*. Oxford University Press.
- Baker, K.** 1997. *Warblers of Europe, Asia and North Africa*. Christopher Helm, London.
- Balmer, D. et al.** 2013. *Bird Atlas 2001-11: The breeding and wintering birds of Britain and Ireland*. BTO Books, Thetford.
- Beaman, M.** 1994. *Palearctic birds: a checklist of the birds of Europe, North Africa and Asia north of the foothills of the Himalayas*. Harrier Publications, Stonyhurst, Lancashire.
- Cramp, S. & Brooks, D.J.** (eds.) 1992. *Handbook of the Birds of Europe, the Middle East and North Africa, The Birds of the Western Palearctic, Volume 6 - Warblers*. Oxford University Press.
- del Hoyo, J. et al.** (eds.) 2006. *Handbook of the Birds of the World Volume 11, Old World Flycatchers to Old World Warblers*. Lynx Edicions, Barcelona.
- Glutz von Blotzheim, U.N. & Bauer, K.M.** (eds.) 1991. *Handbuch der Vögel Mitteleuropas bd. 12/II*. Aula-Verlag, Wiesbaden.
- Howell, S.N.G. et al.** 2014. *Rare Birds of North America*. Princeton University Press, Princeton and Oxford.
- Jenni, L. & Winkler, R.** 1994. *Moult and Ageing of European Passerines*. Academic Press.
- Kennerley, P. & Pearson, D.** 2010. *Reed and Bush Warblers*. Christopher Helm, A & C Black.
- Lewington, I. et al.** 1991. *A Field Guide to the Rare Birds of Britain and Europe*. HarperCollins.
- Moore, A. & Wright, B.** 1983. *A Field Guide to the Warblers of Britain and Europe*. Oxford University Press.
- Parkin, D.T. & Knox, A.G.** 2010. *The Status of Birds in Britain & Ireland*. Christopher Helm, London.
- Parmenter, T. & Byers, C.** 1991. *A Guide to the Warblers of the Western Palearctic*. Bruce Coleman Books, Uxbridge.
- Sample, G.** 2003. *Collins Field Guide: Warbler Songs and Calls of Britain and Europe*. Harper Collins (comes with 3 CDs).
- Shirihai, H. & Svensson, L.** 2018. *Handbook of Western Palearctic Birds - Passerines*. Christopher Helm.
- Simms, E.** 1985. *British Warblers*. Collins, London.
- Snow, D.W. & Perrins, C.M.** (eds.) 1998. *The Birds of the Western Palearctic Concise Edition Volume 2, Passerines*. Oxford University Press.
- Svensson, L.** 1992. *Identification Guide to European Passerines (4th edition)*. Privately Published, Stockholm.
- Urban, E.K. et al.** 1997. *The Birds of Africa: Volume V - Thrushes to Puffback Flycatchers*. Academic Press, London.
- van Duijendijk, N.** 2010. *Advanced Bird ID Guide, The Western Palearctic*. New Holland.
- van Duijendijk, N.** 2011. *Advanced Bird ID Handbook, The Western Palearctic*. New Holland.
- Vaurie, C.** 1954. Systematic notes on Palearctic birds. No. 10 *Sylviinae: the genera Cettia, Hippolais and Locustella*. *American Museum Novitates; no. 1691* pp. 1-9. American Museum of Natural History New York.
- Vinicombe, K. et al.** 1989. *The Macmillan Field Guide to Bird Identification*. Macmillan Press, London and Basingstoke.
- Vinicombe, K. et al.** 2014. *The Helm Guide to Bird Identification*. Christopher Helm, London.
- Williamson, K.** 1968. *Identification for Ringers 1: The Genera Cettia, Locustella, Acrocephalus and Hippolais*, 3rd ed. BTO.

General Notes

- Alström, P. et al.** 2006. Phylogeny and classification of the avian superfamily Sylvioidea. *Molecular Phylogenetics and Evolution* 38: 381-397.
- Alström, P. et al.** 2011. Multilocus analysis of a taxonomically densely sampled dataset reveal extensive non-monophyly in the avian family Locustellidae. *Molecular Phylogenetics and Evolution* 58(3): 513-526.
- Alström, P. et al.** 2013. A review of the recent advances in the systematics of the avian superfamily Sylvioidea. *Chinese Birds* 4(2): 99-131.
- Alström, P. et al.** 2018. Comprehensive molecular phylogeny of the grassbirds and allies (Locustellidae) reveals extensive non-monophyly of traditional genera, and a proposal for a new classification. *Molecular Phylogenetics and Evolution* 127: 367-375.
- Delacour, J.** 1942. The bush-warblers of the genera *Cettia* and *Bradypterus*, with notes on allied genera and species. *Ibis* 84(4): 509-519.

- Delacour, J.** 1943. The bush-warblers of the genera *Cettia* and *Bradypterus*, with notes on allied genera and species. *Ibis* 85(1): 27-40.
- Delacour, J.** 1943. The bush-warblers of the genera *Cettia* and *Bradypterus*, with notes on allied genera and species - Addendum. *Ibis* 85(3): 343.
- Drovetski, S.V. et al.** 2004. Mitochondrial phylogeny of *Locustella* and related genera. *Journal of Avian Biology* 35(2): 105-110.
- Drovetski, S.V. et al.** 2015. Effects of asymmetric nuclear introgression, introgressive mitochondrial sweep, and purifying selection on phylogenetic reconstruction and divergence estimates in the Pacific clade of *Locustella* warblers. *PLoS One* 10(4): p.e0122590.
- Ericson, P.G.P. et al.** 2000. Major Divisions in Oscines Revealed by Insertions in the Nuclear Gene c-myc: A Novel Gene in Avian Phylogenetic. *The Auk* 117(4): 1069-1078.
- Fraser, M.** 2004. ListCheck: Relationships - *Locustella* and related genera. *Birdwatch* 143: 13.
- Gantlett, S.** 1998. Bird forms in Britain. *Birding World* 11(6): 232-239.
- Gantlett, S.** 2001. A Checklist of the Bird Forms of Britain and Ireland. *Birding World* 14(1): 19-20.
- Leisler, B.** 1975. The significance of foot morphology in the habitat separation of Central European *Acrocephalus* and *Locustella* species. *Journal für Ornithologie* 116: 117-153.
- Miholcsa, T. et al.** 2009. Change of timing of autumn migration in *Acrocephalus* and *Locustella* genus. *Acta Zoologica Academiae Scientiarum Hungaricae* 55(2): 175-185.
- Mitchell, D.** 2011. Birds of Britain: subspecies checklist v1.1. [online PDF]. Available from: <http://www.birdwatch.co.uk/categories/articleitem.asp?cate=22&topic=155&item=800> [Accessed July 2011].
- Norman, S.C.** 1997. Juvenile wing shape, wing moult and weight in the family Sylviidae. *Ibis* 139(4): 617-630.
- Nowakowski, J.K. et al.** 2014. The further the flight, the longer the wing: relationship between wing length and migratory distance in Old World reed and bush Warblers (Acrocephalidae and Locustellidae). *Ornis Fennica* 91: 178-186.
- Riddington, R.** 2000. Fair Isle. *Dutch Birding* 22(1): 1-12.
- Sangster, G. et al.** 2009. Taxonomic recommendations for British birds: Sixth report. *Ibis* 152: 180-186.
- Susanna, K. et al.** 2004. Phylogenetic analyses of the diversity of moult strategies in Sylviidae in relation to migration. *Evolutionary Ecology* 18(1): 85-105.
- Svensson, E. & Hedenstrom, A.** 1999. A phylogenetic analysis of the evolution of moult strategies in Western Palearctic warblers (Aves: Sylviidae). *Biological Journal of the Linnean Society* 67(2): 263-276.
- Szekely, T. et al.** 1996. Evolutionary Changes in a Song Control Area of the Brain (HVC) are Associated with Evolutionary Changes in Song Repertoire among European Warblers (Sylviidae). *Proceedings of the Royal Society London, Biological Sciences* 263(1370): 607-610.

Sakhalin Warbler

Helopsaltes amnicola [Stepanyan].

Sakhalin Island, S Kuril Islands & Hokkaido (Japan). Winters not fully established, possibly Philippines, Sulawesi, Moluccas & W New Guinea.

Treated by del Hoyo *et al.* 2006 as a race of Gray's Grasshopper Warbler. Previously included in *Locustella*.

Other name: Stepanyan's Grasshopper Warbler, Sakhalin Grasshopper Warbler.

Leo Surenovich Stepanyan (1931-2002), Armenian ornithologist, college lecturer and author who undertook collecting expeditions to the Tien Shan, Pamirs and Urals.

Mayr, E. & Vuilleumier, F. 1983. New species of birds described from 1966 to 1975. *Journal für Ornithologie* 124(3): 217-232.

Rheindt, F.E. et al. 2014. New and significant island records, range extensions and elevational extensions of birds in eastern Sulawesi, its nearby satellites, and Ternate. *Treubia* 41: 67-97 (90-91).

Stepanyan, L.S. 1972. [A new species of the genus *Locustella* (Aves, Sylviidae) from the east Palearctic]. *Zoologicheskii Zhurnal* 51(12): 1896-1897. [in Russian with English summary]

Stepanyan, L.S. 1973. [Taxonomic notes on Stepanyan's Grasshopper Warbler *Locustella amnicola* Step.] *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody Otdel Biologicheskii* 78(3): 38-44. [in Russian with English summary]

Gray's Grasshopper Warbler

Helopsaltes fasciolata [G.R. Gray].

E of upper R Ob' E to Amurland & Ussuriland (SE Russia) & NE China. Winters Philippines, Sulawesi, Moluccas & W New Guinea.

Previously included in *Locustella*.

Other names: Large Warbler, Large Grasshopper Warbler.

George Robert Gray (1808-1872) and / or **John Edward Gray** (1800-1875), British ornithologists and brothers.

1st WP Record: [1st w. ♀] 26th September 1913. Creac'h Lighthouse, Ile d'Ouessant, Finistere, France. Killed striking the lighthouse (Kennerley & Prŷs-Jones 2006).

Cooper, D. & Kay, B. 2010. Autumn bird migration on Hegura-jima, Japan. *Birding World* 23(8): 355-364 (plate 6, p. 358).

Diamond, J.M. 1986. First record of the Large Grasshopper Warbler, *Locustella fasciolata*, from islands east of New Guinea. *Emu* 86(4): 249.

Fennell, C.M. 1953. Notes on the birds of Daikokujima, Hokkaido, Japan. *The Condor* 55(1): 38-42 (42).

Harrap, A.H.J. 2007. Eastern promise: the arrival of far-eastern passerine vagrants in autumn. *British Birds* 100(2): 105-111.

Ido, H. et al. 2009. First authentic records of Gray's Grasshopper Warbler *Locustella fasciolata* and Lanceolated Warbler *L. lanceolata* in Ehime Prefecture, Japan. *Journal of the Yamashina Institute for Ornithology* 41: 69-73.

Kennerley, P.R. & Prŷs-Jones, R.P. 2006. Occurrences of Gray's Grasshopper Warbler in Europe, including a further case of Meinertzhagen fraud. *British Birds* 98(10): 506-516.

Madge, S.C. 1984. Mystery photographs: Gray's Grasshopper Warbler. *British Birds* 77(1): 17-20.

McKean, J.L. 1984. The occurrence in Australia of Gray's Grasshopper Warbler *Locustella fasciolata*. *Australian Bird Watcher* 10: 171-172.

Millington, R. 2001. Eastern vagrants: a photo-gallery. *Birding World* 14(8): 333-342 (337).

Moores, N. 2007. Selected records from Socheong Island, South Korea. *Forktail* 23: 102-124 (114).

Rheindt, F.E. et al. 2014. New and significant island records, range extensions and elevational extensions of birds in eastern Sulawesi, its nearby satellites, and Ternate. *Treubia* 41: 67-97 (90-91).

Rozendaal, F. 1990. Mystery photographs: Gray's Grasshopper Warbler. *Dutch Birding* 12(1): 9-11.

van Loon, A.J. 1990. Siberian *Locustella* Warblers. *Dutch Birding* 12(4): 195-197 (plate 138, p. 197).

White, C.M.N. 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.

Marsh Grassbird

Helopsaltes pryeri [Seebold].

[*L.p. pryeri*] N & E Honshu (Japan). Winters S to Shikoku (Japan).

[*L.p. sinensis*] Extreme E Mongolia, Heilongjiang, Liaoning & Shanghai (E China) & extreme SE Russia. Winters in the basin of lower R Chiang Jiang (S Hubei), N Hunan & N Jiangxi (all SE China). Treated by del Hoyo *et al.* 2006 as *Megalurus pryeri*. Previously included in *Locustella*.

Other names: Japanese Swamp Warbler, Japanese Marsh Warbler, Streak-backed Swamp Warbler, Grass Warbler.

James Stovin Pryer (1850-1888), British entomologist, businessman and collector in Japan.

Fujita, G. & Nagata, H. 1997. Preferable habitat characteristics of male Japanese Marsh Warbler *Megalurus pryeri* in breeding season at Hotoke-numa reclaimed area, northern Honshu, Japan. *Journal of the Yamashina Institute for Ornithology* 29(1): 43-49.

Fennell, C.M. et al. 1964. New occurrences and recent distributional records of Korean birds. *The Condor* 66(3): 239-246 (245).

Gao, M. et al. 2011. Reedbed Management and Breeding of the Marsh Grassbird in the Yalu River Estuary Wetlands, China. *The Wilson Journal of Ornithology* 123(4): 755-760.

Ishibashi, Y. et al. 2000. Isolation and characterization of microsatellite loci in the Japanese marsh warbler *Locustella pryeri*. *Molecular Ecology* 9(4): 373-375.

Li, F. & Wang, Q. 2006. Breeding biology of Japanese marsh warbler's *sinensis* subspecies [J]. *Acta Zoologica Sinica* 52(6): 1162-1168.

Ma, Z. et al. 2014. Effects of invasive cordgrass on presence of Marsh Grassbird in an area where it is not native. *Conservation Biology* 28(1): 150-158.

- Morioka, H. & Shigeta, Y.** 1993. Generic allocation of the Japanese Marsh Warbler *Megalurus pryeri* (Aves: Sylviidae). *Bulletin of the National Museum of Nature and Science, Tokyo (A)* 19(1): 37-43.
- Nagata, H. & Yoshida, H.** 1997. Some notes on the wintering ecology of Japanese Marsh Warbler, *Megalurus pryeri*, at two sites around Lake Kasumigaura. *Journal of the Yamashina Institute for Ornithology* 29(1): 50-56.
- Nagata, H.** 1997. [Present status of the Japanese marsh warbler (*Megalurus pryeri*) and its conservation]. *Journal of the Yamashina Institute for Ornithology* 29(1): 27-42. [in Japanese]
- Takahashi, M. et al.** 2010. [A case of nest predation of the endangered Japanese marsh warbler *Locustella pryeri* by the Japanese least weasel *Mustela nivalis namiyei*]. *Honyurui Kagaku* 50(2): 209-213. [in Japanese with English summary]
- Takahashi, M. et al.** 2013. Nest types and microhabitat characteristics of the Japanese Marsh Warbler *Locustella pryeri*. *Ornithological Science* 12(1): 3-13.
- Wang, Q. et al.** 2015. Nest site characteristics and nest loss of Marsh Grassbird at Zhalong National Nature Reserve, China. *Journal of Forestry Research* 26(3): 785-790.
- Xing, X. et al.** 2017. Distinct song parts of the endemic marsh grassbird of China vary with latitude and climate among migratory and sedentary populations. *Evolutionary Ecology* 31(1): 63-76.
- Zhang, W-W. et al.** 2010. Genetic diversity and population structure of Marsh Grassbird (*Locustella pryeri sinensis*) in China. *Journal of Forestry Research* 21(3): 361-366.

Pallas's Grasshopper Warbler

Helopsaltes certhiola [Pallas].

[*L.c. certhiola*] Transbaikalia E to Sea of Okhotsk (SE Siberia) & NE China. Winters. SE Asia.

[*L.c. sparsimstriata*] Tomsk & Novosibirsk (S Siberia) E to L Baikal and S to N Altai Mts & N Mongolia. Winters probably in S & SE Asia.

[*L.c. centralasiae*] E Kazakhstan, NE Kyrgyzstan and Russian & Gobian Altai S to N China. Winters probably India E to Myanmar.

[*L.c. rubescens*] R Irtysh E to Kolyma basin & Sea of Okhotsk (Siberia). Winters S & SE Asia.

[*L.c. minor*] Amurland (SE Siberia) & NE China. Winters SE Asia.

Previously included in *Locustella*.

Other names: Grey-naped Warbler, Rusty-rumped Warbler.

Peter Simon Pallas (1741-1811), German zoologist who worked in Russia and one of the greatest 18th century naturalists. In addition to various bird species his name is commemorated in the vernacular and scientific names of mammals and fish as well as a city in Russia, street names and an asteroid.

1st WP Record: [juvenile] 13th August 1856. Helgoland, Pinneberg, Schleswig-Holstein, Germany (BWP 6).

Alström, P. 1992. Letters: More on Pallas's Grasshopper Warbler. *Birding World* 5(3): 118-119.

Baker, K. 1988. Notes: Identification of Pallas's Grasshopper Warbler. *British Birds* 81(12): 645.

Barrington, R.M. 1908. Pallas's Grasshopper-Warbler (*Locustella certhiola*) in Ireland. A new British bird. *British Birds* 2(7): 230-231.

Bird, D. 1990. Pallas's Grasshopper Warbler and Swainson's Thrush on Cape Clear Island, Co. Cork. *Irish Birding News* 1(2): 55-58.

Bradshaw, C. & Steele, J. 1994. ID Notebook: Pallas's Grasshopper Warbler in autumn. *Birdwatch* 29: 39.

Bradshaw, C. & Steele, J. 1994. Masterguide: Tests of patience. *Birdwatch* 27: 40-43.

Bradshaw, C. 2003. Note: A 'post-Irish' review of 'firsts' for Britain. *British Birds* 96(8): 402-405 (404).

British Ornithologists' Union 2003. British Ornithologists' Union Records Committee: 29th Report (October 2002). *Ibis* 145: 178-183.

Broyd, S.J. 1983. Notes: Supercilium of Pallas's Grasshopper Warbler. *British Birds* 76(2): 89.

Codlin, T. 2014. Reeling in a rare. Pallas's Grasshopper Warbler: Titchfield Haven NNR, Hampshire, 6 September 2014. *Birdwatch* 268: 11.

Densley, M. 1982. Notes: Identification of Pallas's Grasshopper Warbler. *British Birds* 75(3): 133-134.

Fennell, C.M. et al. 1964. New occurrences and recent distributional records of Korean birds. *The Condor* 66(3): 239-246 (244).

Galsworthy, A.C. 1991. Separation of first-winter Pallas's Grasshopper Warbler from Lanceolated Warbler. *Hong Kong Bird Report* 1990 pp. 155-164.

George, P.V. & Mathew, I.P. 1965. The Pallas's Grasshopper Warbler *Locustella certhiola rubescens* Blyth from south India. *Journal of the Bombay Natural History Society* 62(2): 304.

- Gunawardana, J.** 1996. Observations on Pallas's Grasshopper Warbler (*Locustella certhiola*) at the Bellanwila-Attidiya Sanctuary. *Ceylon Bird Club Notes April 1996* pp. 30-33.
- Hottola, P.** 1991. Letters: Pallas's Grasshopper Warbler identification. *Birding World* 4(12): 436.
- Joyner, S.** 2001. Long-staying Pallas's delights the crowds. Pallas's Grasshopper Warbler: Norfolk, 22-24 September 2001. *Birdwatch* 113: 50-51.
- Joyner, S.** 2001. The Pallas's Grasshopper Warbler in Norfolk. *Birding World* 14(9): 382-384.
- Kennerley, P. & Pearson, D.** 2010. Identification: Streaked Locustellas. *Birdwatch* 222: 31-34.
- Lekagul, B. et al.** 1985. Birdwatching in Thailand. *British Birds* 78(1): 2-39 (25-28).
- Lidster, J.** 2009. Mongolia - vagrants and speciality birds. *Birding World* 22(8): 336-350 (plate 23, p. 345).
- Madge, S.** 1999. Identification: Streaks ahead. *Birdwatch* 80: 32-35.
- McElwee, S.** 2001. Pallas's Grasshopper Warbler: Northumberland, 29 September 2001. *Birdwatch* 113: 51.
- Millington, R.** 1998. *Locustella* warblers in autumn 1998. *Birding World* 11(10): 387-389.
- Millington, R.** 2001. Eastern vagrants: a photo-gallery. *Birding World* 14(8): 333-342 (337).
- Moores, N.** 2007. Selected records from Socheong Island, South Korea. *Forktail* 23: 102-124 (113).
- Nisbet, I.C.T.** 1967. Migration and moult in Pallas's Grasshopper Warbler. *Bird Study* 14(2): 96-103.
- Oddie, B.** 1997. Gripping yarns: PG Tips. *Birdwatch* 55: 9.
- Osborn, K. et al.** 1998. Pallas's Grasshopper Warblers on Shetland in autumn 1997. *Birding Scotland* 1: 14-17.
- Page, D. & Greaves, P.K.** 1983. Notes: Identification of Pallas's Grasshopper Warbler. *British Birds* 76(2): 88.
- Riddiford, N. & Harvey, P.** 1991. Pallas's Grasshopper Warbler identification: some new field characters. *Birding World* 4(9): 324-326.
- Riddington, R. & Reid, J.** 1997. Classic Fair Isle: September 1997. *Birding World* 10(10): 387-389.
- Roberson, D.** 1988. The 10 most likely additions to the ABA checklist. *Birding* XX(6): 353-363.
- Roselaar, C.S. et al.** 2006. Siberische Sprinkhaanzangers in Noord-Holland in september 2002-05 [Pallas's Grasshopper Warblers in Noord-Holland in Sep. 2002-05]. *Dutch Birding* 28(5): 273-283.
- Roth, T. & Jalilova, G.** 2004. First confirmed breeding record of Pallas's Grasshopper Warbler *Locustella certhiola* in Kyrgyzstan. *Sandgrouse* 26(2): 141-142.
- Round, P.D. et al.** 2014. Ringing and ornithological exploration in north-east Bangladesh wetlands. *Forktail* 30: 109-121 (113).
- Stoddart, A.** 2012. Identification: Grasshopper, Pallas's Grasshopper and Lanceolated Warblers. *Birdwatch* 243: 37-42.
- Thejaswi, S. & Shivaprakash, A.** 2004. Observations on the Rusty-rumped Grasshopper-Warbler *Locustella certhiola* (Pallas) at Mysore, Karnataka. *Journal of the Bombay Natural History Society* 101(3): 461-462.
- Udding, H. et al.** 1994. Siberische Sprinkhaanzanger bij Castricum in oktober 1991 [Pallas's Grasshopper Warbler near Castricum in October 1991]. *Dutch Birding* 16(1): 9-12.
- van der Lans, F. & Ebels, E.B.** 2009. Siberische Sprinkhaanzanger op stormachtige Maasvlakte [Pallas's Grasshopper Warbler at Maasvlakte, 3 October 2009]. *Dutch Birding* 31(6): 402-403.
- van Loon, A.J.** 1990. Siberian *Locustella* Warblers. *Dutch Birding* 12(4): 195-197 (plate 137, p. 196).
- White, C.M.N.** 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.
- Williamson, K.** 1975. Pallas's Grasshopper Warbler at Fair Isle. *British Birds* 50: 395-397.

Styan's Grasshopper Warbler

Helopsaltes pleskei [Taczanowski].

Several small islands (most less than 1km long) in Peter the Great Bay (S Ussuriland, extreme SE Russia), Ullung Island & other small islands off the E, S & W coasts of Korea and Izu Islands and small islands off SW Honshu & Kyushu (Japan). Winters coastal SE China & N Vietnam.

Previously included in *Locustella*.

Other names: Pleske's Warbler, Taczanowski's Grasshopper Warbler.

Frederick William Styan (1858-1934), British tea trader and collector in China where he was Curator of the Shanghai Museum between 1884 and 1887. He was a Fellow of the Zoological Society and elected a member of the British Ornithologists' Union in 1887.

Theodor Dimitrievich Pleske (1858-1932), Russian zoologist, geographer, ethnographer who was one time Fellow and Director of the Russian Imperial Academy of Science in St. Petersburg.

Wladyslaw Taczanowski (1819-1890), Polish zoologist and ornithologist who is considered one of the most important European zoologists of the nineteenth century. He took part in collecting expeditions to northwest Africa and South America.

- Berlijn, M.** 1995. Identification of Sty'an's Grasshopper Warbler in Ussuriland. *Dutch Birding* 17(4): 161.
- Fraser, M.** 2004. ListCheck: Potential new splits - *Locustella* warbler. *Birdwatch* 145: 13.
- Fujita, K. et al.** 2005. [Estimated population sizes of Owston's Varied Tits and Taczanowski's Grasshopper Warblers, before and after the volcanic eruption of Miyake Island, the Izu Islands, Japan]. *Strix* 23: 105-114. [in Japanese with English summary]
- Kennerley, P.R. & Leader, P.J.** 1993. Identification of Middendorff's and Sty'an's Grasshopper Warblers. *Dutch Birding* 15(6): 241-248.
- Leader, P.J.** 1998. Little known Oriental bird: Pleske's Warbler. *Oriental Bird Club Bulletin* 28: 49.
- Leader, P.J.** 1998. The winter status and conservation of Sty'an's Grasshopper Warbler. *Hong Kong Bird Report* 1996 pp. 158-161.
- Moores, N.** 2007. Selected records from Socheong Island, South Korea. *Forktail* 23: 102-124 (114).
- Nagata, H.** 1991. *The breeding ecology and mating system in Sty'an's Grasshopper Warbler, Locustella pleskei*. DSc thesis, Kyushu University, Fukuoka.
- Nagata, H.** 1993. The structure of a local population and dispersal pattern in the Sty'an's grasshopper warbler, *Locustella pleskei*. *Ecological Research* 8(1): 1-9.
- Nakamura, Y. et al.** 1999. [The First Breeding Record of the Sty'an's Grasshopper Warbler *Locustella pleskei* in Miyazaki Prefecture]. *Japanese Journal of Ornithology* 47(2): 61-63. [in Japanese with English summary]
- Nazarov, Y.N. & Shibaev, Y.V.** 1983. On the breeding biology and taxonomic status of the Pleske's Grasshopper Warbler, *Locustella pleskei* Tacz., new for the USSR. *Trudy Zoologicheskogo Instituta* 116: 72-78.
- Nishiumi, I. et al.** 2006. Genetic divergence and phylogeography in Sty'an's Grasshopper Warbler: Cryptic species, subspecies or just populations? *Journal of Ornithology* 147(5): 220.
- Pilgrim, J.D. et al.** 2009. Updates to the distribution and status of birds in Vietnam. *Forktail* 25: 130-136 (134).
- Takaki, Y. et al.** 2001. The growth bars on tail feathers in the male Sty'an's Grasshopper Warbler may indicate quality. *Journal of Avian Biology* 32(4): 319-325.
- Yi-Lun, Q. et al.** 2006. First Chinese breeding record of Pleske's Warbler *Locustella pleskei*, from a small island off Qingdao, Shandong province. *BirdingASIA* 6: 81-82.

Middendorff's Grasshopper Warbler

Helopsaltes ochotensis [Middendorff].

Magadan S to mouth of R Amur & Kamchatka (coastal Sea of Okhotsk, E Russia), Sakhalin Island, Kuril Islands & N & E Hokkaido (Japan). Winters Philippines & N Borneo.

Previously included in *Locustella*.

Other name: Asiatic Grasshopper Warbler.

Aleksandr Fedorovitsh von Middendorff (1815-1894), German-Russian traveller and naturalist who was a member of the St. Petersburg Academy of Sciences. He led the first expedition that reached peninsular Taimyr and the Amur region in Siberia.

- Balch, L.** 1988. Curling Up With a Good (Bird) Book - Update on 53 'Aleutian' Species Covered in the National Geographic Society Field Guide. *Birding* XX(5): 290-303 (299-300).
- Clarke, R.** 2006. Three new birds for Australia. *Birding World* 19(2): 82.
- Cooper, D. & Kay, B.** 2010. Autumn bird migration on Hegura-jima, Japan. *Birding World* 23(8): 355-364 (plate 7, p. 358).
- Eds.** 2005. Photo Salon – Autumn Alaska: The Bering Sea and Aleutian Islands. *North American Birds* 59(1): 184-187 (186).
- Fennell, C.M. et al.** 1964. New occurrences and recent distributional records of Korean birds. *The Condor* 66(3): 239-246 (244).
- Fraser, M.** 2004. ListCheck: Potential new splits - *Locustella* warbler. *Birdwatch* 145: 13.
- Kawasaki, S. et al.** 1997. [Changes of breeding avifauna at Syunkunitai, eastern Hokkaido]. *Strix* 15: 25-38. [in Japanese with English summary]
- Kennerley, P.R. & Leader, P.J.** 1993. Identification of Middendorff's and Sty'an's Grasshopper Warblers. *Dutch Birding* 15(6): 241-248.
- Leader, P.J.** 1994. Middendorff's Grasshopper Warbler. The first record for Hong Kong. *Hong Kong Bird Report* 1993 pp.123-131.
- Lehman, P.** 2006. Autumn Plumages from the Bering Sea Region, Alaska. *Birding* 38(5): 26-33 (32).
- Lightbody, J.P.** 1987. Commentaries: Female Choice in Middendorff's Grasshopper-Warbler? *The Auk* 104(3): 549-550.

- Moores, N.** 2007. Selected records from Socheong Island, South Korea. *Forktail* 23: 102-124 (114).
- Nagata, H.** 1986. Female choice in Middendorff's Grasshopper Warbler (*Locustella ochotensis*). *The Auk* 103(4): 694-700.
- Nagata, H.** 1987. Commentaries: Response to J.P. Lightbody. *The Auk* 104(3): 550-551.
- Nagata, H.** 1988. An example of facultative polygyny in Middendorff's Grasshopper Warbler (*Locustella ochotensis*). *Ecological Research* 3(1): 57-60.
- Tammiksaar, E. & Stone, I.R.** 2007. Alexander von Middendorff and his expedition to Siberia (1842–1845). *Polar Record* 43(3): 193-216.
- White, C.M.N.** 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.

Lanceolated Warbler

Locustella lanceolata [Temminck].

[*L.I. lanceolata*] S Finland & Karelia (Finland-Russia border region) and Perm Krai & W Urals (extreme E European Russia) E to lower R Kolyma, S Kamchatka & Sea of Okhotsk and S to Altai, Amurland & Ussuriland, extreme N Mongolia & Manchuria (NE China). Winters NE Indian subcontinent, SE Asia and N Philippines S to Sumatra & W Java.

[*L.I. hendersonii*] Sakhalin, S Kuril Islands and E, NE & N Hokkaido & N Honshu (Japan). Winters SE Asia probably.

Other name: Streaked Warbler.

Lieut-Col. Dr. George Henderson (1837-1929), British surgeon and diplomat who worked and travelled in Asia.

- Alström, P.** 1989. Bestämning av träksångare *Locustella lanceolata* [Identification of Lanceolated Warbler]. *Vår Fågelvärld* 48: 335-346.
- Andersen, E.M. et al.** 2008. First record of the Lanceolated Warbler breeding in North America. *Western Birds* 39(1): 2-7.
- Artyukin, Y.B.** 1997. [Lanceolated Warbler *Locustella lanceolata* - a new host of oriental cuckoo *Cuculus saturatus*]. *Russian Ornithological Journal* 6: 9-20. [in Russian]
- Bradshaw, C. & Steele, J.** 1994. ID Notebook: Primary projection of Lanceolated Warblers. *Birdwatch* 29: 39-40.
- Bradshaw, C. & Steele, J.** 1994. Masterguide: Tests of patience. *Birdwatch* 27: 40-43.
- Burton, J.F. & Johnson, E.D.H.** 1984. Insect, amphibian or bird? *British Birds* 77(3): 87-104.
- Caton-Haigh, G.H.** 1910. The Lanceolated Warbler (*Locustella lanceolata*) in Lincolnshire: A new British bird. *British Birds* 3(11): 354-355.
- Caton-Haigh, G.H.** 1985. Seventy-five years ago: The Lanceolated Warbler (*Locustella lanceolata*) in Lincolnshire. *British Birds* 78(4): 200.
- Davis, P.** 1961. Lanceolated Warblers at Fair Isle and the problem of identification. *British Birds* 54(4): 142-145.
- Fennell, C.M. et al.** 1964. New occurrences and recent distributional records of Korean birds. *The Condor* 66(3): 239-246 (244).
- Galsworthy, A.C.** 1991. Separation of first-winter Pallas's Grasshopper Warbler from Lanceolated Warbler. *Hong Kong Bird Report* 1990 pp. 155-164.
- Gilroy, J.J. & Lees, A.C.** 2003. Vagrancy theories: are autumn vagrants really reverse migrants? *British Birds* 96(9): 427-438.
- Harrap, A.H.J.** 2007. Eastern promise: the arrival of far-eastern passerine vagrants in autumn. *British Birds* 100(2): 105-111.
- Hickey, C.M. et al.** 1996. First record of a Lanceolated Warbler in California. *Western Birds* 27(4): 197-201.
- Ido, H. et al.** 2009. First authentic records of Gray's Grasshopper Warbler *Locustella fasciolata* and Lanceolated Warbler *L. lanceolata* in Ehime Prefecture, Japan. *Journal of the Yamashina Institute for Ornithology* 41: 69-73.
- Kennerley, P. & Pearson, D.** 2010. Identification: Streaked *Locustellas*. *Birdwatch* 222: 31-34.
- Lekagul, B. et al.** 1985. Birdwatching in Thailand. *British Birds* 78(1): 2-39 (25-28).
- Lindblom, K.** 2008. Booted Warbler and Lanceolated Warbler in Finland. *Alula* 14(2): 84-90.
- Madge, S.** 1999. Identification: Streaks ahead. *Birdwatch* 80: 32-35.
- Millington, R.** 1998. *Locustella* warblers in autumn 1998. *Birding World* 11(10): 387-389.
- Millington, R.** 2001. Eastern vagrants: a photo-gallery. *Birding World* 14(8): 333-342 (336).
- Moon, A.V.** 1995. From the Rarities Committee's files: Lanceolated Warbler in Shetland. *British Birds* 88(9): 435-438.
- Riddiford, N. & Harvey, P.V.** 1992. Identification of Lanceolated Warbler. *British Birds* 85(2): 62-78.

- Riddington, R. & Reid, J.** 1997. Classic Fair Isle: September 1997. *Birding World* 10(10): 387-389.
- Riley, D. et al.** 1993. The Lanceolated Warbler in Norfolk. *Birding World* 6(10): 396-397.
- Robertson, I.** 1989. Mystery photographs: Lanceolated Warbler. *British Birds* 82(7): 319-321.
- Robson, C. & Davidson, P.** 1995. Some recent records of Philippine birds. *Forktail* 11: 162-167 (163).
- Round, P.D. et al.** 2014. Ringing and ornithological exploration in north-east Bangladesh wetlands. *Forktail* 30: 109-121 (113).
- Schols, R.** 2005. More birds from northeast China. *Birding World* 18(9): 385-394 (389).
- Sharrock, J.T.R.** 1976. Letter: Lanceolated Warblers and vagrancy patterns. *British Birds* 69(3): 109.
- Stoddart, A.** 2012. Identification: Grasshopper, Pallas's Grasshopper and Lanceolated Warblers. *Birdwatch* 243: 37-42.
- Thompson, P.M. et al.** 2014. Notable bird records from Bangladesh from July 2002 to July 2013. *Forktail* 30: 50-65 (59).
- Tjernberg, M.** 1991. Differences in singing behaviour between Lanceolated and Grasshopper Warblers. *Dutch Birding* 13(1): 11.
- Tobish Jr., T.G.** 1985. The first record of *Locustella lanceolata* for North America. *The Auk* 102(3): 645.
- van Bemmelen, R.S.A. & Groenendijk, D.** 2006. Masters of Mystery Solution: Lanceolated Warbler. *Dutch Birding* 28(2): 108-109.
- van Loon, A.J.** 1990. Siberian *Locustella* Warblers. *Dutch Birding* 12(4): 195-197 (plates 135 & 136, p. 196).
- Verbelen, D. & De Smet, G.** 2003. Vijf Kleine Sprinkhaanzangers in België in 1998-2000 en voorkomen in Europa [Five Lanceolated Warblers in Belgium in 1988-2000 and Occurrence in Europe]. *Dutch Birding* 25(4): 221-234.
- Votier, S.C.** 1995. From the Rarities Committee's files: Lanceolated Warbler in Norfolk, Lanceolated Warbler in Shetland. *British Birds* 88(9): 430-435.
- Warakagoda, D.** 1992. The Lanceolated Warbler (*Locustella lanceolata*): A new species for Sri Lanka with two other rare warblers. *Loris* 19(5): 166-168.
- Ward, P. et al.** 1965. A Lanceolated Warbler *Locustella lanceolata* bearing large tumours caused by a harpyrhynchid mite. *Ibis* 107(4): 543-544.
- Wardill, J.C. & Riley, J.** 2000. Lanceolated Warbler records from Sangihe Island, North Sulawesi. *Kukila* 11: 148-149.
- White, C.M.N.** 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.
- Zvonov, B.M.** 2004. Principles of Acoustic Communication between Man and Birds. *Biology Bulletin* 31(2): 151-158.

Brown Bush Warbler

Locustella luteoventris [Hodgson].

Darjeeling (West Bengal, NE India) E to Arunachal Pradesh, Nagaland (extreme NE India), Bhutan, W & N Myanmar, S & SE China, N Vietnam and probably NE Bangladesh.

Treated by del Hoyo et al. 2006 as *Bradypterus luteoventris*.

Delacour, J. 1952 . The specific grouping of the bush warblers *Bradypterus luteoventris*, *Bradypterus montis* and *Bradypterus seebohmi*. *Ibis* 94(2): 362-363.

Kennerly, P.R. & Leader, P.J. 1992. Russet Bush Warbler and Brown Bush Warbler: two species new to Hong Kong. *Hong Kong Bird Report* 1992 pp. 114-130.

Long-billed Bush Warbler

Locustella major [W.E. Brooks].

[*L.m. major*] Khagan Valley & Gilgit (NW Himalayas of N Pakistan) and NE Kashmir, Ladakh & Zaskar (NW Himalayas of NW India).

[*L.m. innae*] Kunlun Mts & W Altun Shan (W & S Xinjiang, W China).

Treated by del Hoyo et al. 2006 as *Bradypterus major*.

Other name: Large-billed Bush Warbler.

Pittie, A. 2011. The dates of seven new taxa described by W. E. Brooks (*Certhia Hodgsoni*, *Sitta Cashmirensis*, *Dumeticola major*, *Horites* [sic] *Pallidus*, *Phylloscopus Tytleri*, *Motacilla Cashmirensis*, and *Alauda Guttata*). *Indian BIRDS* 7(2): 54-55.

Grasshopper Warbler

Locustella naevia [Boddaert].

[*L.n. naevia*] S Scandinavia & S Finland S to Britain, Ireland, NW Iberia, the Alps & R Danube area E to W European Russia & Ukraine. Winters W Africa.

[*L.n. straminea*] C & S parts of E European Russia E to SW Siberia, C & E Kazakhstan & Tien Shan (NW China). Winters mostly S Asia with some to Ethiopia.

[*L.n. obscurior*] Caucasus & E Turkey. Winters possibly in NE Africa & Iran.

The proposed form *mongolica* is included with *L.n. straminea*.

Other name: Seebohm's Grasshopper Warbler (*straminea*).

Henry Seebohm (1832-1895), British businessman, amateur ornithologist and oologist, who travelled widely in Greece, Scandinavia, Turkey and South Africa. He was one of the first European ornithologists to accept and adopt the trinomial system of classifying subspecies.

Al-Saghier, O. & Porter, R.F. 1997. The first Grasshopper Warbler *Locustella naevia* in Yemen. *Sandgrouse* 19(2): 150-151.

Anderson, J. 2010. First records of eight bird species for Eritrea. *Bulletin of the African Bird Club* 17(1): 66-70.

Baggott, G.K. 1986. The fat contents and flight ranges of four warbler species on migration in North Wales. *Ringing & Migration* 7(1): 25-36.

Banwell, A. 1985. Notes: Grasshopper Warbler mistaken for Savi's Warbler. *British Birds* 78(4): 197.

Bayly, N.J. & Rumsey, S.J.R. 2007. Grasshopper Warbler *Locustella naevia* autumn migration - findings from a study in southeast England. *Ringing & Migration* 23(3): 147-155.

Bayly, N.J. et al. 2011. Crossing the Sahara desert: migratory strategies of the Grasshopper Warbler *Locustella naevia*. *Journal of Ornithology* 152(4): 933-946.

Bensch, S. et al. 1991. Rapid moult among palaearctic passerines in West Africa - an adaptation to the oncoming dry season? *Ibis* 133(1): 47-52.

Boswall, J. 1985. Letters: Song of Grasshopper Warbler. *British Birds* 78(4): 198.

Brackenbury, J.H. 1978. A comparison of the origin and temporal arrangement of pulsed sounds in the songs of the Grasshopper and Sedge warblers, *Locustella naevia* and *Acrocephalus schoenobaenus*. *Journal of Zoology* 184(2): 187-206.

Bradshaw, C. & Steele, J. 1994. Masterguide: Tests of patience. *Birdwatch* 27: 40-43.

Burton, J.F. & Johnson, E.D.H. 1984. Insect, amphibian or bird? *British Birds* 77(3): 87-104.

Castany, J. & López-Iborra, G. 2011. Common Grasshopper Warbler, *Locustella naevia*. *Monografies del Museu de Ciencies Naturals* 6: 136-143.

Callion, J. et al. 1990. Notes: Grasshopper Warblers raising two and three broods in Cumbria. *British Birds* 83(11): 506-508.

Catley, G.P. 1986. Notes: Grasshopper Warbler behaviour when singing. *British Birds* 79(12): 659.

Collyer, A.A. et al. 1984. Notes: Similarity between songs of two *Locustella* warblers and stridulation of Roesel's bush-cricket. *British Birds* 77(3): 112-115.

Congreve, W.M. 1933. Notes: Large clutch of eggs of Grasshopper Warbler. *British Birds* 27(5): 135.

Dean, T. 1993. Behaviour notes: Grasshopper Warbler reeling in response to electric drill. *British Birds* 86(1): 20.

Eaton, M.A. et al. 2009. Birds of Conservation Concern 3, The population status of birds in the United Kingdom, Channel Islands and Isle of Man. *British Birds* 102(6): 296-341.

Eismond, M.E. 2008. The effect of mowing on next year predation of grassland bird nests: experimental study. *Polish Journal of Ecology* 56(2): 299-307.

Engzell, J. 2017. In the Grasshopper Warbler *Locustella naevia*, males with better nutritional condition at the winter ground arrive earlier than other males at the breeding ground. *Ornis Svecica* 27: 139-143.

Eriksson, K. 1969: On the occurrence of the Grasshopper Warbler (*Locustella naevia*) and River Warbler (*L. fluviatilis*) in Finland related to the bird watching activity. *Ornis Fennica* 46: 113-125.

Gilbert, G. 2012. Grasshopper Warbler *Locustella naevia* breeding habitat in Britain. *Bird Study* 59(3): 303-314.

Glue, D.E. 1990. Breeding biology of the Grasshopper Warbler in Britain. *British Birds* 83(4): 131-145.

Grahn, J.F. 2004. Notes: River Warblers with songs similar to that of Grasshopper Warbler. *British Birds* 97(4): 196.

Gunawardana, J. 1993. *Locustella naevia* Seebohm, Grasshopper Warbler. A new sight record from Sri Lanka. *Ceylon Bird Club Notes December* 1993 pp. 107-108.

Harvey, P.V. & Small, B.J. 2007. From the Rarities Committee's files: Eastern Grasshopper Warbler - are there any confirmed British records? *British Birds* 100(11): 658-664.

- Hodgson, C.J.** 1984. Letters: Sounds of Grasshopper Warbler and wood-crickets. *British Birds* 77(7): 328.
- Kasambe, R.** et al. 2010. Recent records of birds trapped in spiders' webs in India. *BirdingASIA* 13: 82-84.
- Kehoe, C.** 2006. Racial identification and assessment in Britain: a report from the RIACT subcommittee. *British Birds* 99(12): 619-645 (636).
- Kemp, J.** 1990. Letters: Grasshopper not Savi's. *Birding World* 3(8): 286-287.
- Kennerley, P. & Pearson, D.** 2010. Identification: Streaked *Locustellas*. *Birdwatch* 222: 31-34.
- Kratzer, D.** 1999. Rätselvogel 73: Feldschwirl *Locustella naevia* [Mystery Bird 73: Grasshopper Warbler *Locustella naevia*]. *Limicola* 13(5): 260-261.
- Kylänpää, J.** 2000. Birds of Dera Ismail Khan District of North West Frontier Province in Pakistan. *Forktail* 16: 15-28 (25).
- MacAlister, E.** 1936. Notes: Chiff-chaff and Grasshopper Warbler association. *British Birds* 30(4): 131.
- Madge, S.** 1999. Identification: Streaks ahead. *Birdwatch* 80: 32-35.
- Mauer, K.A.** 1984. Unusual song of Grasshopper Warbler. *Dutch Birding* 6(1): 16-17.
- McCanch, N.** 1975. Juvenile Grasshopper Warbler without tongue-spots. *Ringing & Migration* 1: 56.
- Miles, W. & Collinson, J.M.** 2015. 'Eastern Grasshopper Warbler' on Fair Isle: new to Britain. *British Birds* 108(4): 231-236.
- Millington, R.** 1998. *Locustella* warblers in autumn 1998. *Birding World* 11(10): 387-389.
- Mukhin, A.** et al. 2008. Acoustic information as a distant cue for habitat recognition by nocturnally migrating passerines during landfall. *Behavioral Ecology* 19: 716-723.
- O'Sullivan, O.** 2004. Discover birds: Warblers - Six summer songsters. *Wings* 33: 24-26.
- Parmenter, T.W.** 1982. The Grasshopper Warbler in Sussex: the results of a breeding survey during 1977-1980. *Sussex Bird Report* 1981 pp. 79-82.
- Pavia, M.** et al. 2012. New bird records from southwestern Burkina Faso. *Malimbus* 34: 57-70 (62).
- Prasad, A.** 2005. Greater Spotted Eagle, Grasshopper Warbler and Broad-tailed Grassbird near Pune, Maharashtra, India. *Indian Birds* 1(2): 34-35.
- Prytherch, R.** 2015. Letters: Grasshopper Warbler sunning. *British Birds* 108(9): 548.
- Radford, A.P.** 1969. Notes: Grasshopper Warblers singing persistently in August. *British Birds* 62(11): 498.
- Remeeus, A.** 1985. Unusual song of Grasshopper Warbler. *Dutch Birding* 7(3): 108.
- Riddiford, N.** 1983. Recent declines of Grasshopper Warblers *Locustella naevia* at British bird observatories. *Bird Study* 30(2): 143-148.
- Rumsey, S.J.R.** 1975. Mist-netting Grasshopper Warblers. *Ringer's Bulletin* 4: 104.
- Schild, D.** 1986. Relaxation oscillations and sound production in the Grasshopper Warbler (*Locustella naevia*). *Journal für Ornithologie* 127(3): 331-336.
- Scott, B. & Dickson, W.** 1995. News and Comment: Grasshopper Warbler extinct in Sussex? *British Birds* 88(11): 571.
- Senior, R.J.** 1983. Notes: Sounds of Grasshopper Warbler and wood-crickets. *British Birds* 76(8): 350.
- Simms, E.** 1984. Notes: The songs of three *Locustella* warblers. *British Birds* 77(3): 115.
- Stoddart, A.** 2012. Identification: Grasshopper, Pallas's Grasshopper and Lanceolated Warblers. *Birdwatch* 243: 37-42.
- Stoddart, A.** 2015. Identification: Grasshopper, Savi's and River Warblers Photo Guide. *Birdwatch* 276: 45-52.
- Thorpe, W.H.** 1957. Notes: The identification of Savi's, Grasshopper and River Warblers by means of song. *British Birds* 50(4): 169-171.
- Tjernberg, M.** 1991. Differences in singing behaviour between Lanceolated and Grasshopper Warblers. *Dutch Birding* 13(1): 11.
- van Turnhout, C.A.M.** et al. 2010. Long-term population developments in typical marshland birds in The Netherlands. *Ardea* 98(3): 283-299.
- Viniccombe, K.** 2004. Identification: The reel thing. *Birdwatch* 143: 23-25.
- Walpole-Bond, J.** 1934. Some habits of the Grasshopper-Warbler in Sussex. *British Birds* 27(12): 342-351.
- Wilson, J.D.** 1985. Notes: Possible mimicry of Corn Bunting song by Grasshopper Warbler. *British Birds* 78(8): 400.
- Zvonov, B.M.** 2004. Principles of Acoustic Communication between Man and Birds. *Biology Bulletin* 31(2): 151-158.

Chinese Bush Warbler

Locustella tacsanowskia [Swinhoe].

Krasnoyarsk Krai (C Siberia) E thru Transbaikalia to Khabarovsk region (extreme E Russia) and adjacent N Mongolia S to E Qinghai, SW Gansu, Sichuan & Guangxi (NE, C & S China). Winters S & SE Asia.

Treated by del Hoyo *et al.* 2006 as *Bradypterus tacsanowskii*.

Dickinson, E.C. et al. 2000. Systematic notes on Asian birds. 1. A review of the russet bush-warbler *Bradypterus seebohmi* (Ogilvie-Grant, 1895). *Zoologische Verhandelingen* 331: 11-64.

Bamboo Warbler

Locustella alfredi [Hartlaub].

[*L.a. alfredi*] SE Sudan & W Ethiopia to E DR Congo.

[*L.a. kungwensis*] SE DR Congo, W Tanzania & NW Zambia.

Treated by del Hoyo *et al.* 2006 as *Bradypterus alfredi*.

Other names: Bamboo Scrub-Warbler, Newton's Scrub-Warbler.

Mackworth-Praed, C.W. & Grant, C.H.B. 1941. A Survey of the African Species placed in the Genus *Bradypterus*. *Ibis* 83(3): 441-455.

River Warbler

Locustella fluviatilis [Wolf].

S Finland, S Sweden, W Germany, E Austria & Bulgaria E to vicinity of R Irtysh (SW Siberia) & NW Kazakhstan. Winters E & S Africa.

Alker, P. 1995. The River Warbler in Greater Manchester. *Birding World* 8(6): 216-217.

Allen, A. 2010. River in full flow. River Warbler: Thorpe-next-Haddiscoe, Norfolk, 2-17 July 2010. *Birdwatch* 219: 53.

Barthel, P.H. 1992. Rätselvogel 29: Schlagschwirl *Locustella fluviatilis* [Mystery Bird 29: River Warbler *Locustella fluviatilis*]. *Limicola* 6(3): 126-128.

Benson, C.W. & Irwin, M.P.S. 1965. The River Warbler *Locustella fluviatilis* (Wolf) in Barotseland, southwestern Zambia. *Bulletin of the British Ornithologists' Club* 85: 116.

Bradshaw, C. & Steele, J. 1994. Masterguide: Tests of patience. *Birdwatch* 27: 40-43.

Buckland, S. 1995. River Warbler - new to Fife. *Fife Bird Report* 1994 pp. 84-85.

Burton, J.F. & Johnson, E.D.H. 1984. Insect, amphibian or bird? *British Birds* 77(3): 87-104.

Davis, P. 1962. River Warbler at Fair Isle: a bird new to Britain. *British Birds* 55(4): 137-138.

Davis, P. River Warbler on Fair Isle, pp. 112-114. Found in: **Sharrock, J.T.R. & Grant, P.J.** 1982. *Birds new to Britain and Ireland*. T. & A.D. Poyser.

Davies, P. 1994. Notes: River Warbler reacting to mowing machine. *British Birds* 87(2): 91.

Dierschke, J. 1994. Letters: River and Savi's Warbler identification. *Birding World* 7(7): 287.

Dove, C.J. et al. 2017. First record of River Warbler *Locustella fluviatilis* and additional records for Plain Nightjar *Caprimulgus inornatus* and Lesser Masked Weaver *Ploceus intermedius* in Djibouti. *Bulletin of the British Ornithologists' Club* 137(1): 67-70.

Dowsett, R.J. 1972. The River Warbler *Locustella fluviatilis* in Africa. *Zambia Museums Journal* 3 pp. 69-76.

Ejsmond, M.E. 2008. The effect of mowing on next year predation of grassland bird nests: experimental study. *Polish Journal of Ecology* 56(2): 299-307.

Ellis, P.M. 1994. River Warbler on Out Skerries, the first for the Shetland recording area. *Shetland Bird Report* 1993 p. 121.

Eriksson, K. 1969: On the occurrence of the Grasshopper Warbler (*Locustella naevia*) and River Warbler (*L. fluviatilis*) in Finland related to the bird watching activity. *Ornis Fennica* 46: 113-125.

Fouquet, M. et al. 1997. New for the UAE: River Warbler *Locustella fluviatilis*, Kittlitz's Plover *Charadrius pecuarius* and Lesser Noddy *Anous tenuirostris*. *Emirates Bird Report* 19: 120-122.

Grant, P.J. 1986. Mystery photographs: River Warbler. *British Birds* 79(6): 283-284.

Harrison, J.M. 1958. River Warbler in Switzerland. *Bulletin of the British Ornithologists' Club* 78: 126.

Herremans, M. 1994. Major concentration of River Warblers *Locustella fluviatilis* wintering in northern Botswana. *Bulletin of the British Ornithologists' Club* 114: 24-26.

Kaňuščák, P. et al. 2004. Does climate at different scales influence the phenology and phenotype of the River Warbler *Locustella fluviatilis*? *Oecologia* 141(1): 158-163.

- Mackowicz, R.** 1977. The influence of the biology of the River Warbler (*Locustella fluviatilis* Wolf.) on the effectiveness of the mapping method. *Polish Ecological Studies* 3: 89-93.
- Mackowicz, R.** 1989. Breeding biology of the River Warbler *Locustella fluviatilis* (Wolf, 1810) in north-eastern Poland. *Acta Zoologica Cracoviensia* 32: 331-437.
- Martins, R.P. et al.** 1996. The status of passerines in southern Yemen and records of the OSME survey in spring 1993. *Sandgrouse* 17: 54-72 (62).
- McNee, A.** 2009. Take me to the River. River Warbler: Applecross, Highland, 28 June-July 2009. *Birdwatch* 206: 62.
- Nankinov, D.N.** 2000. Range expansion and current breeding distribution of River Warbler *Locustella fluviatilis* in Bulgaria. *Sandgrouse* 22(1): 50-54.
- Normaja, J.** 1994. Plumage variation in River Warblers. *Birding World* 7(3): 192-196.
- Pasanen, E.** 1995. Juovattomat sirisijät: Photographs. *Alula* 1(2): 104.
- Pearson, D.J. & Backhurst, G.C.** 1976. The southward migration of Palaearctic birds over Ngulia, Kenya. *Ibis* 118(1): 78-105.
- Pearson, D.J. & Backhurst, G.C.** 1983. Moult in the River Warbler *Locustella fluviatilis*. *Ringing & Migration* 4(4): 227-230.
- Polakowski, M. et al.** 2013. Hybridisation or vocal mimicry? A case of a mixed singing River Warbler *Locustella fluviatilis* in eastern Poland. *Turkish Journal of Zoology* 37: 246-248.
- Pratley, P.** 1984. Notes: River Warbler in Norfolk. *British Birds* 77(5): 213-214.
- Riddiford, N.** 1984. Notes: Plumage variations and age characteristics of River Warblers. *British Birds* 77(5): 21.
- Roselaar, C.S. & Aliabadian, M.** 2009. Review of rare birds in Iran, 1860s-1960s. *Podoces* 4(1): 1-27 (17).
- Sharrock, J.T.R.** 1984. Mystery photographs: River Warbler. *British Birds* 77(5): 205.
- Simms, E.** 1984. Notes: The songs of three *Locustella* warblers. *British Birds* 77(3): 115.
- Stoddart, A.** 2015. Identification: Grasshopper, Savi's and River Warblers Photo Guide. *Birdwatch* 276: 45-52.
- Thorpe, W.H.** 1957. Notes: The identification of Savi's, Grasshopper and River Warblers by means of song. *British Birds* 50(4): 169-171.
- Tucker, J.J.** 1978. A River Warbler *Locustella fluviatilis* 'wintering' and moulting in Zambia. *Bulletin of the British Ornithologists' Club* 98: 2-4.
- van den Berg, A.B.** 1984. Voorkomen van Krekelzanger in Nederland [Occurrence of River Warbler in the Netherlands]. *Dutch Birding* 6(3): 105-107.
- Viniccombe, K.** 2004. Identification: The reel thing. *Birdwatch* 143: 23-25.
- Willi, G.** 1996. Observation of River Warbler *Locustella fluviatilis* in Liechtenstein. *Ornithologische Beobachter* 93(2): 177-178.

Savi's Warbler

Locustella lusciniooides [Savi].

[*L.l. lusciniooides*] S Baltic S & E to C Urals, Crimea & Balkans and N Morocco E to N Tunisia. Winters Senegal E to L Chad and S to N Ghana.

[*L.l. sarmatica*] E Ukraine E to S Urals, Volga valley & N foothills of Caucasus. Winters NE Africa.

[*L.l. fusca*] Asia Minor, the Levant, N & S Kazakhstan E from upper Emba valley and the Aral Sea, Turkmenistan, NE Iran & NW Afghanistan. Winters NE Africa.

Paolo Savi (1798-1871), Italian ornithologist and geologist who lectured in Geology at the University of Pisa.

Aebischer, A. & Antoniazza, M. 1995. Verbreitung und Bestandsentwicklung des Rohrschwirls *Locustella lusciniooides* in der Schweiz [Distribution and population of Savi's Warbler in Switzerland]. *Ornithologische Beobachter* 92: 435-453.

Aebischer, A. & Meyer, D. 1998. Brutbiologie des Rohrschwirls *Locustella lusciniooides* am Neuenburgersee [Breeding biology of Savi's Warbler at Lake Neuchâtel]. *Ornithologische Beobachter* 95: 177-202.

Aebischer, A. et al. 1996. The role of territory choice, mate choice and arrival date on breeding success in the Savi's Warbler *Locustella lusciniooides*. *Journal of Avian Biology* 27(2): 143-152.

Aidley, D.J. & Wilkinson, R. 1987. Moult of some Palearctic warblers in northern Nigeria. *Bird Study* 34(3): 219-225 (219).

Ananian, V & Busutil, S. 2002. The first breeding records of Citrine Wagtail *Motacilla citreola* and Savi's Warbler *Locustella lusciniooides* in Armenia. *Sandgrouse* 24: 52-53.

- Andrews, J.** 1991. The management and creation of reedbeds - especially for rare birds. *British Wildlife* 3(2): 81-91 (86).
- Axell, H.E. & Jobson, G.J.** 1972. Savi's Warblers breeding in Suffolk. *British Birds* 65: 229-232.
- Banwell, A.** 1985. Notes: Grasshopper Warbler mistaken for Savi's Warbler. *British Birds* 78(4): 197.
- Barthel, P.H.** 2002. Rätselvogel 90: Rohrschwirl *Locustella lusciniooides* [Mystery Bird 90: Savi's Warbler *Locustella lusciniooides*]. *Limicola* 16(4): 233-236.
- Bensch, S. et al.** 1991. Rapid moult among palaearctic passerines in West Africa - an adaptation to the oncoming dry season? *Ibis* 133(1): 47-52.
- Boston, F.M.** 1956. Savi's Warbler in Cambridgeshire. *British Birds* 49: 326-327.
- Bradshaw, C. & Steele, J.** 1994. Masterguide: Tests of patience. *Birdwatch* 27: 40-43.
- Bradshaw, C.** 1999. Rarities Committee Announcements: Savi's Warbler and Ferruginous Duck. *British Birds* 92(2): 113-114.
- Brennan, P.** 1985. Savi's Warbler in Co. Clare - A Species New to Ireland. *Irish Birds* 3(2): 276-278.
- Burton, J.F. & Johnson, E.D.H.** 1984. Insect, amphibian or bird? *British Birds* 77(3): 87-104.
- Callahan, D.** 2014. Britain's rarest nesters. *Birdwatch* 263: 38-42 (42).
- Chytil, J.** 1998. Notes: Savi's Warbler imitating Bearded Tit and Water Rail. *British Birds* 91(5): 200.
- Collyer, A.A. et al.** 1984. Notes: Similarity between songs of two *Locustella* warblers and stridulation of Roesel's bush-cricket. *British Birds* 77(3): 112-115.
- Deuzeman, S. & van den Brink, B.** 2009. Aberrant Savi's Warbler trapped at Elburg, the Netherlands, in June 2008. *Dutch Birding* 31(3): 176-179.
- Dierschke, J.** 1994. Letters: River and Savi's Warbler identification. *Birding World* 7(7): 287.
- Dittberner, H. & Dittberner, W.** 1985. Zur Lage und Verteilung der Nistplätze des Rohrschwirls (*Locustella lusciniooides*) bei der Erst- und Zweitbrut [The location and distribution of Savi's Warbler first and second broods]. *Die Vogelwelt* 106: 107-111.
- Eaton, M.A. et al.** 2009. Birds of Conservation Concern 3, The population status of birds in the United Kingdom, Channel Islands and Isle of Man. *British Birds* 102(6): 296-341.
- Ferreiro-Carballal, S. et al.** 2017. Dietary characterization of Savi's Warbler *Locustella lusciniooides* and Great Reed Warbler *Acrocephalus arundinaceus* in eastern Spain. *Ardea* 105: 79-83.
- Grant, P.J.** 1983. Identification pitfalls and assessment problems 2. Savi's Warbler. *British Birds* 76(2): 78-80.
- Grant, P.J.** 1983. Mystery photographs: Savi's Warbler. *British Birds* 76(2): 81-82.
- Green, N.** 2004. Britain's first Eastern Savi's Warbler, Fair Isle, Shetland. *Birding Scotland* 7: 31-34.
- Hering, J. et al.** 2015. First records for Djibouti of Hottentot Teal *Anas hottentota*, Yellow Bittern *Ixobrychus sinensis*, Savi's Warbler *Locustella lusciniooides* and Mangrove Reed Warbler *Acrocephalus scirpaceus avicenniae*. *Bulletin of the African Bird Club* 22: 78-82.
- Kelemen, M. et al.** 2000. The postnuptial moult of Savi's Warbler (*Locustella lusciniooides*). *Ornis Hungarica* 10: 99-110.
- Kemp, J.** 1990. Letters: Grasshopper not Savi's. *Birding World* 3(8): 286-287.
- Kloubec, B. & Čapek, M.** 2005. Seasonal and diel budgets of song: a study of Savi's warbler (*Locustella lusciniooides*). *Journal of Ornithology* 146(3): 206-214.
- Mayaud, N.** 1930. La Locustella luscinioide *Locustella lusciniooides lusciniooides* (Savi) dans l'ouest et le centre de la France [Savi's Warbler in western and central France]. *Alauda* 2: 318-327.
- Mead, C.J. & Watmough, B.R.** 1976. Suspended Moult of Trans-Saharan Migrants in Iberia. *Bird Study* 23(3): 187-196 (191).
- Moskát, C. & Baldi, A.** 1999. The importance of edge effects in line transect censuses applied in marshland habitats. *Ornis Fennica* 76: 33-40.
- Neto, J.M. & Golser, A.G.** 2005. Breeding biology of the Savi's Warbler *Locustella lusciniooides* in Portugal. *Ardea* 93(1): 89-100.
- Neto, J.M. & Golser, A.G.** 2006. Post-juvenile and post-breeding moult of Savi's Warblers *Locustella lusciniooides* in Portugal. *Ibis* 148(1): 39-49.
- Neto, J.M. & Golser, A.G.** 2010. Variation in body condition of breeding Savi's Warblers *Locustella lusciniooides*: the reproductive stress and flight adaptation hypothesis revisited. *Journal of Ornithology* 151(1): 201-210.
- Neto, J.M.** 2006. Nest-site selection and predation in Savi's Warblers *Locustella lusciniooides*. *Bird Study* 53(2): 171-176.
- Neto, J.M. et al.** 2006. Using stable isotope analysis to determine the winter moult extent in migratory birds: the complex moult of Savi's warblers *Locustella lusciniooides*. *Journal of Avian Biology* 37(1): 117-124.

- Neto, J.M. et al.** 2008. Autumn migration of Savi's Warblers *Locustella lusciniooides* in Portugal: differences in timing, fuel deposition rate and non-stop flight range between the age classes. *Bird Study* 55(1): 78-85.
- Neto, J.M. et al.** 2010. Low frequency of extra-pair paternity in Savi's Warblers (*Locustella lusciniooides*). *Behaviour* 147(11): 1413-1429.
- Neto, J.M. et al.** 2011. Sex allocation in Savi's warblers *Locustella lusciniooides*: multiple factors affect seasonal trends in brood sex ratios. *Behavioral Ecology and Sociobiology* 65(2): 297-304.
- Newell, R.G.** 1989. Notes: 'Locustella' locomotion. *British Birds* 82(7): 331.
- Nikolaus, G. & Pearson, D.** 1991. The seasonal separation of primary and secondary moult in Palaearctic passerine migrants on the Sudan coast. *Ringing & Migration* 12: 46-47.
- Nowakowski, J.J.** 2002. Variation of morphometric parameters within the Savi's Warbler (*Locustella lusciniooides*) population in eastern Poland. *Ring* 24(2): 49-67.
- Pasanen, E.** 1995. Juovattomat sirisijät: Photographs. *Alula* 1(2): 104.
- Pikulski, A.** 1986. Breeding biology and ecology of Savi's Warbler (*Locustella lusciniooides*) at Milicz fish-ponds. *Ptaki Slaska* 4: 2-39.
- Pilard, P.H. et al.** 1996. Découverte d'une population de Locustelle luscinioïde *Locustella lusciniooides* dans les marais de Crau (Bouches-du-Rhône, Sud France) [Discovery of a population of Savi's Warbler *Locustella lusciniooides* in the swamps of Crau (Bouches-du-Rhone, southern France)]. *Alauda* 64(4): 385-388.
- Pitt, R.G.** 1967. Savi's Warblers breeding in Kent. *British Birds* 60(9): 349-355.
- Simms, E.** 1984. Notes: The songs of three *Locustella* warblers. *British Birds* 77(3): 115.
- Smiddy, P.** 1985. Savi's Warblers in Co. Cork. *Irish Birds* 3(2): 279-281.
- Steiner, H.M.** 1970. Die vom Schema der Passeres abweichende Handschwingenmauser des Rohrschwirls (*Locustella lusciniooides*) [Different patterns of primary feather moulting in Savi's Warbler]. *Journal of Ornithology* 111(2): 230-236.
- Stoddart, A.** 2015. Identification: Grasshopper, Savi's and River Warblers Photo Guide. *Birdwatch* 276: 45-52.
- Thomas, D.K.** 1977. Wing moult in the Savi's Warbler. *Ringing & Migration* 1(3): 125-130.
- Thorpe, W.H.** 1957. Notes: The identification of Savi's, Grasshopper and River Warblers by means of song. *British Birds* 50(4): 169-171.
- van Turnhout, C.A.M. et al.** 2010. Long-term population developments in typical marshland birds in The Netherlands. *Ardea* 98(3): 283-299.
- Vercruyse, W.** 1989. Mystery photographs: Savi's Warbler. *Dutch Birding* 11(2): 68-70.
- Viniccombe, K.** 2004. Identification: The reel thing. *Birdwatch* 143: 23-25.

Friendly Bush Warbler

Locustella accentor [Sharpe].

Mt Kinabalu and adjoining peaks of Mt Trus Madi & Tam Boyukan (Sabah, N Borneo, Malaysian Federation).

Treated by del Hoyo *et al.* 2006 as *Bradypterus accentor*.

Other name: Kinabalu Bush Warbler.

Harrap, S. 1994. Little-known Oriental bird: Kinabalu Friendly Warbler *Bradypterus accentor*. *Oriental Bird Club Bulletin* 20: 24-27.

Smythies, B.E. 1964. The Birds of Mt Kinabalu and their Zoogeographical Relationships. *Proceedings of the Royal Society London, Biological Sciences* 161(982): 75-80.

Chestnut-backed Bush Warbler

Locustella castanea [Büttikofer].

[*L.c. castanea*] Sulawesi (Sunda Islands, Indonesia).

[*L.c. disturbans*] Buru (S Moluccas Islands, Indonesia).

[*L.c. musculus*] Seram (Moluccas Islands, Indonesia).

Treated by del Hoyo *et al.* 2006 as *Bradypterus castaneus*.

Rheindt, F.E. et al. 2014. New and significant island records, range extensions and elevational extensions of birds in eastern Sulawesi, its nearby satellites, and Ternate. *Treubia* 41: 67-97 (90).

Riley, J. & Mole, J. 2001. The birds of Gunung Ambang Nature Reserve, North Sulawesi, Indonesia. *Forktail* 17: 57-66 (61).

Long-tailed Bush Warbler

Locustella caudata [Ogilvie-Grant].

[*L.c. caudata*] N Luzon (Philippines).

[*L.c. unicolor*] Mindanao except Zamboanga peninsula (S Philippines).

[*L.c. malindangensis*] N Zamboanga peninsula (W Mindanao, S Philippines).

Treated by del Hoyo *et al.* 2006 as *Bradypterus caudatus*.

Other name: Long-tailed Ground Warbler.

Dickinson, E.C. et al. 2000. Systematic notes on Asian birds. 1. A review of the russet bush-warbler *Bradypterus seebohmi* (Ogilvie-Grant, 1895). *Zoologische Verhandelingen* 331: 11-64 (36-37).

Oliveros, C.H. et al. 2012. The phylogenetic position of some Philippine ‘babblers’ spans the muscicapoid and sylvioid bird radiations. *Molecular Phylogenetics and Evolution* 65(2): 799-804.

Poulsen, M.K. 1995. The threatened and near-threatened birds of Luzon, Philippines, and the role of the Sierra Madre mountains in their conservation. *Bird Conservation International* 5(1): 79-115 (102).

David's Bush Warbler

Locustella davidi [La Touche].

[*L.d. davidi*] SE Transbaikalia E to W Amurland (SE Russia) and NE China S to N Hubei (C China).

Winters SE Asia.

[*L.d. suschkinii*] Altai E to SW Transbaikalia (SC Siberia). Winters SE Asia.

Treated by del Hoyo *et al.* 2006 as *Bradypterus davidi*.

Other names: Siberian Bush Warbler, Baikal Bush Warbler.

Fr. Jean Pierre Armand David (1826-1900), French Lazarist priest who travelled as a missionary to China where he began to collect natural history specimens. Among the many animals he found in China were the Giant Panda and Père David's Deer. He effectively succeeded in saving the deer from extinction by sending live specimens back to Europe where the Duke of Bedford later established a breeding herd at his Woburn Estate.

Alström, P. et al. 2008. Species delimitation based on multiple criteria: the Spotted Bush Warbler *Bradypterus thoracica* complex (Aves: Megaluridae). *Zoological Journal of the Linnean Society* 154: 291-307.

Eaton, J.A. & Das, R.K. 2014. Baikal Bush-warbler *Locustella davidi* from Dibru-Saikhowa National Park and Biosphere Reserve, Assam, India: A new species for India. *Indian BIRDS* 9(3): 80-81.

Leader, P.J. 2009. Baikal Bush Warbler *Bradypterus davidi* at Mai Po: the first Hong Kong record. *Hong Kong Bird Report 2003-2004* pp. 210-214.

Moores, N. 2007. Selected records from Socheong Island, South Korea. *Forktail* 23: 102-124 (113).

Pilgrim, J.D. et al. 2009. Species-level changes suggested for Asian birds, 2007-2008. *BirdingASIA* 12: 18-35 (22 & 24).

Round, P.D. & Baral, H.S. 2013. A record of David's Bush Warbler *Bradypterus davidi* in Nepal. *BirdingASIA* 20: 107-109.

Round, P.D. & Loskot, V. 1995. A reappraisal of the taxonomy of the Spotted Bush-Warbler *Bradypterus thoracicus*. *Forktail* 10: 159-172.

Round, P.D. et al. 2014. Ringing and ornithological exploration in north-east Bangladesh wetlands. *Forktail* 30: 109-121 (112).

Thompson, P.M. et al. 2014. Notable bird records from Bangladesh from July 2002 to July 2013. *Forktail* 30: 50-65 (59).

Spotted Bush Warbler

Locustella thoracica [Blyth].

Nepal, Bhutan & NE India E to N Myanmar and SE Xizang & Yunnan E to NC Sichuan, Guizhou & Dayao Shan region of Guangxi (W & S China) & E Tibetan plateau from N Qinghai E to SW Gansu & S Shaanxi (C China). Winters W Nepal E to Arunachal Pradesh (NE India) in the Himalayan foothills. Treated by del Hoyo *et al.* 2006 as *Bradypterus thoracica*.

The proposed form *przevalskii* is a synonym of *thoracica* (Alström *et al.* 2008).

Other names: Grey-breasted Bush Warbler, Spotted Scrub Warbler.

Alström, P. et al. 2008. Species delimitation based on multiple criteria: the Spotted Bush Warbler *Bradypterus thoracica* complex (Aves: Megaluridae). *Zoological Journal of the Linnean Society* 154: 291-307.

- Dickinson, E.C. & Walters, M.** 2006. Systematic notes on Asian birds. 53. The authorship and date of publication of the "Catalogue of the Specimens and Drawings of Mammalia and Birds of Nepal and Thibet" presented by B.H. Hodgson, Esq. to the British Museum. *Zoologische Mededelingen* 80: 137-153 (147).
- Fraser, M.** 2009. ListCheck: Splits - Spotted Bush Warbler. *Birdwatch* 201: 57.
- Holmes, J.R.S.** 1968. New wintering locality of the Spotted Bush Warbler *Bradypterus thoracicus* (Blyth). *Journal of the Bombay Natural History Society* 65(3): 779-780.
- Round, P.D. & Loskot, V.** 1995. A reappraisal of the taxonomy of the Spotted Bush-Warbler *Bradypterus thoracicus*. *Forktail* 10: 159-172.
- Round, P.D. et al.** 2014. Ringing and ornithological exploration in north-east Bangladesh wetlands. *Forktail* 30: 109-121 (112).
- Thompson, P.M. et al.** 2014. Notable bird records from Bangladesh from July 2002 to July 2013. *Forktail* 30: 50-65 (58).

West Himalayan Bush Warbler

Locustella kashmirensis [Sushkin].
Himachal Pradesh & Uttaranchal Pradesh (W Himalayas of NW India) and possibly Kashmir (NW India).
Treated by del Hoyo *et al.* 2006 as a race of Spotted Bush Warbler.

- Alström, P. et al.** 2008. Species delimitation based on multiple criteria: the Spotted Bush Warbler *Bradypterus thoracica* complex (Aves: Megaluridae). *Zoological Journal of the Linnean Society* 154: 291-307.
- Pilgrim, J.D. et al.** 2009. Species-level changes suggested for Asian birds, 2007-2008. *BirdingASIA* 12: 18-35 (22 & 24).

Taiwan Bush Warbler

Locustella alishanensis [Rasmussen *et al.*].
Mountains of C & NE Taiwan.
Previously treated as a form of Russet Bush Warbler *B. mandelli* (= *seebohmi*) but here treated as a full species after Rasmussen *et al.* 2000.
Treated by del Hoyo *et al.* 2006 as *Bradypterus alishanensis*.

- Alström, P. & Ranft, R.** 2003. The use of sounds in avian systematics and the importance of bird sound archives. *Bulletin of the British Ornithologists' Club* 123: 114-135.
- Alström, P. et al.** 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research* 6: 9 DOI 10.1186/s40657-015-0016-z.
- Chia-Ying, Ko. et al.** 2009. Identifying biodiversity hotspots by predictive models: a case study using Taiwan's endemic bird species. *Zoological Studies* 48(3): 418-431
- Ding, T-S. et al.** 1997. Abundance and Distribution of Birds in Four, High Elevation Plant Communities in Yushan National Park, Taiwan. *Acta Zoologica Taiwanica* 8(1): 55-64.
- Rasmussen, P.C. et al.** 2000. A New Bush-Warbler (Sylviidae, *Bradypterus*) from Taiwan. *The Auk* 117(2): 279-289.
- van Rootselaar, O.** 2002. New birds for the World: species described during 1999 - 2002. *Birding World* 15(10): 428-431.
- Yuan, H.W. et al.** 2005. Short-term responses of animal communities to thinning in a *Cryptomeria japonica* (Taxodiaceae) plantation in Taiwan. *Zoological Studies* 44(3): 393-402.

Russet Bush Warbler

Locustella mandelli [W.E. Brooks].
[*L.m. mandelli*] Sikkim, Darjeeling & Assam (NE India) E to Bhutan, W & N Myanmar, S & C China N to Sichuan, N Thailand, N Laos & N Vietnam.
[*L.m. melanorhynchus*] Hubei S to Fujian (E China). Winters S to SE China.
Treated by del Hoyo *et al.* 2006 as *Bradypterus mandelli*. Previously considered to be a form of *L(B). seebohmi* but here treated as a full species after Dickenson *et al.* 2000.
Louis Mandelli (1833-1880), Italian tea planter and ornithologist who is rumoured to have fought with General Giuseppe Garibaldi and later settled in Assam, India.

- Alström, P. et al.** 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research* 6: 9 DOI 10.1186/s40657-015-0016-z.
- Delacour, J.** 1952 . The specific grouping of the bush warblers *Bradypterus luteoventris*, *Bradypterus montis* and *Bradypterus seebohmi*. *Ibis* 94(2): 362-363.
- Dickinson, E.C.** 1998. Reinstatement of *Bradypterus seebohmi* to the Indian avifauna, and revalidation of an earlier name. *Ostrich* 69(3-4): 399.
- Dickinson, E.C. et al.** 2000. Systematic notes on Asian birds. 1. A review of the russet bush-warbler *Bradypterus seebohmi* (Ogilvie-Grant, 1895). *Zoologische Verhandelingen* 331: 11-64.
- Kennerly, P.R. & Leader, P.J.** 1992. Russet Bush Warbler and Brown Bush Warbler: two species new to Hong Kong. *Hong Kong Bird Report* 1992 pp. 114-130.
- King, B. et al.** 2001. Birds recorded during two expeditions to North Myanmar (Burma). *Forktail* 17: 29-40 (34).
- Robson, C.** 1996. Russet Bush-Warbler, *Bradypterus seebohmi*: a new species for Bhutan and the Indian subcontinent. *Forktail* 11: 161.
- Round, P.D.** 1992. The identification and status of the Russet Bush-Warbler in China and continental south-east Asia. *Hong Kong Bird Report* 1991 pp. 188-194.
- Rozendaal, F.G.** 1989. Taxonomic affinities of *Bradypterus montis*. *Dutch Birding* 11(4): 164-167.
- Xia, C-W. et al.** 2011. The New Distribution of Russet Bush Warbler (*Bradypterus mandelli*) and Its Vocalization Analysis. *Chinese Journal of Zoology* 1: 106-108.

Dalat Bush Warbler

Locustella idoneus [Riley].
Langbian Plateau (Annam, SC Vietnam).
Previously treated as a form of Russet Bush Warbler.

- Alström, P. et al.** 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research* 6: 9 DOI 10.1186/s40657-015-0016-z.

Benguet Bush Warbler

Locustella seebohmi [Ogilvie-Grant].
Mountains in Lepanto (NW Luzon, Philippines).
Treated by del Hoyo et al. 2006 as *Bradypterus seebohmi*.
Until 2000 it was known from just a single specimen that was taken in the mountains of Lepanto, Philippines in 1894. It was previously considered to be a little known form of Russet Bush Warbler but here treated as a full species after Dickinson et al. 2000.
Henry Seebohm (1832-1895), British businessman, amateur ornithologist and oologist who travelled widely in Greece, Scandinavia, Turkey and South Africa. He was one of the first European ornithologists to accept and adopt the trinomial system of classifying subspecies.

- Alström, P. et al.** 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research* 6: 9 DOI 10.1186/s40657-015-0016-z.
- Delacour, J.** 1952 . The specific grouping of the bush warblers *Bradypterus luteoventris*, *Bradypterus montis* and *Bradypterus seebohmi*. *Ibis* 94(2): 362-363.
- Dickinson, E.C. et al.** 2000. Systematic notes on Asian birds. 1. A review of the russet bush-warbler *Bradypterus seebohmi* (Ogilvie-Grant, 1895). *Zoologische Verhandelingen* 331: 11-64.

Javan Bush Warbler

Locustella montis [E.J.O. Hartert].
[L.m. montis] Mt Lawu E to Bromo (Mountains of E & C Java) & Bali.
[L.m. timorensis] Mount Mutis (W Timor, Indonesia) and Alor (E Lesser Sunda Islands, Indonesia).
Javan Bush Warbler treated by del Hoyo et al. 2006 as *Bradypterus montis*.
Timor Bush Warbler treated by del Hoyo et al. 2006 as *Bradypterus timorensis*.
Other names: Java Scrub Warbler (*montis*), Timor Bush Warbler (*timorensis*).

- Alström, P. et al.** 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research* 6: 9 DOI 10.1186/s40657-015-0016-z.

- BirdLife International** 2012. Timor Bush-warbler rediscovered. *Wings* 64: 17.
- Delacour, J.** 1947. The name of the Javanese Bush Warbler. *The Auk* 64(1): 129.
- Delacour, J.** 1952 . The specific grouping of the bush warblers *Bradypterus luteoventris*, *Bradypterus montis* and *Bradypterus seebohmi*. *Ibis* 94(2): 362-363.
- Dickinson, E.C. et al.** 2000. Systematic notes on Asian birds. 1. A review of the russet bush-warbler *Bradypterus seebohmi* (Ogilvie-Grant, 1895). *Zoologische Verhandelingen* 331: 11-64.
- Kennerley, P.R.** 1989. A record of a *Bradypterus* warbler probably breeding in Bali. *Kukila* 4(3-4): 155-157.
- Rozendaal, F.G.** 1989. Taxonomic affinities of *Bradypterus montis*. *Dutch Birding* 11(4): 164-167.
- Trainor, C.R.** 2005. Species richness, habitat use and conservation of birds of Alor island, Lesser Sundas, Indonesia. *Emu* 105: 127-135.
- Trainor, C.R. et al.** 2008. Country special: Birds, birding and conservation in Timor-Leste. *BirdingAsia* 9: 16-45 (30).
- Trainor, C.R. et al.** 2012. Rediscovery of the Timor Bush Warbler *Locustella timorensis* on Alor and Timor, Wallacea: clarifying taxonomic affinities, defining habitat and survey recommendations. *Bird Conservation International* 22(3): 354-369.
- Verbelen, P. & Trainor, C.R.** 2012. Rediscovery of the Timor Bush Warbler *Locustella (Bradypterus) timorensis* on Alor and Timor, Wallacea, Indonesia. *BirdingAsia* 17: 47-48.

Sichuan Bush Warbler

Locustella chengi [Alström et al.].

Shaanxi, Sichuan, Guizhou, Hubei and northwest Hunan. Winters not known.

Alström, P. et al. 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research* 6: 9 DOI 10.1186/s40657-015-0016-z.